

NUCLEAR WALLET CARDS

January 2000

JAGDISH K. TULI

**NATIONAL NUCLEAR
DATA CENTER**

**Brookhaven National Laboratory
P.O. Box 5000
Upton, New York 11973-5000
U.S.A.**

Disclaimer

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency, contractor, or subcontractor thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency, contractor, or subcontractor thereof.

NUCLEAR WALLET CARDS

(Sixth edition)

JANUARY 2000

JAGDISH K. TULI

NATIONAL NUCLEAR DATA CENTER

for

The U.S. Nuclear Data Program

Supported by
The Division of Nuclear Physics,
Office of High Energy and Nuclear Physics,
US Department of Energy.

Brookhaven National Laboratory*
Upton, New York 11973-5000, USA

* Operated by Brookhaven Science Associates
under contract No. DE-AC02-98CH10886 with
US Department of Energy

NUCLEAR WALLET CARDS

January 2000

CONTENTS

| | |
|-----------------------------------|-------------|
| U. S. Nuclear Data Program | ii |
| Introduction | iii |
| Explanation of Table | iv |
| Acknowledgements | vii |
| References | vii |
| Nuclear Wallet Cards | 1-74 |

Appendices:

| | |
|-------------|---|
| I | Table of Elemental Properties |
| II | Frequently-Used Constants |
| III | Fundamental Constants |
| IV | Energy-Equivalent Factors |
| V | Observed Λ Hypernuclides |
| VIa | Periodic Table of Elements |
| VIb | List of Elements-Alphabetical |
| VIc | List of Elements-by Z |
| VII | International Nuclear Structure and Decay Data Network |
| VIII | Nuclear Data Centers Network |

Centerfold: Electronic Nuclear Data Access

U.S. Nuclear Data Program

(<http://www.nndc/usndp/>)

Argonne National Laboratory
Technology Development Division
TD-360-L106
9700 South Cass Avenue
Argonne, Illinois 60439

Brookhaven National Laboratory
National Nuclear Data Center
Building 197D,
P.O. Box 5000,
Upton, NY 11973-5000

Clark University
Carlson School of Chemistry
Worcester, MA 01610

Idaho National Engineering and Environmental Laboratory
Nuclear Physics Division
P.O. Box 1625
Idaho Falls, ID 83415

Lawrence Berkeley National Laboratory
Isotopes Project
Berkeley, CA 94720

Lawrence Livermore National Laboratory
Nuclear Data Group
P.O. Box 808, L-59
Livermore, CA 94550

Los Alamos National Laboratory
Group T-2, Nucl. Theory and
Applied Theory Divn., MS B243
Los Alamos, NM 87545

McMaster University
Tandem Accelerator Laboratory
Hamilton, Ontario L8S 4K1
Canada

National Institute of Standards and Technology
Nucl. Data Verification &
Standardization Project
100 Bureau Dr Stop 8463
Gaithersburg, MD 20899-8463

Oak Ridge National Laboratory
Nuclear Data Project
Bldg. 6000, MS 6371
P.O. Box 2008
Oak Ridge, TN 37831-6371

San Jose State University
Center for Nuclear Information
Technology,
Deptartment of Chemistry
San Jose, CA 95192-0101

Triangle Universities Nuclear Laboratory
Nuclear Data Evaluation
Project
P.O. Box 90308,
Durham, NC 27708-0308

INTRODUCTION

This is an updated edition of the 1995 booklet of the same name[†].

This booklet presents selected properties of all known nuclides and their known isomeric states. Properties of ionized atoms are not included.

The data given here are taken mostly from the adopted properties of the various nuclides as given in the *Evaluated Nuclear Structure Data File* (ENSDF)[1]. The data in ENSDF are based on experimental results and are published in *Nuclear Data Sheets*[2] for $A \geq 44$ and in *Nuclear Physics*[3,4] for $A < 44$. For nuclides for which either there are no data in ENSDF or those data have since been superseded, the half-life and the decay modes are taken either from recent literature[5] or from other sources[e.g., 6,7,8]. The ground-state mass excesses are from the mass adjustments by G. Audi and A. H. Wapstra[9]. The isotopic abundances are those of N. E. Holden[10].

For other references, experimental data, and information on the data measurements, please refer to the original evaluations [1–4]. The data[1] were updated to **July 31, 1999**.

[†]The first *Nuclear Wallet Cards* was produced by F. Ajzenberg-Selove and C. L. Busch in 1971. The Isotopes Project, Lawrence Berkeley National Laboratory, produced the next edition in 1979 based upon the *Table of Isotopes*, 7th edition (1978)[12]. The subsequent editions, third in 1985, fourth in 1990, and the fifth edition in 1995, were produced by J. K. Tuli, NNDC, Brookhaven National Laboratory.

Explanation of Table

Column 1, Isotope (Z, El, A):

Nuclides are listed in order of increasing atomic number (Z), and are subordered by increasing mass number (A). All isotopic species are included as well as all isomers with half-life ≥ 0.1 s, and some with half-life ≥ 1 ms which decay by SF, α or p emissions. A nuclide is included even if only its mass estimate or its production cross section is available. For the latter nuclides $T_{1/2}^{\text{limit}}$ or an approximate value is given as estimated from systematics[8].

Isomeric states are denoted by the symbol "m" after the mass number and are given in the order of increasing excitation energy.

The ^{235}U thermal fission products, with fractional cumulative yields $\geq 10^{-6}$, are *italicized* in the table. The information on fission products is taken from the ENDF/B-VI fission products file[11].

The names for elements Z=104–109 are those adopted by the International Union of Pure and Applied Chemistry (1997).

Column 2, $J\pi$:

Spin and parity assignments, without and with parentheses, are based upon strong and weak arguments, respectively. See the introductory pages of any January issue of *Nuclear Data Sheets*[2] for description of strong and weak arguments for $J\pi$ assignments.

Explanation of Table (cont.)

Column 3, Mass Excess, Δ :

Mass excesses, $M-A$, are given in MeV with $\Delta(^{12}\text{C})=0$, by definition. For isomers the values are obtained by adding the excitation energy to the $\Delta(\text{g.s.})$ values. Wherever the excitation energy is not known, the mass excess for the next lower isomer (or g.s.) is given. The values are given to the accuracy determined by uncertainty in $\Delta(\text{g.s.})$ (maximum of three figures after the decimal). The uncertainty is ≤ 9 in the last significant figure. An appended "s" denotes that the value is obtained from systematics.

Column 4, $T^{\frac{1}{2}}$, Γ or Abundance:

The half-life and the abundance (in **bold face**) are shown followed by their units ("%" symbol in the case of abundance) which are followed by the uncertainty, in *italics*, in the last significant figure. For example, $8.1 \text{ s } 10$ means $8.1 \pm 1.0 \text{ s}$. For some very short-lived nuclei, level widths rather than half-lives are given. There also, the width is followed by units (e.g., eV, keV, or MeV) which are followed by the uncertainty in *italics*, if known. As stated above when a limit or an approximate value is given it is based on systematics, mostly from [8].

For $2\beta^-$ and 2ϵ decay only the lowest value of their several limits (e.g., for 0ν or 2ν , etc.) is given.

If a new measurement of $T^{\frac{1}{2}}$ has since become available it is presented in place of the evaluated value in ENSDF.

Explanation of Table (cont.)

Column 5, Decay Mode:

Decay modes are given in decreasing strength from left to right, followed by the percentage branching, if known ("w" indicates a weak branch). The percentage branching is omitted where there is no competing mode of decay or no other mode has been observed. A "?" indicates an expected but not observed mode of decay[8]. The various modes of decay are given below:

| | |
|--|--|
| β^- | β^- decay |
| ε | ε (electron capture), or $\varepsilon + \beta^+$, or β^+ decay |
| IT | isomeric transition (through γ or conversion-electron decay) |
| n, p, α , ... | neutron, proton, alpha, ... decay |
| SF | spontaneous fission |
| $2\beta^-$, 3α , ... | double β^- decay ($\beta^- \beta^-$), decay through emission of 3 α 's, ... |
| β^-n , β^-p , $\beta^- \alpha$, ... | delayed n, p, α , ... emission following β^- decay |
| εp , $\varepsilon \alpha$, εSF , ... | delayed p, α , SF, ... decay following ε or β^+ decay |

Acknowledgements

The appendix on Λ hypernuclides has been prepared by R. Chrien, BNL. The centerfold on electronic nuclear data access has been prepared by T. Burrows. The author is thankful to M. Bhat, T. Burrows, A. Sonzogni, and D. Winchell for help with scanning recent literature. The help in library matters from J. Tallarine, with publication from M. Blennau, P. Dixon, and A. Lopez, and computers and distribution from R. Arcilla, R. Kinsey, V. McLane and Y. Sanborn is acknowledged. The author is grateful for encouragement and support from M. Bhat, C. Dunford, and R. Meyer, DOE.

This research was supported by the Division of Nuclear Physics, Office of High Energy and Nuclear Physics, US Department of Energy.

References

1. *Evaluated Nuclear Structure Data File* – a computer file of evaluated experimental nuclear structure data maintained by the National Nuclear Data Center, Brookhaven National Laboratory (file as of August, 1999).
2. *Nuclear Data Sheets* – Academic Press, San Diego. Evaluations published by mass number for $A = 44$ to 266. See page ii of any issue for the index to A-chains.
3. *Nuclear Physics* – North Holland Publishing Co., Amsterdam – Evaluations by F. Ajzenberg-Selove and by D. R. Tilley, *et al.* for $A = 3$ to 20.
4. Energy Levels of $A = 21$ –44 Nuclei (VII), P. M. Endt, *Nuclear Physics* A521, 1 (1990). Supplement, *Nuclear Physics* A633, 1 (1998).

References (cont.)

5. *Nuclear Science Reference File*—a bibliographic computer file of nuclear science references continually updated and maintained by the National Nuclear Data Center, Brookhaven National Laboratory. Recent literature scanned by D. Winchell and A. Sonzogni.
6. *Table of Isotopes*, 8th edition (1996), Editors: R. Firestone, V. Shirley, C. Baglin, F. Chu, and J. Zipkin, John Wiley, New York.
7. Spontaneous Fission Half-lives for Ground State Nuclides, N. E. Holden and , D. C. Hoffman, Pure Appl. Chem 72 (2000), to be published.
8. NUBASE evaluation of Nuclear and Decay Properties, G. Audi, O. Bersillon, J. Blachot, and A. H. Wapstra, *Nuclear Physics* A624, 1 (1997).
9. The 1995 update to the atomic mass evaluation, G. Audi and A. H. Wapstra, computerized list of recommended values based on authors' publication *Nuclear Physics* A595, 409 (1995).
10. N. E. Holden, private communication, December, 1999. Table of Isotopes (2000), to be published.
11. Evaluation and Compilation of Fission Product Yields 1993, T. R. England and B. F. Rider; Rept. LA-UR-94-3106 (1994). ENDF/B-VI evaluation; MAT #9228, Revision 1.

References (cont.)

12. *Table of Isotopes* (1978), 7th edition, Editors: C. M. Lederer, V. S. Shirley, Authors: E. Browne, J. M. Dairiki, R. E. Doebler, A. A. Shihab-Eldin, J. Jardine, J. K. Tuli, and A. B. Buyrn, John Wiley, New York.
13. CODATA Values of the Fundamental Physical Constants: 1998, J. Mohr and B. N. Taylor, *Jl. of Physical and Chemical Reference Data* (to be published). Data taken from <http://physics.nist.gov/constants> (September 1, 1999).

Nuclear Wallet Cards

| Isotope | | | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|--------------------------------------|--|--|
| Z | El | A | Jπ | | |
| 0 | n | 1 | 1/2+ | 8.071 | 10.24 m 2 β^- |
| 1 | H | 1 | 1/2+ | 7.289 | 99.985% 1 |
| | | 2 | 1+ | 13.136 | 0.015% 1 |
| | | 3 | 1/2+ | 14.950 | 12.33 y 6 β^- |
| | | 4 | 2- | 25.9 | 4.6 MeV 9 n |
| | | 5 | | 36.8 | 5.7 MeV 21 n |
| | | 6 | | 41.9 | 1.4 MeV 3 3n? |
| 2 | He | 3 | 1/2+ | 14.931 | 0.000137% 3 |
| | | 4 | 0+ | 2.425 | 99.999863% 3 |
| | | 5 | 3/2- | 11.39 | 0.60 MeV 2 α , n |
| | | 6 | 0+ | 17.594 | 806.7 ms 15 β^- |
| | | 7 | (3/2)- | 26.11 | 160 keV 30 n |
| | | 8 | 0+ | 31.598 | 119.0 ms 15 β^- , β -n 16% |
| | | 9 | (1/2-) | 40.82 | 65 keV 37 n |
| | | 10 | 0+ | 48.81 | 0.17 MeV 11 2n? |
| 3 | Li | 4 | 2- | 25.3 | 6.03 MeV p |
| | | 5 | 3/2- | 11.68 | \approx 1.5 MeV α , p |
| | | 6 | 1+ | 14.086 | 7.59% 4 |
| | | 7 | 3/2- | 14.908 | 92.41% 4 |
| | | 8 | 2+ | 20.946 | 838 ms 6 β^- , β - α |
| | | 9 | 3/2- | 24.954 | 178.3 ms 4 β^- , β -n 50.8% |
| | | 10 | (1-, 2-) | 33.05 | 1.2 MeV 3 n |
| | | 11 | 3/2- | 40.80 | 8.5 ms 2 β^- , β -n α 0.027%, β -n |
| | | 12 | | 50.1s | n? <10 ns |
| 4 | Be | 5 | (1/2+) | 38.s | p |
| | | 6 | 0+ | 18.375 | α , 2p 92 keV 6 |
| | | 7 | 3/2- | 15.769 | ε 53.29 d 7 |
| | | 8 | 0+ | 4.942 | α 6.8 eV 17 |
| | | 9 | 3/2- | 11.348 | 100% |
| | | 10 | 0+ | 12.607 | β^- 1.51×10^6 y 6 |
| | | 11 | 1/2+ | 20.174 | β^- , β - α 3.1% 13.81 s 8 |
| | | 12 | 0+ | 25.08 | β^- , β -n < 1% 21.3 ms 1 |
| | | 13 | (1/2-) | 33.7 | n 0.17 MeV 11 |
| | | 14 | 0+ | 39.9 | β^- , β -n 81%, β -2n 5% 4.35 ms 17 |
| 5 | B | 7 | (3/2-) | 27.87 | p, α 1.4 MeV 2 |
| | | 8 | 2+ | 22.921 | ε , $\varepsilon\alpha$ 770 ms 3 |
| | | 9 | 3/2- | 12.416 | p , 0.54 keV 21 |
| | | 10 | 3+ | 12.051 | 19.8% 3 |
| | | 11 | 3/2- | 8.668 | 80.2% 3 |
| | | 12 | 1+ | 13.369 | β^- , β -3 α 1.58% 20.20 ms 2 |
| | | 13 | 3/2- | 16.562 | β^- 17.36 ms 16 |
| | | 14 | 2- | 23.66 | β^- , β -n 6.04% 12.3 ms 3 |
| | | 15 | | 28.97 | β^- , β -n 93.6%, β -2n 0.4% 9.87 ms 7 |
| | | 16 | 0- | 37.08 | n <190 ps |
| | | 17 | (3/2-) | 43.7 | β^- , β -n 63%, β -2n 11%, β -3n 3.5%, β -4n 0.4% 5.08 ms 5 |
| | | 18 | (4-) | 52.3s | n? <26 ns |

Nuclear Wallet Cards

| Isotope | | | | Δ (MeV) | T%, Γ , or Abundance | Decay Mode |
|----------|----------|-----|----------------|-------------------|--------------------------------|--|
| Z | El | A | Jπ | | | |
| 5 | B | 19 | (3/2-) | 59.4s | >200 ns | $\beta^-?$ |
| 6 | C | 8 | 0+ | 35.09 | 230 keV 50 | p, α |
| | | 9 | (3/2-) | 28.914 | 126.5 ms 9 | ϵ , ϵp 23%, $\epsilon \alpha$ 17% |
| | | 10 | 0+ | 15.699 | 19.255 s 53 | ϵ |
| | | 11 | 3/2- | 10.651 | 20.39 m 2 | ϵ |
| | | 12 | 0+ | 0.000 | 98.89% 1 | |
| | | 13 | 1/2- | 3.125 | 1.11% 1 | |
| | | 14 | 0+ | 3.020 | 5730 y 40 | β^- |
| | | 15 | 1/2+ | 9.873 | 2.449 s 5 | β^- |
| | | 16 | 0+ | 13.694 | 0.747 s 8 | β^- , $\beta-n$ 99% |
| | | 17 | | 21.04 | 193 ms 13 | β^- , $\beta-n$ 32% |
| | | 18 | 0+ | 24.92 | 95 ms 10 | β^- , $\beta-n$ 19% |
| | | 19 | | 32.8 | 49 ms 4 | $\beta-n$ 61%, β^- |
| | | 20 | 0+ | 37.6 | 14 ms +6-5 | β^- , $\beta-n$ 72% |
| | | 21 | (1/2+) | 46.0s | <30 ns | n? |
| | | 22 | 0+ | 52.6s | >200 ns | $\beta^-?$ |
| 7 | N | 10 | (1-) | 39.7s | | p? |
| | | 11m | 1/2+ | 25.3 | 1.58 MeV +75-52 | p |
| | | 12 | 1+ | 17.338 | 11.000 ms 16 | ϵ , $\epsilon 3\alpha$ 3.44% |
| | | 13 | 1/2- | 5.345 | 9.965 m 4 | ϵ |
| | | 14 | 1+ | 2.863 | 99.634% 20 | |
| | | 15 | 1/2- | 0.101 | 0.366% 20 | |
| | | 16 | 2- | 5.683 | 7.13 s 2 | β^- , $\beta-\alpha$ 0.0012% |
| | | 17 | 1/2- | 7.87 | 4.173 s 4 | β^- , $\beta-n$ 95.1% |
| | | 18 | 1- | 13.12 | 624 ms 12 | β^- , $\beta-n$ 14.3%, $\beta-\alpha$ 12.2% |
| | | 19 | | 15.86 | 290 ms 90 | β^- , $\beta-n$ 62.4% |
| | | 20 | | 21.77 | 142 ms 19 | β^- , $\beta-n$ 66.1% |
| | | 21 | (1/2-) | 25.23 | 87 ms 6 | β^- , $\beta-n$ 80% |
| | | 22 | | 32.1 | 18 ms 5 | β^- , $\beta-n$ 35% |
| | | 23 | (1/2-) | 37.7s | >200 ns | $\beta^-?$ |
| | | 24 | | 47.0s | <52 ns | n? |
| 8 | O | 12 | 0+ | 32.05 | 0.40 MeV 25 | p |
| | | 13 | (3/2-) | 23.111 | 8.58 ms 5 | ϵ , $\epsilon p \approx 100\%$ |
| | | 14 | 0+ | 8.007 | 70.606 s 18 | ϵ |
| | | 15 | 1/2- | 2.855 | 122.24 s 16 | ϵ |
| | | 16 | 0+ | -4.737 | 99.762% 16 | |
| | | 17 | 5/2+ | -0.809 | 0.038% 1 | |
| | | 18 | 0+ | -0.782 | 0.200% 14 | |
| | | 19 | 5/2+ | 3.334 | 26.91 s 8 | β^- |
| | | 20 | 0+ | 3.797 | 13.51 s 5 | β^- |
| | | 21 | (1/2,3/2,5/2)+ | 8.06 | 3.42 s 10 | β^- |
| | | 22 | 0+ | 9.28 | 2.25 s 15 | β^- , $\beta-n < 22\%$ |
| | | 23 | (1/2+) | 14.6 | 82 ms 37 | β^- , $\beta-n$ 31% |
| | | 24 | 0+ | 19.0 | 61 ms 26 | β^- , $\beta-n$ 58% |
| | | 25 | (3/2+) | 27.1s | <50 ns | n? |
| | | 26 | 0+ | 35.2s | <40 ns | n? |
| 9 | F | 14 | (2-) | 33.6s | | p |
| | | 15 | (1/2+) | 16.8 | 1.0 MeV 2 | p |
| | | 16 | 0- | 10.680 | 40 keV 20 | p |
| | | 17 | 5/2+ | 1.952 | 64.49 s 16 | ϵ |

Nuclear Wallet Cards

| Isotope | | | Δ (MeV) | T%, Γ , or Abundance | Decay Mode |
|--------------|----|---|-------------------|--------------------------------|-----------------|
| Z | El | A | Jπ | | |
| 9 F | 18 | | 1+ | 0.873 | 109.77 m 5 |
| | 19 | | 1/2+ | -1.487 | 100% |
| | 20 | | 2+ | -0.017 | 11.163 s 8 |
| | 21 | | 5/2+ | -0.048 | 4.158 s 20 |
| | 22 | | 4+, (3+) | 2.79 | 4.23 s 4 |
| | 23 | | (3/2, 5/2)+ | 3.33 | 2.23 s 14 |
| | 24 | | (1, 2, 3)+ | 7.54 | 0.34 s 8 |
| | 25 | | (5/2+) | 11.27 | 59 ms 40 |
| | 26 | | | 18.3 | 190 ms 110 |
| | 27 | | (5/2+) | 25.0 | >200 ns |
| | 28 | | | 33.2s | <40 ns |
| | 29 | | (5/2+) | 40.3s | >200 ns |
| 10 Ne | 16 | | 0+ | 23.99 | 122 keV 37 |
| | 17 | | 1/2- | 16.49 | 109.2 ms 6 |
| | 18 | | 0+ | 5.307 | 1672 ms 8 |
| | 19 | | 1/2+ | 1.751 | 17.22 s 2 |
| | 20 | | 0+ | -7.042 | 90.48% 3 |
| | 21 | | 3/2+ | -5.732 | 0.27% 1 |
| | 22 | | 0+ | -8.024 | 9.25% 3 |
| | 23 | | 5/2+ | -5.154 | 37.24 s 12 |
| | 24 | | 0+ | -5.95 | 3.38 m 2 |
| | 25 | | (1/2, 3/2)+ | -2.06 | 602 ms 8 |
| | 26 | | 0+ | 0.43 | 0.197 s 1 |
| | 27 | | (3/2+) | 7.09 | 32 ms 2 |
| | 28 | | 0+ | 11.3 | 17 ms 4 |
| | 29 | | (3/2+) | 18.0 | 200 ms 100 |
| | 30 | | 0+ | 22.2 | >200 ns |
| | 31 | | (7/2-) | 30.8s | >260 ns |
| | 32 | | 0+ | 37.2s | >200 ns |
| 11 Na | 18 | | (1-) | 25.3s | p ?, ε ? |
| | 19 | | (5/2+) | 12.93 | <40 ns |
| | 20 | | 2+ | 6.845 | 447.9 ms 23 |
| | 21 | | 3/2+ | -2.184 | 22.49 s 4 |
| | 22 | | 3+ | -5.182 | 2.6019 y 4 |
| | 23 | | 3/2+ | -9.530 | 100% |
| | 24 | | 4+ | -8.418 | 14.9512 h 32 |
| | 25 | | 5/2+ | -9.358 | 59.1 s 6 |
| | 26 | | 3+ | -6.90 | 1.072 s 9 |
| | 27 | | 5/2+ | -5.58 | 301 ms 6 |
| | 28 | | 1+ | -1.03 | 30.5 ms 4 |
| | 29 | | 3/2 | 2.62 | 44.9 ms 12 |
| | 30 | | 2+ | 8.59 | 48 ms 2 |
| | 31 | | 3/2+ | 12.7 | 17.0 ms 4 |
| | 32 | | (3-, 4-) | 18.3 | 13.2 ms 4 |
| | 33 | | | 26. | 8.2 ms 4 |
| | 34 | | | 33.s | 5.5 ms 10 |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-------------|--------------------|--------------------------------|--|
| 11 Na | 11 | | 35 | | 41.s | 1.5 ms 5 | β^- , β^-n |
| 12 Mg | 12 | | 20 | 0+ | 17.57 | 90.8 ms 24 | ϵ , $\epsilon p \approx 27\%$ |
| | | | 21 | (3/2, 5/2)+ | 10.91 | 122 ms 3 | ϵ , $\epsilon p 29.3\%$ |
| | | | 22 | 0+ | -0.397 | 3.857 s 9 | ϵ |
| | | | 23 | 3/2+ | -5.473 | 11.317 s 11 | ϵ |
| | | | 24 | 0+ | -13.933 | 78.99% 4 | |
| | | | 25 | 5/2+ | -13.193 | 10.00% 1 | |
| | | | 26 | 0+ | -16.215 | 11.01% 3 | |
| | | | 27 | 1/2+ | -14.587 | 9.458 m 12 | β^- |
| | | | 28 | 0+ | -15.019 | 20.915 h 9 | β^- |
| | | | 29 | 3/2+ | -10.66 | 1.30 s 12 | β^- |
| | | | 30 | 0+ | -8.88 | 335 ms 17 | β^- |
| | | | 31 | | -3.22 | 230 ms 20 | β^- , $\beta^-n 6.2\%$ |
| | | | 32 | 0+ | -0.80 | 120 ms 20 | β^- , $\beta^-n 2.4\%$ |
| | | | 33 | | 5.2 | 90 ms 20 | β^- , $\beta^-n 17\%$ |
| | | | 34 | 0+ | 8.5 | 20 ms 10 | β^- , β^-n |
| | | | 35 | (7/2-) | 16.3s | 70 ms 40 | β^- , $\beta^-n 52\%$ |
| | | | 36 | 0+ | 20.9s | >200 ns | β^- |
| | | | 37 | (7/2-) | 29.1s | >260 ns | β^- , β^-n |
| 13 Al | 13 | | 21 | (1/2+) | 26.1s | <35 ns | p |
| | | | 22 | | 18.18s | 59 ms 3 | ϵ , $\epsilon p > 0\%$, $\epsilon 2p > 0\%$, $\epsilon \alpha > 0\%$ |
| | | | 23 | (5/2+) | 6.77 | 0.47 s 3 | ϵ , ϵp |
| | | | 24 | 4+ | -0.055 | 2.053 s 4 | ϵ , $\epsilon \alpha 0.04\%$, $\epsilon p 0.0012\%$ |
| | | | 24m | 1+ | 0.371 | 131.3 ms 25 | IT 82%, ϵ 18%, $\epsilon \alpha$ 0.03% |
| | | | 25 | 5/2+ | -8.916 | 7.183 s 12 | ϵ |
| | | | 26 | 5+ | -12.210 | 7.17×10^5 y 24 | ϵ |
| | | | 26m | 0+ | -11.982 | 6.3452 s 19 | ϵ |
| | | | 27 | 5/2+ | -17.197 | 100% | |
| | | | 28 | 3+ | -16.851 | 2.2414 m 12 | β^- |
| | | | 29 | 5/2+ | -18.215 | 6.56 m 6 | β^- |
| | | | 30 | 3+ | -15.87 | 3.60 s 6 | β^- |
| | | | 31 | (3/2, 5/2)+ | -14.95 | 644 ms 25 | β^- |
| | | | 32 | 1+ | -11.06 | 33 ms 4 | β^- , $\beta^-n < 12\%$ |
| | | | 33 | | -8.50 | >1 μ s | β^- , $\beta^-n < 43\%$ |
| | | | 34 | | -2.86 | 60 ms 18 | β^- , $\beta^-n 12.5\%$ |
| | | | 35 | | -0.1 | 150 ms 50 | β^- , $\beta^-n 26\%$ |
| | | | 36 | | 5.9 | 90 ms 40 | β^- , $\beta^-n < 31\%$ |
| | | | 37 | | 9.6 | | β^- |
| | | | 38 | | 15.7s | >200 ns | $\beta^-?$ |
| | | | 39 | (3/2+) | 20.4s | >200 ns | β^- |
| | | | 40 | | | >260 ns | β^- , β^-n |
| 14 Si | 14 | | 22 | 0+ | 32.2s | 29 ms 2 | ϵ , $\epsilon p 32\%$ |
| | | | 23 | (3/2+) | 23.8s | >200 ns | ϵ ? |
| | | | 24 | 0+ | 10.75 | 102 ms 35 | ϵ , $\epsilon p \approx 7\%$ |
| | | | 25 | 5/2+ | 3.83 | 220 ms 3 | ϵ , ϵp |
| | | | 26 | 0+ | -7.145 | 2.234 s 13 | ϵ |
| | | | 27 | 5/2+ | -12.384 | 4.16 s 2 | ϵ |
| | | | 28 | 0+ | -21.493 | 92.230% 19 | |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|----------|----------------|----------|-----------|--------------------|--------------------------------|-------------------|
| 14 Si | 29 | | | 1/2+ | -21.895 | 4.683% 8 | |
| | 30 | | | 0+ | -24.433 | 3.087% 5 | |
| | 31 | | | 3/2+ | -22.949 | 157.3 m 3 | β- |
| | 32 | | | 0+ | -24.081 | 172 y 4 | β- |
| | 33 | | | | -20.49 | 6.332 s 29 | β- |
| | 34 | | | 0+ | -19.96 | 2.77 s 20 | β- |
| | 35 | | | | -14.36 | 0.78 s 12 | β- |
| | 36 | | | 0+ | -12.4 | 0.45 s 6 | β-, β-n 12.4% |
| | 37 | | | (7/2-) | -6.5 | 90 ms 60 | β-, β-n 17% |
| | 38 | | | 0+ | -3.7 | >1 μs | β-, β-n |
| | 39 | | | (7/2-) | 2.1s | >1 μs | β- |
| | 40 | | | 0+ | 5.4s | >200 ns | β-? |
| | 41 | | | | 11.8s | >200 ns | β-? |
| | 42 | | | 0+ | 15.0s | >200 ns | β-? |
| 15 P | 24 | | | (1+) | 32.0s | | p ?, ε ? |
| | 25 | | | (1/2+) | 18.9s | <30 ns | p |
| | 26 | | | (3+) | 11.0s | 20 ms +35-15 | ε , εp 2%, ε2p 2% |
| | 27 | | | (1/2+) | -0.75 | 260 ms 80 | ε , εp 6% |
| | 28 | | | 3+ | -7.161 | 270.3 ms 5 | ε , εp , εα |
| | 29 | | | 1/2+ | -16.952 | 4.142 s 15 | ε |
| | 30 | | | 1+ | -20.201 | 2.498 m 4 | ε |
| | 31 | | | 1/2+ | -24.441 | 100% | |
| | 32 | | | 1+ | -24.305 | 14.262 d 14 | β- |
| | 33 | | | 1/2+ | -26.338 | 25.34 d 12 | β- |
| | 34 | | | 1+ | -24.558 | 12.43 s 8 | β- |
| | 35 | | | 1/2+ | -24.858 | 47.3 s 7 | β- |
| | 36 | | | | -20.25 | 5.6 s 3 | β- |
| | 37 | | | | -18.99 | 2.31 s 13 | β- |
| | 38 | | | | -14.5 | 0.64 s 14 | β-, β-n 12% |
| | 39 | | | | -12.6 | 0.16 s +30-10 | β-, β-n 41% |
| | 40 | | | | -8.3 | 260 ms 80 | β-, β-n 30% |
| | 41 | | | | -4.8 | 120 ms 20 | β-, β-n 30% |
| | 42 | | | | 0.1s | 110 ms 30 | β-, β-n 50% |
| | 43 | | | | 3.1s | 33 ms 3 | β-, β-n |
| | 44 | | | | 9.2s | >200 ns | β- |
| | 45 | | | | 14.1s | >200 ns | β-? |
| | 46 | | | | 22.2s | >200 ns | β- |
| 16 S | 26 | | | 0+ | 26.0s | ≈10 ms | 2p ? |
| | 27 | | | (5/2+) | 17.5s | 21 ms 4 | ε , ε2p |
| | 28 | | | 0+ | 4.1 | 125 ms 10 | ε , εp |
| | 29 | | | 5/2+ | -3.16 | 187 ms 4 | ε , εp |
| | 30 | | | 0+ | -14.063 | 1.178 s 5 | ε |
| | 31 | | | 1/2+ | -19.045 | 2.572 s 13 | ε |
| | 32 | | | 0+ | -26.016 | 95.02% 9 | |
| | 33 | | | 3/2+ | -26.586 | 0.75% 1 | |
| | 34 | | | 0+ | -29.932 | 4.21% 8 | |
| | 35 | | | 3/2+ | -28.846 | 87.38 d 3 | β- |
| | 36 | | | 0+ | -30.664 | 0.02% 1 | |
| | 37 | | | 7/2- | -26.896 | 5.05 m 2 | β- |
| | 38 | | | 0+ | -26.861 | 170.3 m 7 | β- |
| | 39 | (3/2,5/2,7/2)- | | | -23.16 | 11.5 s 5 | β- |
| | 40 | | | 0+ | -22.8 | 8.8 s 22 | β- |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|--------------|--------------------|--------------------------------|--|
| 16 S | 41 | | | (7/2-) | -18.6 | 2.6 s 14 | β_- , $\beta\text{-n}$ |
| | 42 | | | 0+ | -17.2 | 0.56 s 6 | β_- , $\beta\text{-n} < 4\%$ |
| | 43 | | | | -12.5 | 220 ms 65 | β_- , $\beta\text{-n} 40\%$ |
| | 44 | | | 0+ | -10.9s | 123 ms 10 | β_- , $\beta\text{-n} 18\%$ |
| | 45 | | | | -4.8s | 82 ms 13 | β_- , $\beta\text{-n} 54\%$ |
| | 46 | | | 0+ | -0.4s | >200 ns | β_- |
| | 47 | | | | 7.1s | >200 ns | β_- ? |
| | 48 | | | 0+ | 12.1s | >200 ns | β_- ? |
| | 49 | | | | 20.5s | <200 ns | n |
| 17 Cl | 28 | | | (1+) | 26.6s | | p? |
| | 29 | | | (3/2+) | 13.1s | <20 ns | p |
| | 30 | | | (3+) | 4.4s | <30 ns | p? |
| | 31 | | | | -7.06 | 150 ms 25 | ϵ , ϵp , $\epsilon 2p$, $\epsilon 3p$ |
| | 32 | | | 1+ | -13.331 | 298 ms 1 | ϵ , $\epsilon \alpha$ 0.01%, ϵp $7.0 \times 10^{-3}\%$ |
| | 33 | | | 3/2+ | -21.003 | 2.511 s 3 | ϵ |
| | 34 | | | 0+ | -24.441 | 1.5264 s 14 | ϵ |
| | 34m | | | 3+ | -24.295 | 32.00 m 4 | ϵ 55.4%, IT 44.6% |
| | 35 | | | 3/2+ | -29.014 | 75.77% 4 | |
| | 36 | | | 2+ | -29.522 | 3.01×10^5 y 2 | β_- 98.1%, ϵ 1.9% |
| | 37 | | | 3/2+ | -31.761 | 24.23% 4 | |
| | 38 | | | 2- | -29.798 | 37.24 m 5 | β_- |
| | 38m | | | 5- | -29.127 | 715 ms 3 | IT |
| | 39 | | | 3/2+ | -29.801 | 55.6 m 2 | β_- |
| | 40 | | | 2- | -27.56 | 1.35 m 2 | β_- |
| | 41 | | | (1/2, 3/2)+ | -27.34 | 38.4 s 8 | β_- |
| | 42 | | | | -25.0 | 6.8 s 3 | β_- |
| | 43 | | | | -24.0 | 3.3 s 2 | β_- |
| | 44 | | | | -20.0 | 0.56 s 11 | β_- , $\beta\text{-n} < 8\%$ |
| | 45 | | | | -18.9 | 400 ms 40 | β_- , $\beta\text{-n} 24\%$ |
| | 46 | | | | -14.8s | 223 ms 37 | β_- , $\beta\text{-n} 60\%$ |
| | 47 | | | | -11.2s | >200 ns | β_- , $\beta\text{-n} \leq 3\%$ |
| | 48 | | | | -4.8s | >200 ns | β_- |
| | 49 | | | | -0.1s | ≥ 170 ns | β_- ? |
| | 51 | | | (3/2+) | 12.6s | >200 ns | β_- |
| 18 Ar | 30 | | | 0+ | 20.1s | <20 ns | p? |
| | 31 | | | (5/2+, 3/2+) | 11.3s | 15.1 ms 12 | ϵ , ϵp 55%, $\epsilon 2p$, $\epsilon 3p$ |
| | 32 | | | 0+ | -2.18 | 98 ms 2 | ϵ , ϵp |
| | 33 | | | 1/2+ | -9.38 | 173.0 ms 20 | ϵ , ϵp 38.7% |
| | 34 | | | 0+ | -18.378 | 844.5 ms 34 | ϵ |
| | 35 | | | 3/2+ | -23.048 | 1.775 s 4 | ϵ |
| | 36 | | | 0+ | -30.230 | 0.3365% 30 | |
| | 37 | | | 3/2+ | -30.948 | 35.04 d 4 | ϵ |
| | 38 | | | 0+ | -34.715 | 0.0632% 5 | |
| | 39 | | | 7/2- | -33.242 | 269 y 3 | β_- |
| | 40 | | | 0+ | -35.040 | 99.6003% 30 | |
| | 41 | | | 7/2- | -33.067 | 109.34 m 12 | β_- |
| | 42 | | | 0+ | -34.42 | 32.9 y 11 | β_- |
| | 43 | | | (3/2, 5/2) | -31.98 | 5.37 m 6 | β_- |
| | 44 | | | 0+ | -32.26 | 11.87 m 5 | β_- |
| | 45 | | | | -29.72 | 21.48 s 15 | β_- |
| | 46 | | | 0+ | -29.72 | 8.4 s 6 | β_- |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|--------------|--------------------|---|--|
| 18 Ar | 47 | | | | -25.9 | ≈700 ms | $\beta-$, $\beta\text{-}n < 1\%$ |
| | 48 | | | 0+ | -23.2s | | $\beta\text{-}?$ |
| | 49 | | | | -16.6s | ≥170 ns | $\beta\text{-}$ |
| | 50 | | | 0+ | -13.1s | ≥170 ns | $\beta\text{-}?$ |
| | 51 | | | | -6.3s | >200 ns | $\beta\text{-}?$ |
| | 52 | | | 0+ | -1.7s | 10 ms | $\beta\text{-}$ |
| | 53 | | | (5/2-) | 6.s | 3 ms SY | $\beta\text{-}$, $\beta\text{-}n$ |
| 19 K | 32 | | | | 20.4s | | p ? |
| | 33 | | | (3/2+) | 6.8s | <25 ns | p |
| | 34 | | | (1+) | -1.5s | <25 ns | p |
| | 35 | | | 3/2+ | -11.17 | 190 ms 30 | ϵ , ϵp 0.37% |
| | 36 | | | 2+ | -17.425 | 342 ms 2 | ϵ , ϵp 0.05%, $\epsilon\alpha$ $3.4 \times 10^{-3}\%$ |
| | 37 | | | 3/2+ | -24.799 | 1.226 s 7 | ϵ |
| | 38 | | | 3+ | -28.802 | 7.636 m 18 | ϵ |
| | 38m | | | 0+ | -28.672 | 923.9 ms 6 | ϵ |
| | 39 | | | 3/2+ | -33.807 | 93.2581% 44 | |
| | 40 | | | 4- | -33.535 | 1.277×10^9 y 8 0.0117% 1 | $\beta\text{-} 89.28\%$, ϵ 10.72% |
| | 41 | | | 3/2+ | -35.559 | 6.7302% 44 | |
| | 42 | | | 2- | -35.021 | 12.360 h 3 | $\beta\text{-}$ |
| | 43 | | | 3/2+ | -36.593 | 22.3 h 1 | $\beta\text{-}$ |
| | 44 | | | 2- | -35.81 | 22.13 m 19 | $\beta\text{-}$ |
| | 45 | | | 3/2+ | -36.61 | 17.3 m 6 | $\beta\text{-}$ |
| | 46 | | | (2-) | -35.42 | 105 s 10 | $\beta\text{-}$ |
| | 47 | | | 1/2+ | -35.697 | 17.50 s 24 | $\beta\text{-}$ |
| | 48 | | | (2-) | -32.12 | 6.8 s 2 | $\beta\text{-}$, $\beta\text{-}n$ 1.14% |
| | 49 | | | (3/2+) | -30.32 | 1.26 s 5 | $\beta\text{-}$, $\beta\text{-}n$ 86% |
| | 50 | | | (0-, 1, 2-) | -25.4 | 472 ms 4 | $\beta\text{-}$, $\beta\text{-}n$ 29% |
| | 51 | | | (1/2+, 3/2+) | -22.0s | 365 ms 5 | $\beta\text{-}$, $\beta\text{-}n$ 47% |
| | 52 | | | 2- | -16.2s | 105 ms 5 | $\beta\text{-}$, $\beta\text{-}n \approx$ 64% |
| | 53 | | | (3/2+) | -12.0s | 30 ms 5 | $\beta\text{-}$, $\beta\text{-}n \approx$ 67%, $\beta\text{-}2n \approx$ 17% |
| | 54 | | | | -5.6s | 10 ms 5 | $\beta\text{-}$, $\beta\text{-}n > 0\%$ |
| 20 Ca | 34 | | | 0+ | 13.2s | <35 ns | p |
| | 35 | | | | 4.44s | 25.7 ms 2 | ϵ , ϵp , $\epsilon 2p$ |
| | 36 | | | 0+ | -6.44 | 102 ms 2 | ϵ , ϵp 57% |
| | 37 | | | 3/2+ | -13.16 | 181.1 ms 11 | ϵ , ϵp 76% |
| | 38 | | | 0+ | -22.059 | 440 ms 8 | ϵ |
| | 39 | | | 3/2+ | -27.276 | 859.6 ms 14 | ϵ |
| | 40 | | | 0+ | -34.846 | 96.94% 16 | |
| | 41 | | | 7/2- | -35.138 | 1.03×10^5 y 3 | ϵ |
| | 42 | | | 0+ | -38.547 | 0.647% 23 | |
| | 43 | | | 7/2- | -38.408 | 0.135% 10 | |
| | 44 | | | 0+ | -41.469 | 2.09% 11 | |
| | 45 | | | 7/2- | -40.813 | 162.61 d 9 | $\beta\text{-}$ |
| | 46 | | | 0+ | -43.135 | $>0.28 \times 10^{16}$ y | $2\beta\text{-}$ |
| | | | | | | 0.004% 3 | |
| | 47 | | | 7/2- | -42.340 | 4.536 d 3 | $\beta\text{-}$ |
| | 48 | | | 0+ | -44.215 | $>4 \times 10^{19}$ y | $2\beta\text{-}$ |
| | 49 | | | 3/2- | -41.290 | 8.718 m 6 | $\beta\text{-}$ |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|--------------|-----------|--------------------|--------------------------------|-----------------------|
| 20 Ca | 50 | | 0+ | | -39.571 | 13.9 s 6 | β- |
| | 51 | | (3/2-) | | -35.89 | 10.0 s 8 | β-, β-n |
| | 52 | | 0+ | | -32.5 | 4.6 s 3 | β-, β-n<2% |
| | 53 | | (3/2-, 5/2-) | | -27.9s | 90 ms 15 | β-, β-n>30% |
| | 54 | | 0+ | | -23.6s | | β- |
| | 56 | | 0+ | | -13.2s | 10 ms | β- |
| 21 Sc | 36 | | | | 13.9s | | p? |
| | 37 | | | | 2.8s | | p? |
| | 38 | | (2-) | | -4.9s | <300 ns | p |
| | 39 | | | | -14.17 | <300 ns | p |
| | 40 | | 4- | | -20.526 | 182.3 ms 7 | ε, εp 0.44%, εα 0.02% |
| | 41 | | 7/2- | | -28.642 | 596.3 ms 17 | ε |
| | 42 | | 0+ | | -32.121 | 680.67 ms 28 | ε |
| | 42m | | 7+, (5,6)+ | | -31.505 | 61.7 s 4 | ε |
| | 43 | | 7/2- | | -36.188 | 3.891 h 12 | ε |
| | 44 | | 2+ | | -37.816 | 3.97 h 4 | ε |
| 44m | 44m | | 6+ | | -37.545 | 58.61 h 10 | IT 98.8%, ε 1.2% |
| | 45 | | 7/2- | | -41.069 | 100% | |
| | 45m | | 3/2+ | | -41.057 | 318 ms 7 | IT |
| | 46 | | 4+ | | -41.759 | 83.79 d 4 | β- |
| | 46m | | 1- | | -41.616 | 18.75 s 4 | IT |
| | 47 | | 7/2- | | -44.332 | 3.3492 d 6 | β- |
| | 48 | | 6+ | | -44.493 | 43.67 h 9 | β- |
| | 49 | | 7/2- | | -46.552 | 57.2 m 2 | β- |
| | 50 | | 5+ | | -44.54 | 102.5 s 5 | β- |
| | 50m | | (2,3)+ | | -44.28 | 0.35 s 4 | IT>97.5%, β-<2.5% |
| 51 | 51 | | (7/2)- | | -43.22 | 12.4 s 1 | β- |
| | 52 | | 3+ | | -40.4 | 8.2 s 2 | β- |
| | 53 | | (7/2-) | | -38.0s | >3 s | β-, β-n |
| | 54 | | | | -34.5 | 225 ms 40 | β- |
| | 55 | | (7/2-) | | -30.s | 120 ms 40 | β-, β-n |
| | 56 | | 3+ | | -25.5s | 80 ms | β- |
| | 57 | | | | -21.4s | | β-, β-n |
| | 38 | | 0+ | | 9.1s | <120 ns | 2p? |
| | 39 | | | | 1.2s | 26 ms 8 | ε, εα?, ε2p? |
| | 40 | | 0+ | | -8.9 | 50 ms 15 | ε, εp |
| 22 Ti | 41 | | 3/2+ | | -15.71s | 80 ms 2 | ε, εp≈100% |
| | 42 | | 0+ | | -25.121 | 199 ms 6 | ε |
| | 43 | | 7/2- | | -29.320 | 509 ms 5 | ε |
| | 44 | | 0+ | | -37.548 | 60.0 y 11 | ε |
| | 45 | | 7/2- | | -39.007 | 184.8 m 5 | ε |
| | 46 | | 0+ | | -44.125 | 8.25% 3 | |
| | 47 | | 5/2- | | -44.932 | 7.44% 2 | |
| | 48 | | 0+ | | -48.487 | 73.72% 3 | |
| | 49 | | 7/2- | | -48.558 | 5.41% 2 | |
| | 50 | | 0+ | | -51.426 | 5.18% 2 | |
| | 51 | | 3/2- | | -49.727 | 5.76 m 1 | β- |
| | 52 | | 0+ | | -49.464 | 1.7 m 1 | β- |
| | 53 | | (3/2)- | | -46.8 | 32.7 s 9 | β- |
| | 54 | | 0+ | | -45.8 | >1 μs | β- |
| | 55 | | (3/2-) | | -41.8 | 0.32 s 6 | β- |

Nuclear Wallet Cards

| Isotope | | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|------------------|----------------------------|--|---|
| Z | El | A | Jπ | (MeV) | |
| 22 Ti | 56 | 0+ | | -39.1 | 0.19 s 4 |
| | 57 | | | -34.6s | 0.18 s 3 |
| | 58 | 0+ | | -31.6s | >150 ns |
| | 61 | | | -16.8s | ≈10 ms |
| 23 V | 40 | | | 10.3s | p ? |
| | 41 | | | -0.2s | p ? |
| | 42 | (2-) | | -8.2s | <55 ns |
| | 43 | | | -18.0s | >800 ms |
| | 44 | (2+) | | -23.85s | 111 ms 7 |
| | 44m | (6+) | | -23.85s | 150 ms 3 |
| | 45 | 7/2- | | -31.87 | 547 ms 6 |
| | 46 | 0+ | | -37.074 | 422.50 ms 11 |
| | 47 | 3/2- | | -42.004 | 32.6 m 3 |
| | 48 | 4+ | | -44.475 | 15.9735 d 25 |
| | 49 | 7/2- | | -47.956 | 330 d 15 |
| | 50 | 6+ | | -49.217 | 1.4×10^{17} y 4 0.250% 2 |
| | 51 | 7/2- | | -52.197 | 99.750% 2 |
| | 52 | 3+ | | -51.437 | 3.743 m 5 |
| | 53 | 7/2- | | -51.845 | 1.60 m 4 |
| | 54 | 3+ | | -49.89 | 49.8 s 5 |
| | 55 | (7/2-) | | -49.1 | 6.54 s 15 |
| 24 Cr | 56 | 3+ | | -46.2 | 0.24 s 4 |
| | 57 | (7/2-) | | -44.4 | 0.34 s 8 |
| | 58 | | | -40.4 | 205 ms 20 |
| | 59 | | | -37.9 | 118 ms 24 |
| | 60 | (3+) | | -33.1 | 0.20 s 4 |
| | 61 | | | -30.4s | >150 ns |
| | 62 | (3+) | | -25.0s | >150 ns |
| | 63 | (7/2-) | | -21.7s | >150 ns |
| | 64 | | | | >150 ns |
| | 42 | 0+ | | 6.0s | >350 ns |
| | 43 | (3/2+) | | -2.14s | 21 ms +4-3 |
| | 44 | 0+ | | -13.5s | 53 ms +4-3 |
| | 45 | | | -19.4s | 50 ms 6 |
| 51 V | 46 | 0+ | | -29.47 | 0.26 s 6 |
| | 47 | 3/2- | | -34.55 | 500 ms 15 |
| | 48 | 0+ | | -42.815 | 21.56 h 3 |
| | 49 | 5/2- | | -45.325 | 42.3 m 1 |
| | 50 | 0+ | | -50.255 | $>1.8 \times 10^{17}$ y 4.345% 13 |
| | 51 | 7/2- | | -51.445 | 27.7025 d 24 |
| | 52 | 0+ | | -55.413 | 83.789% 18 |
| | 53 | 3/2- | | -55.281 | 9.501% 17 |
| | 54 | 0+ | | -56.928 | 2.365% 7 |
| | 55 | 3/2- | | -55.103 | 3.497 m 3 |
| | 56 | 0+ | | -55.289 | 5.94 m 10 |
| | 57 | 3/2-, 5/2-, 7/2- | | -52.39 | 21.1 s 10 |
| | 58 | 0+ | | -51.9 | 7.0 s 3 |
| | 59 | | | -47.9 | 0.74 s 24 |
| | 60 | 0+ | | -46.8 | 0.57 s 6 |
| | 61 | | | -42.8 | 0.27 s 2 |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|------------|--------------------|--------------------------------|---|
| 24 Cr | 24 | Cr | 62 | 0+ | -41.2 | 0.19 s 3 | $\beta-$, β^-n 1.04% |
| | | | 63 | | -35.5s | 0.11 s 7 | $\beta-$, β^-n 1.42% |
| | | | 64 | 0+ | -33.3s | >1 μ s | $\beta-$? |
| | | | 65 | (1/2-) | -27.6s | >150 ns | $\beta-$ |
| | | | 66 | 0+ | | >150 ns | $\beta-$ |
| | | | 67 | | | \approx 50 ms | $\beta-$? |
| 25 Mn | 25 | Mn | 44 | (2-) | 6.4s | <105 ns | ϵ , p |
| | | | 45 | (7/2-) | -5.1s | <70 ns | p |
| | | | 46 | (4+) | -12.4s | 41 ms +7-6 | ϵ , ϵp 22% |
| | | | 47 | | -22.3s | 100 ms 50 | ϵ , ϵp 3.4% |
| | | | 48 | 4+ | -29.00s | 158.1 ms 22 | ϵ , ϵp 0.28%, $\epsilon\alpha < 6.0 \times 10^{-4}\%$ |
| | | | 49 | 5/2- | -37.61 | 382 ms 7 | ϵ |
| | | | 50 | 0+ | -42.621 | 283.29 ms 8 | ϵ |
| | | | 50m | 5+ | -42.393 | 1.75 m 3 | ϵ |
| | | | 51 | 5/2- | -48.237 | 46.2 m 1 | ϵ |
| | | | 52 | 6+ | -50.701 | 5.591 d 3 | ϵ |
| | | | 52m | 2+ | -50.323 | 21.1 m 2 | ϵ 98.25%, IT 1.75% |
| | | | 53 | 7/2- | -54.684 | 3.74×10^6 y 4 | ϵ |
| | | | 54 | 3+ | -55.551 | 312.11 d 5 | ϵ , $\beta- < 2.9 \times 10^{-4}\%$ |
| | | | 55 | 5/2- | -57.706 | 100% | |
| | | | 56 | 3+ | -56.906 | 2.5789 h 1 | $\beta-$ |
| | | | 57 | 5/2- | -57.485 | 85.4 s 18 | $\beta-$ |
| | | | 58 | 1+ | -55.90 | 3.0 s 1 | $\beta-$ |
| | | | 58m | (4)+ | -55.83 | 65.2 s 5 | $\beta- \approx 80\%$, IT $\approx 20\%$ |
| 26 Fe | 26 | Fe | 59 | 3/2-, 5/2- | -55.47 | 4.6 s 1 | $\beta-$ |
| | | | 60 | 0+ | -52.9 | 51 s 6 | $\beta-$, β^-n 0.03% |
| | | | 60m | 3+ | -52.6 | 1.77 s 2 | $\beta-$ 88.5%, IT 11.5% |
| | | | 61 | (5/2)- | -51.7 | 0.67 s 4 | $\beta-$ |
| | | | 62 | (3+) | -48.5 | 671 ms 5 | $\beta-$ |
| | | | 63 | | -46.8 | 275 ms 4 | $\beta-$ |
| | | | 64 | | -43.1 | 89 ms 4 | $\beta-$, β^-n 1.42% |
| | | | 65 | | -40.9 | 88 ms 4 | $\beta-$, β^-n 6.92% |
| | | | 66 | | -36.5s | 66 ms 4 | $\beta-$, β^-n 10.88% |
| | | | 67 | (5/2-) | -33.7s | 42 ms 4 | $\beta-$, β^-n |
| | | | 68 | | | 28 ms 4 | $\beta-$, β^-n |
| | | | 69 | 5/2- | | 14 ms 4 | $\beta-$, β^-n 23.6% |
| | | | 45 | (3/2+) | 13.6s | >350 ns | $p?$, 2p? |
| | | | 46 | 0+ | 0.8s | 20 ms +20-8 | ϵ , ϵp |
| | | | 47 | | -6.6s | 27 ms +32-10 | ϵ , ϵp |
| | | | 48 | 0+ | -18.1s | 44 ms 7 | ϵ , ϵp 3.6% |
| | | | 49 | (7/2-) | -24.6s | 70 ms 3 | ϵ , ϵp 52% |
| | | | 50 | 0+ | -34.47 | 155 ms 11 | ϵ , ϵp ? |
| | | | 51 | 5/2- | -40.22 | 305 ms 5 | ϵ |
| | | | 52 | 0+ | -48.33 | 8.275 h 8 | ϵ |
| | | | 52m | (12+) | -41.51 | 45.9 s 6 | ϵ |
| | | | 53 | 7/2- | -50.941 | 8.51 m 2 | ϵ |
| | | | 53m | 19/2- | -47.901 | 2.526 m 24 | IT |
| | | | 54 | 0+ | -56.248 | $>3.1 \times 10^{22}$ y | 2ϵ |
| | | | | | | 5.845% 35 | |
| | | | 55 | 3/2- | -57.475 | 2.73 y 3 | ϵ |
| | | | 56 | 0+ | -60.601 | 91.754% 36 | |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|-----------------------|
| Z | El | Jπ | (MeV) | |
| 26 Fe | 57 | 1/2- | -60.176 | 2.119% 10 |
| | 58 | 0+ | -62.149 | 0.282% 4 |
| | 59 | 3/2- | -60.658 | 44.472 d 8 |
| | 60 | 0+ | -61.407 | 1.5×10^6 y 3 |
| | 61 | 3/2-, 5/2- | -58.92 | 5.98 m 6 |
| | 62 | 0+ | -58.90 | 68 s 2 |
| | 63 | (5/2)- | -55.8 | 6.1 s 6 |
| | 64 | 0+ | -55.1 | 2.0 s 2 |
| | 65 | | -51.3 | 0.4 s 2 |
| | 66 | 0+ | -50.3 | 0.44 s 6 |
| | 67 | | -46.6 | 0.47 s 5 |
| | 68 | 0+ | -44.2s | 0.10 s 6 |
| | 69 | 1/2- | -39.4s | 0.17 s 3 |
| | 70 | 0+ | | >150 ns |
| | 71 | (7/2+) | | >150 ns |
| | 72 | 0+ | | >150 ns |
| 27 Co | 48 | | 1.6s | p ? |
| | 49 | | -9.6s | <35 ns |
| | 50 | (6+) | -17.2s | 44 ms 4 |
| | 51 | (7/2-) | -27.3s | >200 ns |
| | 52 | 6+ | -33.92s | 115 ms 23 |
| | 53 | (7/2-) | -42.64 | 240 ms 20 |
| | 53m | (19/2-) | -39.45 | 247 ms 12 |
| | 54 | 0+ | -48.005 | 193.28 ms 7 |
| | 54m | (7)+ | -47.806 | 1.48 m 2 |
| | 55 | 7/2- | -54.024 | 17.53 h 3 |
| | 56 | 4+ | -56.035 | 77.233 d 27 |
| | 57 | 7/2- | -59.340 | 271.74 d 6 |
| | 58 | 2+ | -59.841 | 70.86 d 7 |
| | 58m | 5+ | -59.817 | 9.04 h 11 |
| | 59 | 7/2- | -62.224 | 100% |
| | 60 | 5+ | -61.644 | 1925.1 d 5 |
| | 60m | 2+ | -61.585 | 10.467 m 6 |
| | 61 | 7/2- | -62.895 | 1.650 h 5 |
| | 62 | 2+ | -61.43 | 1.50 m 4 |
| | 62m | 5+ | -61.41 | 13.91 m 5 |
| | 63 | (7/2)- | -61.84 | 27.4 s 5 |
| | 64 | 1+ | -59.79 | 0.30 s 3 |
| | 65 | (7/2)- | -59.16 | 1.20 s 6 |
| | 66 | (3+) | -56.1 | 0.233 s 17 |
| | 67 | (7/2-) | -55.3 | 0.425 s 20 |
| | 68 | | -51.8 | 0.18 s 10 |
| | 69 | 7/2- | -51.0 | 0.27 s 5 |
| | 70 | | -46.8s | 0.15 s 2 |
| | 71 | | -45.0s | 0.21 s 4 |
| | 72 | | -40.6s | 0.09 s 2 |
| | 73 | (7/2-) | | >150 ns |
| | 74 | 0+ | | >150 ns |
| | 75 | (7/2-) | | >150 ns |
| 28 Ni | 49 | | | >350 ns |
| | 50 | 0+ | -3.8s | >300 ns |
| | 51 | (7/2-) | -11.4s | >200 ns |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|------------|-----------|--------------------|--------------------------------|--|
| 28 Ni | 52 | | | 0+ | -22.65s | 38 ms 5 | ϵ , $\epsilon p > 17\%$ |
| | 53 | | | (7/2-) | -29.4s | 45 ms 15 | ϵ , $\epsilon p \approx 45\%$ |
| | 54 | | | 0+ | -39.21 | 143 ms 23 | ϵ |
| | 55 | | | 7/2- | -45.33 | 204 ms 4 | ϵ |
| | 56 | | | 0+ | -53.90 | 6.075 d 10 | ϵ |
| | 57 | | | 3/2- | -56.076 | 35.60 h 6 | ϵ |
| | 58 | | | 0+ | -60.223 | 68.077% 9 | |
| | 59 | | | 3/2- | -61.151 | 7.6×10^4 y 5 | ϵ |
| | 60 | | | 0+ | -64.468 | 26.223% 8 | |
| | 61 | | | 3/2- | -64.217 | 1.140% 1 | |
| | 62 | | | 0+ | -66.743 | 3.634% 2 | |
| | 63 | | | 1/2- | -65.509 | 100.1 y 20 | β^- |
| | 64 | | | 0+ | -67.096 | 0.926% 1 | |
| | 65 | | | 5/2- | -65.123 | 2.5172 h 3 | β^- |
| | 66 | | | 0+ | -66.03 | 54.6 h 3 | β^- |
| | 67 | | | (1/2-) | -63.74 | 21 s 1 | β^- |
| | 68 | | | 0+ | -63.49 | 29 s 2 | β^- |
| | 69 | | | 9/2+ | -60.4 | 11.4 s 3 | β^- |
| | 70 | | | 0+ | -59.5 | 6.0 s 3 | β^- |
| | 71 | | | | -55.9 | 2.56 s 3 | β^- |
| | 72 | | | 0+ | -54.7 | 1.57 s 50 | β^- , β -n |
| | 73 | | | | -50.2s | 0.84 s 3 | β^- , β -n 0.3% |
| | 74 | | | 0+ | -48.5s | 0.9 s 2 | β^- , β -n 4.53% |
| | 75 | | | (7/2+) | -43.8s | 0.6 s 2 | β^- , β -n 8.43% |
| | 76 | | | 0+ | -41.6s | 0.24 s +55-24 | β^- , β -n |
| | 77 | | | | -36.5s | >150 ns | β^- ? |
| | 78 | | | 0+ | -34.s | >150 ns | β^- |
| 29 Cu | 52 | | | 3+ | -2.6s | | p |
| | 53 | | | (3/2-) | -13.5s | <300 ns | ϵ , p |
| | 54 | | | (3+) | -21.7s | <75 ns | p |
| | 55 | | | | -31.6s | >200 ns | ϵ |
| | 56 | | | 4+ | -38.6s | 78 ms 15 | ϵ |
| | 57 | | | 3/2- | -47.31 | 196.3 ms 7 | ϵ |
| | 58 | | | 1+ | -51.660 | 3.204 s 7 | ϵ |
| | 59 | | | 3/2- | -56.352 | 81.5 s 5 | ϵ |
| | 60 | | | 2+ | -58.341 | 23.7 m 4 | ϵ |
| | 61 | | | 3/2- | -61.980 | 3.333 h 5 | ϵ |
| | 62 | | | 1+ | -62.794 | 9.67 m 3 | ϵ |
| | 63 | | | 3/2- | -65.576 | 69.17% 3 | |
| | 64 | | | 1+ | -65.421 | 12.700 h 2 | ϵ 61%, β^- 39% |
| | 65 | | | 3/2- | -67.260 | 30.83% 3 | |
| | 66 | | | 1+ | -66.254 | 5.120 m 14 | β^- |
| | 67 | | | 3/2- | -67.300 | 61.83 h 12 | β^- |
| | 68 | | | 1+ | -65.54 | 31.1 s 15 | β^- |
| | 68m | | | (6-) | -64.82 | 3.75 m 5 | IT 84%, β^- 16% |
| | 69 | | | 3/2- | -65.740 | 2.85 m 15 | β^- |
| | 70 | | | 1+ | -62.96 | 4.5 s 10 | β^- |
| | 70m | | 3-, 4-, 5- | | -62.82 | 47 s 5 | β^- |
| | 71 | | | (3/2-) | -62.76 | 19.5 s 16 | β^- |
| | 72 | | | (1+) | -60.1s | 6.6 s 1 | β^- |
| | 73 | | | | -59.2s | 3.9 s 3 | β^- |
| | 74 | | | (1+, 3+) | -55.7s | 1.594 s 10 | β^- |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|--------------------------------|-------------------------------------|
| 29 Cu | 75 | | | (3/2-) | -54.3s | 1.224 s 3 | β_- , $\beta\text{-}n$ 3.5% |
| | 76m | | | | -50.3s | 0.641 s 6 | β_- , $\beta\text{-}n$ 3% |
| | 76m | | | | -50.3s | 1.27 s 30 | β_- |
| | 77 | | | | -48.5s | 0.469 s 8 | β_- |
| | 78 | | | | -44.0s | 342 ms 11 | β_- |
| | 79 | | | | -41.7s | 188 ms 25 | β_- , $\beta\text{-}n$ 55% |
| | 80 | | | | -35.5s | >150 ns | β_- |
| 30 Zn | 54 | | | 0+ | -6.6s | | 2p? |
| | 55 | | | | -14.9s | | ϵ ?, 2p? |
| | 56 | | | 0+ | -25.7s | 36 ms 10 | ϵ |
| | 57 | | | (7/2-) | -32.7s | 40 ms 10 | ϵ , $\epsilon p \geq 65\%$ |
| | 58 | | | 0+ | -42.29 | 86 ms 18 | ϵ |
| | 59 | | | 3/2- | -47.26 | 182.0 ms 18 | ϵ , ϵp 0.1% |
| | 60 | | | 0+ | -54.18 | 2.38 m 5 | ϵ |
| | 61 | | | 3/2- | -56.34 | 89.1 s 2 | ϵ |
| | 61m | | | 1/2- | -56.25 | <430 ms | IT |
| | 61m | | | 3/2- | -55.92 | 0.14 s 7 | IT |
| | 61m | | | 5/2- | -55.59 | <0.13 s | IT |
| | 62 | | | 0+ | -61.17 | 9.186 h 13 | ϵ |
| | 63 | | | 3/2- | -62.209 | 38.47 m 5 | ϵ |
| | 64 | | | 0+ | -65.999 | 48.63% 60 | |
| | 65 | | | 5/2- | -65.908 | 244.26 d 26 | ϵ |
| | 66 | | | 0+ | -68.896 | 27.90% 27 | |
| | 67 | | | 5/2- | -67.877 | 4.10% 13 | |
| | 68 | | | 0+ | -70.004 | 18.75% 51 | |
| | 69 | | | 1/2- | -68.415 | 56.4 m 9 | β_- |
| | 69m | | | 9/2+ | -67.976 | 13.76 h 2 | IT 99.97%, β_- 0.03% |
| | 70 | | | 0+ | -69.559 | >5×10 ¹⁴ y | 2 β - |
| | | | | | | 0.62% 3 | |
| | 71 | | | 1/2- | -67.32 | 2.45 m 10 | β_- |
| | 71m | | | 9/2+ | -67.16 | 3.96 h 5 | β_- , IT≤0.05% |
| | 72 | | | 0+ | -68.128 | 46.5 h 1 | β_- |
| | 73 | | | (1/2)- | -65.41 | 23.5 s 10 | β_- |
| | 73m | | | (7/2+) | -65.21 | 5.8 s 8 | β_- , IT |
| | 74 | | | 0+ | -65.71 | 95.6 s 12 | β_- |
| | 75 | | | (7/2+) | -62.47 | 10.2 s 2 | β_- |
| | 76 | | | 0+ | -62.0 | 5.7 s 3 | β_- |
| | 77 | | | (7/2+) | -58.6 | 2.08 s 5 | β_- |
| | 77m | | | (1/2-) | -57.8 | 1.05 s 10 | IT>50%, β_- <50% |
| | 78 | | | 0+ | -57.2 | 1.47 s 15 | β_- |
| | 79 | | | (9/2+) | -53.4s | 0.995 s 19 | β_- , $\beta\text{-}n$ 1.3% |
| | 80 | | | 0+ | -51.8 | 0.545 s 16 | β_- , $\beta\text{-}n$ 1% |
| | 81 | | | | -46.1s | 0.29 s 5 | β_- , $\beta\text{-}n$ 7.5% |
| | 82 | | | 0+ | -42.1s | >150 ns | β_- |
| | 83 | | | (5/2+) | | >150 ns | β_- |
| 31 Ga | 56 | | | | -4.7s | | p? |
| | 57 | | | | -15.9s | | p? |
| | 58 | | | | -24.0s | | p? |
| | 59 | | | | -34.1s | | p? |
| | 60 | | | | -40.0s | >1.2 μs | ϵ ? |
| | 61 | | | 3/2- | -47.3s | 0.15 s 3 | ϵ |
| | 62 | | | 0+ | -52.00 | 116.12 ms 30 | ϵ |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|------------|--------------------|--|---------------------|
| 31 Ga | 63 | | | 3/2-, 5/2- | -56.7 | 32.4 s 5 | ε |
| | 64 | | | 0+ | -58.835 | 2.627 m 12 | ε |
| | 65 | | | 3/2- | -62.653 | 15.2 m 2 | ε |
| | 66 | | | 0+ | -63.721 | 9.49 h 7 | ε |
| | 67 | | | 3/2- | -66.877 | 3.2612 d 6 | ε |
| | 68 | | | 1+ | -67.083 | 67.629 m 24 | ε |
| | 69 | | | 3/2- | -69.321 | 60.108% 9 | |
| | 70 | | | 1+ | -68.905 | 21.14 m 3 | β- 99.59%, ε 0.41% |
| | 71 | | | 3/2- | -70.137 | 39.892% 9 | |
| | 72 | | | 3- | -68.587 | 14.10 h 2 | β- |
| | 73 | | | 3/2- | -69.704 | 4.86 h 3 | β- |
| | 74 | | | (3-) | -68.05 | 8.12 m 12 | β- |
| | 74m | | | (0) | -67.99 | 9.5 s 10 | IT 75%, β- < 50% |
| | 75 | | | (3/2)- | -68.464 | 126 s 2 | β- |
| | 76 | | | (2+, 3+) | -66.20 | 32.6 s 6 | β- |
| | 77 | | | (3/2-) | -65.87 | 13.2 s 2 | β- |
| | 78 | | | (3+) | -63.66 | 5.09 s 5 | β- |
| | 79 | | | (3/2-) | -62.5 | 2.847 s 3 | β-, β-n 0.089% |
| | 80 | | | (3) | -59.1 | 1.697 s 11 | β-, β-n 0.89% |
| | 81 | | | (5/2-) | -58.0 | 1.217 s 5 | β-, β-n 11.9% |
| | 82 | | | (1, 2, 3) | -52.9s | 0.599 s 2 | β-, β-n 22.3% |
| | 83 | | | | -49.5s | 0.31 s 1 | β-, β-n 40% |
| | 84 | | | | -44.4s | 0.085 s 10 | β-, β-n 70% |
| | 85 | | | (3/2-) | | >150 ns | β- |
| | 86 | | | | | >150 ns | β- |
| 32 Ge | 58 | | | 0+ | -8.4s | | 2p ? |
| | 59 | | | | -17.0s | | 2p ? |
| | 60 | | | 0+ | -27.8s | ≈30 ms | ε ?, 2p ? |
| | 61 | | | (3/2-) | -33.7s | 40 ms 15 | ε , εp ≈ 80% |
| | 62 | | | 0+ | -42.2s | >150 ns | ε ? |
| | 63 | | | | -46.9s | 95 ms +23-20 | ε |
| | 64 | | | 0+ | -54.4 | 63.7 s 25 | ε |
| | 65 | | | (3/2)- | -56.4 | 30.9 s 5 | ε |
| | 66 | | | 0+ | -61.62 | 2.26 h 5 | ε |
| | 67 | | | 1/2- | -62.654 | 18.9 m 3 | ε |
| | 68 | | | 0+ | -66.977 | 270.8 d 3 | ε |
| | 69 | | | 5/2- | -67.094 | 39.05 h 10 | ε |
| | 70 | | | 0+ | -70.560 | 20.37% 18 | |
| | 71 | | | 1/2- | -69.905 | 11.43 d 3 | ε |
| | 72 | | | 0+ | -72.586 | 27.31% 26 | |
| | 73 | | | 9/2+ | -71.297 | 7.76% 8 | |
| | 73m | | | 1/2- | -71.230 | 0.499 s 11 | IT |
| | 74 | | | 0+ | -73.422 | 36.73% 15 | |
| | 75 | | | 1/2- | -71.856 | 82.78 m 4 | β- |
| | 75m | | | 7/2+ | -71.716 | 47.7 s 5 | IT 99.97%, β- 0.03% |
| | 76 | | | 0+ | -73.213 | $0.8 \times 10^{25} \text{ y}$ 7.83% 7 | 2β- |
| | 77 | | | 7/2+ | -71.214 | 11.30 h 1 | β- |
| | 77m | | | 1/2- | -71.054 | 52.9 s 6 | β- 81%, IT 19% |
| | 78 | | | 0+ | -71.862 | 88.0 m 10 | β- |
| | 79 | | | (1/2)- | -69.49 | 18.98 s 3 | β- |
| | 79m | | | (7/2+) | -69.30 | 39.0 s 10 | β- 96%, IT 4% |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|-------------|-----------|--------------------|--------------------------------|-------------------|
| 32 Ge | 80 | | 0+ | | -69.45 | 29.5 s 4 | β- |
| | 81 | | (9/2+) | | -66.3 | 7.6 s 6 | β- |
| | 81m | | (1/2+) | | -65.6 | 7.6 s 6 | β- |
| | 82 | | 0+ | | -65.6 | 4.60 s 35 | β- |
| | 83 | | (5/2+) | | -61.0s | 1.85 s 6 | β- |
| | 84 | | 0+ | | -58.4s | 0.947 s 11 | β-, β-n 10.8% |
| | 85 | | | | -53.4s | 535 ms 47 | β-, β-n 14% |
| | 86 | | 0+ | | -50.0s | >150 ns | β-?, β-n? |
| | 87 | | (5/2+) | | | >150 ns | β- |
| | 88 | | 0+ | | | >150 ns | β- |
| | 89 | | | | | >150 ns | β- |
| 33 As | 60 | | | | -6.4s | | p ? |
| | 61 | | | | -18.1s | | p ? |
| | 62 | | | | -25.0s | | p ? |
| | 63 | | | | -33.8s | | p ? |
| | 64 | | | | -39.5s | >1.2 μs | ε ? |
| | 65 | | | | -47.1s | 0.19 s +11-7 | ε |
| | 66 | | | | -51.8s | 95.77 ms 23 | ε |
| | 67 | | (5/2-) | | -56.6 | 42.5 s 12 | ε |
| | 68 | | 3+ | | -58.9 | 151.6 s 8 | ε |
| | 69 | | 5/2- | | -63.08 | 15.2 m 2 | ε |
| | 70 | | 4(+) | | -64.34 | 52.6 m 3 | ε |
| | 71 | | 5/2- | | -67.892 | 65.28 h 15 | ε |
| | 72 | | 2- | | -68.229 | 26.0 h 1 | ε |
| | 73 | | 3/2- | | -70.956 | 80.30 d 6 | ε |
| | 74 | | 2- | | -70.860 | 17.77 d 2 | ε 66%, β- 34% |
| | 75 | | 3/2- | | -73.033 | 100% | |
| | 76 | | 2- | | -72.290 | 1.0778 d 20 | β- |
| | 77 | | 3/2- | | -73.916 | 38.83 h 5 | β- |
| | 78 | | 2- | | -72.816 | 90.7 m 2 | β- |
| | 79 | | 3/2- | | -73.636 | 9.01 m 15 | β- |
| | 80 | | 1+ | | -72.12 | 15.2 s 2 | β- |
| | 81 | | 3/2- | | -72.533 | 33.3 s 8 | β- |
| | 82 | | (1+) | | -70.3 | 19.1 s 5 | β- |
| | 82m | | (5-) | | -70.3 | 13.6 s 4 | β- |
| | 83 | | (5/2-,3/2-) | | -69.9 | 13.4 s 3 | β- |
| | 84 | | (3-) | | -66.1s | 3.24 s 26 | β-, β-n 0.28% |
| | 85 | | (3/2-) | | -63.5s | 2.021 s 10 | β-, β-n 59.4% |
| | 86 | | | | -59.4s | 0.945 s 8 | β-, β-n 33% |
| | 87 | | (3/2-) | | -56.3s | 0.48 s 4 | β-, β-n 15.4% |
| | 88 | | | | -51.6s | >150 ns | β-?, β-n? |
| | 89 | | | | -47.3s | | β-? |
| | 90 | | | | | >150 ns | β-? |
| | 91 | | | | | >150 ns | β- |
| | 92 | | | | | >150 ns | β- |
| 34 Se | 65 | | | | -32.9s | <50 ms | ε |
| | 66 | | 0+ | | -41.7s | >1.2 μs | ε |
| | 67 | | | | -46.5s | 60 ms +17-11 | ε, εp 0.5% |
| | 68 | | 0+ | | -54.1s | 35.5 s 7 | ε |
| | 69 | | (1/2-,3/2-) | | -56.30 | 27.4 s 2 | ε, εp 0.05% |
| | 70 | | 0+ | | -61.9s | 41.1 m 3 | ε |
| | 71 | | 5/2- | | -63.1s | 4.74 m 5 | ε |

Nuclear Wallet Cards

| Isotope | | | Δ (MeV) | T%, Γ , or Abundance | Decay Mode |
|--------------|-----|---|-------------------|--------------------------------|--|
| Z | El | A | Jπ | | |
| 34 Se | 72 | | 0+ | -67.89 | 8.40 d 8 |
| | 73 | | 9/2+ | -68.22 | 7.15 h 8 |
| | 73m | | 3/2- | -68.19 | 39.8 m 13 |
| | 74 | | 0+ | -72.213 | 0.89% 4 |
| | 75 | | 5/2+ | -72.169 | 119.779 d 4 |
| | 76 | | 0+ | -75.252 | 9.37% 29 |
| | 77 | | 1/2- | -74.599 | 7.63% 16 |
| | 77m | | 7/2+ | -74.437 | 17.36 s 5 |
| | 78 | | 0+ | -77.026 | 23.77% 28 |
| | 79 | | 7/2+ | -75.917 | 1.1×10^6 y 2 |
| | 79m | | 1/2- | -75.821 | 3.92 m 1 |
| | 80 | | 0+ | -77.759 | 49.61% 41 |
| | 81 | | 1/2- | -76.389 | 18.45 m 12 |
| | 81m | | 7/2+ | -76.286 | 57.28 m 2 |
| | 82 | | 0+ | -77.593 | 0.83×10^{20} y 12 |
| | | | | | 8.73% 22 |
| | 83 | | 9/2+ | -75.340 | 22.3 m 3 |
| | 83m | | 1/2- | -75.112 | 70.1 s 4 |
| | 84 | | 0+ | -75.95 | 3.10 m 10 |
| | 85 | | (5/2+) | -72.43 | 31.7 s 9 |
| | 86 | | 0+ | -70.54 | 15.3 s 9 |
| | 87 | | (5/2+) | -66.58 | 5.29 s 11 |
| | 88 | | 0+ | -63.88 | 1.53 s 6 |
| | 89 | | (5/2+) | -59.6s | 0.41 s 4 |
| | 90 | | 0+ | -56.4s | >150 ns |
| | 91 | | | -50.9s | 0.27 s 5 |
| | 92 | | 0+ | -47.2s | >150 ns |
| | 93 | | (1/2+) | | >150 ns |
| | 94 | | 0+ | | >150 ns |
| 35 Br | 67 | | | -32.8s | p ? |
| | 68 | | | -38.9s | <1.2 μ s |
| | 69 | | | -46.4s | <24 ns |
| | 70 | | | -51.6s | 79.1 ms 8 |
| | 70m | | | -51.6s | 2.2 s 2 |
| | 71 | | (5/2)- | -56.6s | 21.4 s 6 |
| | 72 | | 3+ | -59.2 | 78.6 s 24 |
| | 72m | | 1- | -59.1 | 10.6 s 3 |
| | 73 | | 1/2- | -63.5 | 3.4 m 2 |
| | 74 | | (0-) | -65.31 | 25.4 m 3 |
| | 74m | | 4(+) | -65.29 | 46 m 2 |
| | 75 | | 3/2- | -69.14 | 96.7 m 13 |
| | 76 | | 1- | -70.289 | 16.2 h 2 |
| | 76m | | (4)+ | -70.186 | 1.31 s 2 |
| | 77 | | 3/2- | -73.234 | 57.036 h 6 |
| | 77m | | 9/2+ | -73.128 | 4.28 m 10 |
| | 78 | | 1+ | -73.452 | 6.46 m 4 |
| | | | | | $\epsilon \geq 99.99\%$, $\beta^- \leq 0.01\%$ |
| | 79 | | 3/2- | -76.068 | 50.69% 7 |
| | 79m | | 9/2+ | -75.860 | 4.86 s 4 |
| | 80 | | 1+ | -75.889 | 17.68 m 2 |
| | 80m | | 5- | -75.803 | 4.4205 h 8 |
| | 81 | | 3/2- | -77.974 | 49.31% 7 |

Nuclear Wallet Cards

| Isotope | | Δ | | T%, Γ, or Abundance | | Decay Mode | |
|----------------|-----------|----------------------------|--------------|--|---------|-------------------------------------|--|
| Z | El | Jπ | (MeV) | | | | |
| 35 Br | 82 | 5- | -77.496 | 35.30 | h 2 | β^- | |
| | 82m | 2- | -77.450 | 6.13 | m 5 | IT 97.6%, β^- 2.4% | |
| | 83 | 3/2- | -79.009 | 2.40 | h 2 | β^- | |
| | 84 | 2- | -77.78 | 31.80 | m 8 | β^- | |
| | 84m | 6- | -77.46 | 6.0 | m 2 | β^- | |
| | 85 | 3/2- | -78.61 | 2.90 | m 6 | β^- | |
| | 86 | (2-) | -75.64 | 55.1 | s 4 | β^- | |
| | 87 | 3/2- | -73.86 | 55.60 | s 15 | β^- , β^-n 2.52% | |
| | 88 | (1,2-) | -70.73 | 16.29 | s 6 | β^- , β^-n 6.58% | |
| | 89 | (3/2-, 5/2-) | -68.57 | 4.40 | s 3 | β^- , β^-n 13.8% | |
| | 90 | | -64.61 | 1.91 | s 1 | β^- , β^-n 25.2% | |
| | 91 | | -61.51 | 0.541 | s 5 | β^- , β^-n 20% | |
| | 92 | (2-) | -56.58 | 0.343 | s 15 | β^- , β^-n 33.1% | |
| | 93 | (5/2-) | -53.0s | 102 | ms 10 | β^- , β^-n 10% | |
| | 94 | | -47.8s | 70 | ms 20 | β^- , β^-n 30% | |
| | 95 | (3/2-) | | >150 | ns | β^- | |
| | 96 | | | >150 | ns | β^- | |
| | 97 | (3/2-) | | >150 | ns | β^- | |
| 36 Kr | 69 | | -32.3s | 32 | ms 10 | ϵ , ϵp | |
| | 70 | 0+ | -41.0s | >1.2 | μ s | ϵ ? | |
| | 71 | (5/2)- | -46.1s | 100 | ms 3 | ϵ , ϵp 5.2% | |
| | 72 | 0+ | -54.1 | 17.2 | s 3 | ϵ | |
| | 73 | 5/2- | -56.9 | 27.0 | s 12 | ϵ , ϵp 0.68% | |
| | 74 | 0+ | -62.17 | 11.50 | m 11 | ϵ | |
| | 75 | 5/2+ | -64.24 | 4.29 | m 17 | ϵ | |
| | 76 | 0+ | -68.98 | 14.8 | h 1 | ϵ | |
| | 77 | 5/2+ | -70.171 | 74.4 | m 6 | ϵ | |
| | 78 | 0+ | -74.160 | $\geq 0.9 \times 10^{20}$ | y | 2ϵ | |
| | | | | 0.35% 1 | | | |
| | 79 | 1/2- | -74.442 | 35.04 | h 10 | ϵ | |
| | 79m | 7/2+ | -74.312 | 50 | s 3 | IT | |
| | 80 | 0+ | -77.893 | 2.28% 6 | | | |
| | 81 | 7/2+ | -77.694 | 2.29×10^5 | y 11 | ϵ | |
| | 81m | 1/2- | -77.503 | 13.10 | s 3 | IT, $\epsilon 2.5 \times 10^{-3}\%$ | |
| | 82 | 0+ | -80.589 | 11.58% 14 | | | |
| | 83 | 9/2+ | -79.982 | 11.49% 6 | | | |
| | 83m | 1/2- | -79.940 | 1.83 | h 2 | IT | |
| | 84 | 0+ | -82.431 | 57.00% 4 | | | |
| | 85 | 9/2+ | -81.481 | 3934.4 | d 14 | β^- | |
| | 85m | 1/2- | -81.176 | 4.480 | h 8 | β^- 78.6%, IT 21.4% | |
| | 86 | 0+ | -83.266 | 17.30% 22 | | | |
| | 87 | 5/2+ | -80.710 | 76.3 | m 6 | β^- | |
| | 88 | 0+ | -79.69 | 2.84 | h 3 | β^- | |
| | 89 | 3/2(+) | -76.72 | 3.15 | m 4 | β^- | |
| | 90 | 0+ | -74.96 | 32.32 | s 9 | β^- | |
| | 91 | 5/2(+) | -71.31 | 8.57 | s 4 | β^- | |
| | 92 | 0+ | -68.79 | 1.840 | s 8 | β^- , β^-n 0.03% | |
| | 93 | 1/2+ | -64.0 | 1.286 | s 10 | β^- , β^-n 1.95% | |
| | 94 | 0+ | -61.1s | 0.20 | s 1 | β^- , β^-n 5.7% | |
| | 95 | 1/2 | -56.0s | 0.78 | s 3 | β^- | |
| | 96 | 0+ | -53.0s | >50 | ms | β^- ? | |
| | 97 | | -47.9s | >150 | ns | β^- | |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|--------------------------------|--|
| 36 Kr | 98 | | | 0+ | | >150 ns | β^- ? |
| | 99 | | | (3/2+) | | >150 ns | β^- |
| | 100 | | | 0+ | | >150 ns | β^- |
| 37 Rb | 71 | | | | -32.3s | | p? |
| | 72 | | | (3+) | -38.1s | <1.2 μ s | p |
| | 73 | | | (5/2-) | -46.2s | <30 ns | p |
| | 74 | | | (0+) | -51.7 | 64.9 ms 5 | ϵ |
| | 75 | | | (3/2-) | -57.222 | 19.0 s 12 | ϵ |
| | 76 | | | 1(-) | -60.480 | 36.5 s 6 | ϵ , $\epsilon\alpha$ $3.8 \times 10^{-7}\%$ |
| | 77 | | | 3/2- | -64.826 | 3.77 m 4 | ϵ |
| | 78 | | | 0(+) | -66.936 | 17.66 m 8 | ϵ |
| | 78m | | | 4(-) | -66.833 | 5.74 m 5 | ϵ 90%, IT 10% |
| | 79 | | | 5/2+ | -70.797 | 22.9 m 5 | ϵ |
| | 80 | | | 1+ | -72.173 | 33.4 s 7 | ϵ |
| | 81 | | | 3/2- | -75.456 | 4.576 h 5 | ϵ |
| | 81m | | | 9/2+ | -75.370 | 30.5 m 3 | IT 97.6%, ϵ 2.4% |
| | 82 | | | 1+ | -76.189 | 1.273 m 2 | ϵ |
| | 82m | | | 5- | -76.120 | 6.472 h 6 | ϵ , IT < 0.33% |
| | 83 | | | 5/2- | -79.073 | 86.2 d 1 | ϵ |
| | 84 | | | 2- | -79.750 | 32.77 d 14 | ϵ 96.2%, β^- 3.8% |
| | 84m | | | 6- | -79.286 | 20.26 m 4 | IT |
| | 85 | | | 5/2- | -82.168 | 72.17% 2 | |
| | 86 | | | 2- | -82.747 | 18.631 d 18 | β^- 99.99%, ϵ $5.2 \times 10^{-3}\%$ |
| | 86m | | | 6- | -82.191 | 1.017 m 3 | IT |
| | 87 | | | 3/2- | -84.595 | 4.75×10^{10} y 4 | β^- |
| | | | | | | 27.83% 2 | |
| | 88 | | | 2- | -82.606 | 17.78 m 11 | β^- |
| | 89 | | | 3/2- | -81.711 | 15.15 m 12 | β^- |
| | 90 | | | 0- | -79.355 | 158 s 5 | β^- |
| | 90m | | | 3- | -79.248 | 258 s 4 | β^- 97.4%, IT 2.6% |
| | 91 | | | 3/2(-) | -77.748 | 58.4 s 4 | β^- |
| | 92 | | | 0- | -74.775 | 4.492 s 20 | β^- , β^-n 0.01% |
| | 93 | | | 5/2- | -72.626 | 5.84 s 2 | β^- , β^-n 1.39% |
| | 94 | | | 3(-) | -68.551 | 2.702 s 5 | β^- , β^-n 10.01% |
| | 95 | | | 5/2- | -65.84 | 377.5 ms 8 | β^- , β^-n 8.73% |
| | 96 | | | 2+ | -61.21 | 202.8 ms 33 | β^- , β^-n 14% |
| | 97 | | | 3/2+ | -58.36 | 169.9 ms 7 | β^- , β^-n 25.1% |
| | 98 | | | (1,0) | -54.30 | 114 ms 5 | β^- , β^-n 13.8%, β^-2n 0.05% |
| | 99 | | | (5/2+) | -50.8 | 50.3 ms 7 | β^- , β^-n 15.9% |
| | 100 | | | | -46.7s | 51 ms 8 | β^- , β^-n 6%, β^-2n 0.16% |
| | 101 | | | (3/2+) | -43.6 | 32 ms 5 | β^- , β^-n 28% |
| 38 Sr | 73 | | | | -31.7s | | ϵ , ϵp |
| | 74 | | | 0+ | -40.7s | >1.2 μ s | ϵ |
| | 75 | | | (3/2-) | -46.6s | 71 ms +71-24 | ϵ , ϵp 6.5% |
| | 76 | | | 0+ | -54.4s | 8.9 s 3 | ϵ |
| | 77 | | | 5/2+ | -58.0 | 9.0 s 2 | ϵ , ϵp < 0.25% |
| | 78 | | | 0+ | -63.174 | 2.5 m 3 | ϵ |
| | 79 | | | 3/2(-) | -65.477 | 2.25 m 10 | ϵ |
| | 80 | | | 0+ | -70.305 | 106.3 m 15 | ϵ |

Nuclear Wallet Cards

| Isotope | | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|-----------|--------------------------------|-------------------|
| Z | El | A | Jπ | (MeV) | |
| 38 Sr | 81 | | 1/2- | -71.526 | 22.3 m 4 |
| | 82 | | 0+ | -76.009 | 25.55 d 15 |
| | 83 | | 7/2+ | -76.797 | 32.41 h 3 |
| | 83m | | 1/2- | -76.538 | 4.95 s 12 |
| | 84 | | 0+ | -80.644 | 0.56% 1 |
| | 85 | | 9/2+ | -81.103 | 64.84 d 2 |
| | 85m | | 1/2- | -80.864 | 67.63 m 4 |
| | 86 | | 0+ | -84.522 | 9.86% 1 |
| | 87 | | 9/2+ | -84.878 | 7.00% 1 |
| | 87m | | 1/2- | -84.490 | 2.811 h 27 |
| | 88 | | 0+ | -87.920 | 82.58% 1 |
| | 89 | | 5/2+ | -86.207 | 50.53 d 7 |
| | 90 | | 0+ | -85.942 | 28.79 y 6 |
| | 91 | | 5/2+ | -83.639 | 9.63 h 5 |
| | 92 | | 0+ | -82.875 | 2.71 h 1 |
| | 93 | | 5/2+ | -80.088 | 7.423 m 24 |
| | 94 | | 0+ | -78.842 | 75.3 s 2 |
| | 95 | | 1/2+ | -75.117 | 23.90 s 14 |
| | 96 | | 0+ | -72.95 | 1.07 s 1 |
| 39 Y | 97 | | 1/2+ | -68.79 | 429 ms 5 |
| | 98 | | 0+ | -66.63 | 0.653 s 2 |
| | 99 | | 3/2+ | -62.1 | 0.269 s 1 |
| | 100 | | 0+ | -60.2 | 202 ms 3 |
| | 101 | (5/2-) | | -55.4 | 118 ms 3 |
| | 102 | | 0+ | -53.1 | 69 ms 6 |
| | 103 | | | -47.6s | >150 ns |
| | 104 | | 0+ | -44.4s | >150 ns |
| | 105 | | | | >150 ns |
| | 77 | | | -46.9s | <1.2 μs |
| | 78 | (0+) | | -52.6s | 55 ms 12 |
| | 78m | (5+) | | -52.1s | 5.8 s 6 |
| | 79 | (5/2+) | | -58.4 | 14.8 s 6 |
| | 80 | 4- | | -61.2s | 30.1 s 5 |
| | 80m | 1- | | -60.9s | 4.7 s 3 |
| | 81 | (5/2+) | | -66.02 | 70.4 s 10 |
| | 82 | 1+ | | -68.2 | 8.3 s 2 |
| | 83 | (9/2+) | | -72.33 | 7.08 m 6 |
| | 83m | (3/2-) | | -72.27 | 2.85 m 2 |
| | 84 | 1+ | | -74.16 | 4.6 s 2 |
| | 84m | (5-) | | -74.16 | 39.5 m 8 |
| | 85 | (1/2)- | | -77.85 | 2.68 h 5 |
| | 85m | 9/2+ | | -77.83 | 4.86 h 13 |
| | 86 | 4- | | -79.28 | 14.74 h 2 |
| | 86m | (8+) | | -79.06 | 48 m 1 |
| | 87 | 1/2- | | -83.017 | 79.8 h 3 |
| | 87m | 9/2+ | | -82.636 | 13.37 h 3 |
| | 88 | 4- | | -84.297 | 106.65 d 13 |
| | 89 | 1/2- | | -87.702 | 100% |
| | 89m | 9/2+ | | -86.793 | 15.28 s 17 |
| | 90 | 2- | | -86.488 | 64.00 h 21 |
| | 90m | 7+ | | -85.806 | 3.19 h 6 |
| | 91 | 1/2- | | -86.346 | 58.51 d 6 |

Nuclear Wallet Cards

| Isotope | | | Δ | T½, Γ, or Abundance | Decay Mode |
|----------------|-----------|-----------|-----------|--------------------------------|---------------------------------------|
| Z | El | A | Jπ | (MeV) | |
| 39 Y | | | | | |
| 91m | | 9/2+ | -85.791 | 49.71 m 4 | IT, β- < 1.5% |
| 92 | | 2- | -84.815 | 3.54 h 1 | β- |
| 93 | | 1/2- | -84.22 | 10.18 h 8 | β- |
| 93m | | 7/2+ | -83.47 | 0.82 s 4 | IT |
| 94 | | 2- | -82.350 | 18.7 m 1 | β- |
| 95 | | 1/2- | -81.204 | 10.3 m 1 | β- |
| 96 | | 0- | -78.34 | 5.34 s 5 | β- |
| 96m | | (8)+ | -78.34 | 9.6 s 2 | β- |
| 97 | | (1/2-) | -76.26 | 3.75 s 3 | β-, β-n 0.058% |
| 97m | | (9/2)+ | -75.59 | 1.17 s 3 | β- > 99.3%, IT < 0.7%, β-n < 0.08% |
| 97m | | (27/2-) | -72.74 | 142 ms 8 | IT > 80%, β- < 20% |
| 98 | | (0)- | -72.45 | 0.548 s 2 | β-, β-n 0.33% |
| 98m | | (4, 5) | -72.04 | 2.0 s 2 | β- 90%, IT < 20%, β-n 3.4% |
| 99 | | (5/2+) | -70.20 | 1.470 s 7 | β-, β-n 2.5% |
| 100 | | 1-, 2- | -67.29 | 735 ms 7 | β-, β-n 0.92% |
| 100m | | (3, 4, 5) | -67.29 | 0.94 s 3 | β- |
| 101 | | (5/2+) | -64.91 | 0.45 s 2 | β-, β-n 1.5% |
| 102m | | | -61.89 | 0.30 s 1 | β-, β-n 4% |
| 102m | | | -61.89 | 0.36 s 4 | β-, β-n 4% |
| 103 | | (5/2+) | -58.7s | 0.19 s 5 | β-, β-n 8% |
| 104 | | | -54.5s | 180 ms 60 | β-, β-n |
| 105 | | | -51.1s | >150 ns | β-? |
| 106 | | | -46.4s | >150 ns | β- |
| 107 | | (5/2+) | | 30 ms | β- |
| 108 | | | | >150 ns | β-, β-n |
| 40 Zr | | | | | |
| 79 | | | -47.4s | 56 ms 30 | ε |
| 80 | | 0+ | -55.4s | 3.9 s 5 | ε |
| 81 | | (3/2-) | -58.9 | 5.3 s 5 | ε, εp 0.12% |
| 82 | | 0+ | -64.2 | 32 s 5 | ε |
| 83 | | (1/2-) | -66.46 | 44 s 1 | ε, εp |
| 84 | | 0+ | -71.5s | 25.9 m 7 | ε |
| 85 | | 7/2+ | -73.2 | 7.86 m 4 | ε |
| 85m | | (1/2-) | -72.9 | 10.9 s 3 | IT ≤ 92%, ε > 8% |
| 86 | | 0+ | -77.81 | 16.5 h 1 | ε |
| 87 | | (9/2)+ | -79.348 | 1.68 h 1 | ε |
| 87m | | (1/2)- | -79.012 | 14.0 s 2 | IT |
| 88 | | 0+ | -83.62 | 83.4 d 3 | ε |
| 89 | | 9/2+ | -84.869 | 78.41 h 12 | ε |
| 89m | | 1/2- | -84.282 | 4.161 m 17 | IT 93.77%, ε 6.23% |
| 90 | | 0+ | -88.768 | 51.45% 40 | |
| 90m | | 5- | -86.449 | 809.2 ms 20 | IT |
| 91 | | 5/2+ | -87.891 | 11.22% 5 | |
| 92 | | 0+ | -88.455 | 17.15% 8 | |
| 93 | | 5/2+ | -87.117 | 1.53×10^6 y 10 | β- |
| 94 | | 0+ | -87.266 | 17.38% 28 | |
| 95 | | 5/2+ | -85.658 | 64.02 d 5 | β- |
| 96 | | 0+ | -85.441 | $>2.2 \times 10^{19}$ y | 2β- |
| | | | | 2.80% 9 | |
| 97 | | 1/2+ | -82.949 | 16.744 h 11 | β- |
| 98 | | 0+ | -81.28 | 30.7 s 4 | β- |

Nuclear Wallet Cards

| Isotope | | | Δ | T½, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|-----------|--------------------------------|-------------------|
| Z | El | A | Jπ | (MeV) | |
| 40 Zr | | | | | |
| 99 | | (1/2+) | -77.77 | 2.1 s 1 | β- |
| 100 | | 0+ | -76.60 | 7.1 s 4 | β- |
| 101 | | (3/2+) | -73.46 | 2.3 s 1 | β- |
| 102 | | 0+ | -71.74 | 2.9 s 2 | β- |
| 103 | | (5/2-) | -68.4 | 1.3 s 1 | β- |
| 104 | | 0+ | -66.3s | 1.2 s 3 | β- |
| 105 | | | -62.4s | 0.6 s 1 | β- |
| 106 | | 0+ | -59.7s | >150 ns | β-? |
| 107 | | | -55.1s | 150 ms | β-? |
| 108 | | 0+ | -51.9s | >150 ns | β-, β-n |
| 109 | | | | >150 ns | β-, β-n |
| 110 | | 0+ | | >150 ns | β- |
| 41 Nb | | | | | |
| 81 | | | -47.5s | ≈0.8 s | ε ?, ε p ?, p ? |
| 82 | | | -53.0s | 50 ms 4 | ε |
| 83 | | (5/2+) | -59.0 | 4.1 s 3 | ε |
| 84 | | 3+ | -61.9s | 12 s 3 | ε , ε p |
| 85 | | (9/2+) | -67.2 | 20.9 s 7 | ε |
| 86 | | (5+) | -69.83 | 88 s 1 | ε |
| 86m | | | -69.83 | 56 s 8 | ε |
| 87 | | (9/2+) | -74.18 | 2.6 m 1 | ε |
| 87m | | (1/2-) | -74.18 | 3.7 m 1 | ε |
| 88 | | (8+) | -76.4s | 14.5 m 1 | ε |
| 88m | | (4-) | -76.4s | 7.8 m 1 | ε |
| 89 | | (9/2+) | -80.58 | 2.03 h 7 | ε |
| 89m | | (1/2)- | -80.54 | 66 m 2 | ε |
| 90 | | 8+ | -82.657 | 14.60 h 5 | ε |
| 90m | | 4- | -82.532 | 18.81 s 6 | IT |
| 91 | | 9/2+ | -86.638 | 6.8×10 ² y 13 | ε |
| 91m | | 1/2- | -86.533 | 60.86 d 22 | IT 96.6%, ε 3.4% |
| 92 | | (7)+ | -86.449 | 3.47×10 ⁷ y 24 | ε , β-<0.05% |
| 92m | | (2)+ | -86.314 | 10.15 d 2 | ε |
| 93 | | 9/2+ | -87.209 | 100% | |
| 93m | | 1/2- | -87.178 | 16.13 y 14 | IT |
| 94 | | (6)+ | -86.365 | 2.03×10 ⁴ y 16 | β- |
| 94m | | 3+ | -86.324 | 6.263 m 4 | IT 99.5%, β- 0.5% |
| 95 | | 9/2+ | -86.783 | 34.997 d 6 | β- |
| 95m | | 1/2- | -86.547 | 86.6 h 8 | IT 94.4%, β- 5.6% |
| 96 | | 6+ | -85.604 | 23.35 h 5 | β- |
| 97 | | 9/2+ | -85.607 | 72.1 m 7 | β- |
| 97m | | 1/2- | -84.864 | 58.7 s 18 | IT |
| 98 | | 1+ | -83.526 | 2.86 s 6 | β- |
| 98m | | (5+) | -83.442 | 51.3 m 4 | β- 99.9%, IT<0.2% |
| 99 | | 9/2+ | -82.33 | 15.0 s 2 | β- |
| 99m | | 1/2- | -81.96 | 2.6 m 2 | β->96.2%, IT<3.8% |
| 100 | | 1+ | -79.94 | 1.5 s 2 | β- |
| 100m | (4+,5+) | | -79.44 | 2.99 s 11 | β- |
| 101 | | (5/2+) | -78.94 | 7.1 s 3 | β- |
| 102m | | 1+ | -76.35 | 1.3 s 2 | β- |
| 102m | | | -76.35 | 4.3 s 4 | β- |
| 103 | | (5/2+) | -75.32 | 1.5 s 2 | β- |
| 104 | | (1+) | -72.2 | 4.9 s 3 | β-, β-n 0.06% |
| 104m | | | -72.0 | 0.92 s 4 | β-, β-n 0.05% |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|---|
| Z | El | Jπ | (MeV) | |
| 41 Nb | | | | |
| 105 | | (5/2+) | -70.86 | 2.95 s 6 β^- , β^-n 1.7% |
| 106 | | | -66.9s | 1.02 s 5 β^- , β^-n 4.5% |
| 107 | | | -64.9s | 330 ms 50 β^- , β^-n 6% |
| 108 | | (2+) | -60.5s | 0.193 s 17 β^- , β^-n 6.2% |
| 109 | | (5/2) | -58.1s | 0.19 s 3 β^- , β^-n 31% |
| 110 | | | -53.4s | 0.17 s 2 β^- , β^-n 40% |
| 111 | | (5/2+) | | >150 ns β^- |
| 112 | | (2+) | | >150 ns β^- |
| 113 | | | | >150 ns β^- |
| 42 Mo | | | | |
| 83 | | | -47.7s | ≈ 0.4 s ϵ ? |
| 84 | | 0+ | -55.8s | >150 ns ϵ |
| 85 | | (1/2-) | -59.1s | 3.2 s 2 ϵ , ϵp 0.14% |
| 86 | | 0+ | -64.6 | 19.6 s 11 ϵ |
| 87 | | (7/2+) | -67.7 | 13.6 s 11 ϵ , ϵp 15% |
| 88 | | 0+ | -72.70 | 8.0 m 2 ϵ |
| 89 | | (9/2+) | -75.00 | 2.11 m 10 ϵ |
| 89m | | (1/2-) | -74.62 | 190 ms 15 IT |
| 90 | | 0+ | -80.168 | 5.56 h 9 ϵ |
| 91 | | 9/2+ | -82.20 | 15.49 m 1 ϵ |
| 91m | | 1/2- | -81.55 | 64.6 s 6 ϵ 50%, IT 50% |
| 92 | | 0+ | -86.805 | > 1.9×10^{20} y 2ϵ |
| | | | | 14.84% 35 |
| 93 | | 5/2+ | -86.804 | 4.0×10^3 y 8 ϵ |
| 93m | | 21/2+ | -84.379 | 6.85 h 7 IT 99.88%, ϵ 0.12% |
| 94 | | 0+ | -88.410 | 9.25% 12 |
| 95 | | 5/2+ | -87.708 | 15.92% 13 |
| 96 | | 0+ | -88.791 | 16.68% 2 |
| 97 | | 5/2+ | -87.541 | 9.55% 8 |
| 98 | | 0+ | -88.112 | 24.13% 31 |
| 99 | | 1/2+ | -85.966 | 65.94 h 1 β^- |
| 100 | | 0+ | -86.185 | 0.95×10^{19} y 11 $2\beta^-$ |
| | | | | 9.63% 23 |
| 101 | | 1/2+ | -83.512 | 14.61 m 3 β^- |
| 102 | | 0+ | -83.56 | 11.3 m 2 β^- |
| 103 | | (3/2+) | -80.85 | 67.5 s 15 β^- |
| 104 | | 0+ | -80.33 | 60 s 2 β^- |
| 105 | | (3/2+) | -77.34 | 35.6 s 16 β^- |
| 106 | | 0+ | -76.26 | 8.4 s 5 β^- |
| 107 | | (7/2-) | -72.9 | 3.5 s 5 β^- |
| 108 | | 0+ | -71.2s | 1.09 s 2 β^- |
| 109 | | (7/2-) | -67.2s | 0.53 s 6 β^- |
| 110 | | 0+ | -65.5s | 0.30 s 4 β^- , β^-n 0.04% |
| 111 | | | -61.0s | >150 ns $\beta^-?$ |
| 112 | | 0+ | -58.8s | >150 ns $\beta^-?$ |
| 113 | | | -54.0s | >150 ns β^- , β^-n |
| 114 | | 0+ | | >150 ns β^- |
| 115 | | | | >150 ns β^- , β^-n |
| 43 Tc | | | | |
| 85 | | | -47.6s | ≈ 0.5 s ϵ ? |
| 86 | | | -53.2s | 47 ms 12 ϵ |
| 87 | | (9/2+) | -59.1s | >150 ns ϵ ? |
| 88 | | (3+) | -62.6s | 5.8 s 2 ϵ |
| 88m | | (6+) | -62.6s | 6.4 s 8 ϵ |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|--------------------------------|-------------------------------|
| 43 Tc | | | | | | | |
| 89 | | | (9/2+) | | -67.5 | 12.8 s 9 | ε |
| 89m | | | (1/2-) | | -67.4 | 12.9 s 8 | ε |
| 90m | | | 1+ | | -71.2 | 8.7 s 2 | ε |
| 90m | | | (6+) | | -70.7 | 49.2 s 4 | ε |
| 91 | | | (9/2)+ | | -76.0 | 3.14 m 2 | ε |
| 91m | | | (1/2)- | | -75.8 | 3.3 m 1 | ε, IT<1% |
| 92 | | | (8)+ | | -78.94 | 4.23 m 15 | ε |
| 93 | | | 9/2+ | | -83.603 | 2.75 h 5 | ε |
| 93m | | | 1/2- | | -83.211 | 43.5 m 10 | IT 76.6%, ε 23.4% |
| 94 | | | 7+ | | -84.155 | 293 m 1 | ε |
| 94m | | | (2)+ | | -84.080 | 52.0 m 10 | ε, IT<0.1% |
| 95 | | | 9/2+ | | -86.017 | 20.0 h 1 | ε |
| 95m | | | 1/2- | | -85.979 | 61 d 2 | ε 96.12%, IT 3.88% |
| 96 | | | 7+ | | -85.818 | 4.28 d 7 | ε |
| 96m | | | 4+ | | -85.784 | 51.5 m 10 | IT 98%, ε 2% |
| 97 | | | 9/2+ | | -87.221 | 4.21×10 ⁶ y 16 | ε |
| 97m | | | 1/2- | | -87.124 | 91.4 d 8 | IT, ε 3.94% |
| 98 | | | (6)+ | | -86.428 | 4.2×10 ⁶ y 3 | β- |
| 99 | | | 9/2+ | | -87.323 | 2.111×10 ⁵ y 12 | β- |
| 99m | | | 1/2- | | -87.180 | 6.01 h 1 | IT, β- 3.7×10 ⁻³ % |
| 100 | | | 1+ | | -86.016 | 15.8 s 1 | β-, ε 1.8×10 ⁻³ % |
| 101 | | | 9/2+ | | -86.34 | 14.22 m 1 | β- |
| 102 | | | 1+ | | -84.568 | 5.28 s 15 | β- |
| 102m | | | (4,5) | | -84.568 | 4.35 m 7 | β- 98%, IT 2% |
| 103 | | | 5/2+ | | -84.60 | 54.2 s 8 | β- |
| 104 | | | (3+) | | -82.49 | 18.3 m 3 | β- |
| 105 | | | (5/2+) | | -82.29 | 7.6 m 1 | β- |
| 106 | | | (1,2) | | -79.78 | 35.6 s 6 | β- |
| 107 | | | (3/2-) | | -79.1 | 21.2 s 2 | β- |
| 108 | | | (2)+ | | -75.9 | 5.17 s 7 | β- |
| 109 | | | (5/2+) | | -74.9s | 0.86 s 4 | β-, β-n 0.08% |
| 110 | | | (1+,2+) | | -71.4s | 0.92 s 3 | β-, β-n 0.04% |
| 111 | | | | | -69.8s | 0.30 s 3 | β-, β-n 0.85% |
| 112 | | | | | -65.9s | 0.29 s 2 | β-, β-n 1.5% |
| 113 | | | | | -64.0s | 0.17 s 2 | β-, β-n 2.1% |
| 114 | | | | | -59.7s | 0.15 s 3 | β-, β-n 1.3% |
| 115 | | | | | -57.5s | >150 ns | β-, β-n |
| 116 | | | | | | >150 ns | β- |
| 117 | | | (5/2+) | | | >150 ns | β- |
| 118 | | | | | | >150 ns | β- |
| 44 Ru | | | | | | | |
| 87 | | | | | -47.3s | >1.5 μs | ε ? |
| 88 | | | 0+ | | -55.5s | >150 ns | ε ? |
| 89 | | | | | -59.5s | | ε ? |
| 90 | | | 0+ | | -65.4s | 11 s 3 | ε |
| 91 | | | (9/2+) | | -68.6 | 9 s 1 | ε |
| 91m | | | (1/2-) | | -68.6 | 7.6 s 8 | ε>0%, εp>0%, IT |
| 92 | | | 0+ | | -74.4s | 3.65 m 5 | ε |
| 93 | | | (9/2)+ | | -77.27 | 59.7 s 6 | ε |
| 93m | | | (1/2)- | | -76.53 | 10.8 s 3 | ε 78%, IT 22%, εp 0.03% |
| 94 | | | 0+ | | -82.57 | 51.8 m 6 | ε |
| 95 | | | 5/2+ | | -83.45 | 1.643 h 14 | ε |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|-------------------|
| Z | El | Jπ | (MeV) | |
| 44 Ru | 96 | 0+ | -86.072 | 5.54% 14 |
| | 97 | 5/2+ | -86.112 | 2.791 d 4 |
| | 98 | 0+ | -88.225 | 1.87% 3 |
| | 99 | 5/2+ | -87.617 | 12.76% 14 |
| | 100 | 0+ | -89.219 | 12.60% 7 |
| | 101 | 5/2+ | -87.950 | 17.06% 2 |
| | 102 | 0+ | -89.098 | 31.55% 14 |
| | 103 | 3/2+ | -87.259 | 39.26 d 2 |
| | 104 | 0+ | -88.091 | 18.62% 27 |
| | 105 | 3/2+ | -85.930 | 4.44 h 2 |
| | 106 | 0+ | -86.324 | 373.59 d 15 |
| | 107 | (5/2)+ | -83.9 | 3.75 m 5 |
| | 108 | 0+ | -83.7 | 4.55 m 5 |
| | 109 | (5/2+) | -80.85 | 34.5 s 10 |
| | 110 | 0+ | -80.1 | 14.6 s 10 |
| | 111 | | -76.8s | 2.12 s 7 |
| | 112 | 0+ | -75.9s | 1.75 s 7 |
| | 113 | | -72.2s | 0.80 s 5 |
| | 114 | 0+ | -70.8s | 0.53 s 6 |
| | 115 | | -66.8s | 740 ms 80 |
| | 116 | 0+ | -65.1s | >150 ns |
| | 117 | | -60.7s | >150 ns |
| | 118 | 0+ | -58.7s | >150 ns |
| | 119 | | | >150 ns |
| | 120 | 0+ | | >150 ns |
| 45 Rh | 89 | | -47.2s | >1.5 μs |
| | 90 | | -53.2s | >150 ns |
| | 91 | | -59.1s | >0.1 μs |
| | 92 | | -63.4s | >100 ns |
| | 93 | (9/2+) | -69.2s | ε |
| | 94m | (8+) | -72.9s | 25.8 s 2 |
| | 94m | (3+) | -72.9s | 70.6 s 6 |
| | 95 | (9/2)+ | -78.3 | 5.02 m 10 |
| | 95m | (1/2)- | -77.8 | 1.96 m 4 |
| | 96 | (6+) | -79.63 | 9.90 m 10 |
| | 96m | (3+) | -79.57 | 1.51 m 2 |
| | 97 | 9/2+ | -82.59 | 30.7 m 6 |
| | 97m | 1/2- | -82.33 | 46.2 m 16 |
| | 98 | (2)+ | -83.17 | 8.7 m 2 |
| | 98m | (5+) | -83.17 | 3.5 m 3 |
| | 99 | 1/2- | -85.574 | 16.1 d 2 |
| | 99m | 9/2+ | -85.510 | 4.7 h 1 |
| | 100 | 1- | -85.59 | 20.8 h 1 |
| | 100m | (5+) | -85.59 | 4.6 m 2 |
| | 101 | 1/2- | -87.41 | 3.3 y 3 |
| | 101m | 9/2+ | -87.25 | 4.34 d 1 |
| | 102 | (1-,2-) | -86.775 | 207 d 3 |
| | 102m | 6(+) | -86.634 | ≈2.9 y |
| | 103 | 1/2- | -88.022 | 100% |
| | 103m | 7/2+ | -87.982 | 56.114 m 9 |
| | 104 | 1+ | -86.950 | 42.3 s 4 |

Nuclear Wallet Cards

| Isotope | | Δ | T$\frac{1}{2}$, Γ, or Abundance | Decay Mode |
|----------------|-------------|----------------------------|---|-----------------------|
| Z | El A | Jπ | (MeV) | |
| 45 Rh | 104m | 5+ | -86.821 | 4.34 m 3 |
| | 105 | 7/2+ | -87.847 | 35.36 h 6 |
| | 105m | 1/2- | -87.717 | 43.0 s 3 |
| | 106 | 1+ | -86.364 | 29.80 s 8 |
| | 106m | (6)+ | -86.227 | 131 m 2 |
| | 107 | 7/2+ | -86.86 | 21.7 m 4 |
| | 108 | 1+ | -85.0 | 16.8 s 5 |
| | 108m | (5+) | -85.0 | 6.0 m 3 |
| | 109 | 7/2+ | -85.01 | 80 s 2 |
| | 110m | 1+ | -82.9 | 3.2 s 2 |
| | 110m | (>3) | -82.9 | 28.5 s 15 |
| | 111 | (7/2+) | -82.3s | 11 s 1 |
| | 112m | 1+ | -79.5s | 3.45 s 37 |
| | 112m | (4,5,6) | -79.5s | 6.73 s 15 |
| | 113 | (7/2+) | -78.8s | 2.80 s 12 |
| | 114 | 1+ | -75.6s | 1.85 s 5 |
| | 114m | (>3) | -75.6s | 1.85 s 5 |
| | 115 | (7/2+) | -74.4 | 0.99 s 5 |
| | 116m | 1+ | -71.1s | 0.68 s 6 |
| | 116m | (5,6,7) | -71.1s | 0.9 s 4 |
| | 117 | (7/2+) | -69.5s | 0.44 s 4 |
| | 118 | 0+ | -65.7s | >150 ns |
| | 119 | | -63.9s | >150 ns |
| | 120 | | -59.8s | >150 ns |
| | 121 | | -57.7s | >150 ns |
| | 122 | | | ≈50 ms |
| 46 Pd | 91 | | -47.1s | >1 μs |
| | 92 | 0+ | -55.5s | >150 ns |
| | 93 | | -59.7s | 60 s 20 |
| | 94 | 0+ | -66.3s | 9.0 s 5 |
| | 95 | | -70.2s | ≈10 s |
| | 95m | (21/2+) | -68.2s | 13.3 s 3 |
| | 96 | 0+ | -76.2 | 122 s 2 |
| | 97 | (5/2+) | -77.8 | 3.10 m 9 |
| | 98 | 0+ | -81.30 | 17.7 m 3 |
| | 99 | (5/2)+ | -82.19 | 21.4 m 2 |
| | 100 | 0+ | -85.23 | 3.63 d 9 |
| | 101 | 5/2+ | -85.43 | 8.47 h 6 |
| | 102 | 0+ | -87.926 | 1.02% 1 |
| | 103 | 5/2+ | -87.479 | 16.991 d 19 |
| | 104 | 0+ | -89.391 | 11.14% 8 |
| | 105 | 5/2+ | -88.414 | 22.33% 8 |
| | 106 | 0+ | -89.905 | 27.33% 3 |
| | 107 | 5/2+ | -88.372 | 6.5×10^6 y 3 |
| | 107m | 11/2- | -88.158 | 21.3 s 5 |
| | 108 | 0+ | -89.522 | 26.46% 9 |
| | 109 | 5/2+ | -87.604 | 13.7012 h 24 |
| | 109m | 11/2- | -87.415 | 4.696 m 3 |
| | 110 | 0+ | -88.35 | 11.72% 9 |
| | 111 | 5/2+ | -86.03 | 23.4 m 2 |
| | 111m | 11/2- | -85.86 | 5.5 h 1 |
| | | | | IT 73%, β- 27% |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|--------------------------------|-------------------------------|
| 46 Pd | 112 | | 0+ | -86.34 | | 21.03 h 5 | β- |
| | 113 | | (5/2+) | -83.69 | | 93 s 5 | β- |
| | 113m | | (9/2-) | -83.61 | | 0.3 s 1 | IT |
| | 114 | | 0+ | -83.49 | | 2.42 m 6 | β- |
| | 115 | | (5/2+) | -80.40 | | 25 s 2 | β- |
| | 115m | | (11/2-) | -80.31 | | 50 s 3 | β- 92%, IT 8% |
| | 116 | | 0+ | -79.96 | | 11.8 s 4 | β- |
| | 117 | | (5/2+) | -76.5s | | 4.3 s 3 | β- |
| | 118 | | 0+ | -75.5 | | 1.9 s 1 | β- |
| | 119 | | | -72.0s | | 0.92 s 13 | β- |
| | 120 | | 0+ | -70.8s | | 0.5 s 1 | β- |
| | 121 | | | -66.9s | | >150 ns | β- ? |
| | 122 | | 0+ | -65.4s | | >150 ns | β- ? |
| | 123 | | | -61.2s | | >150 ns | β- ? |
| | 124 | | 0+ | | | ≈0.2 s | β- ? |
| 47 Ag | 93 | | | | | | ε |
| | 94 | | 0+ | -53.3s | | 15 ms CA | ε |
| | 94m | | (9+) | -53.3s | | 0.42 s 5 | ε , εp |
| | 95 | | | -60.1s | | 2.0 s 1 | ε , εp |
| | 96 | | (8+, 9+) | -64.6s | | 5.1 s 4 | ε , εp 12% |
| | 97 | | (9/2+) | -70.8s | | 25.3 s 3 | ε |
| | 98 | | (6+) | -72.9 | | 46.7 s 9 | ε , εp 1.1×10 ⁻³ % |
| | 99 | | (9/2)+ | -76.8 | | 124 s 3 | ε |
| | 99m | | (1/2-) | -76.3 | | 10.5 s 5 | IT |
| | 100 | | (5)+ | -78.18 | | 2.01 m 9 | ε |
| | 100m | | (2)+ | -78.17 | | 2.24 m 13 | ε , IT |
| | 101 | | 9/2+ | -81.2 | | 11.1 m 3 | ε |
| | 101m | | (1/2)- | -81.0 | | 3.10 s 10 | IT |
| | 102 | | 5+ | -81.97 | | 12.9 m 3 | ε |
| | 102m | | 2+ | -81.96 | | 7.7 m 5 | ε 51%, IT 49% |
| | 103 | | 7/2+ | -84.79 | | 65.7 m 7 | ε |
| | 103m | | 1/2- | -84.66 | | 5.7 s 3 | IT |
| | 104 | | 5+ | -85.112 | | 69.2 m 10 | ε |
| | 104m | | 2+ | -85.105 | | 33.5 m 20 | ε 99.93%, IT<0.07% |
| | 105 | | 1/2- | -87.07 | | 41.29 d 7 | ε |
| | 105m | | 7/2+ | -87.04 | | 7.23 m 16 | IT 99.66%, ε 0.34% |
| | 106 | | 1+ | -86.940 | | 23.96 m 4 | ε 99.5%, β-<1% |
| | 106m | | 6+ | -86.850 | | 8.28 d 2 | ε |
| | 107 | | 1/2- | -88.405 | 51.839% 8 | | |
| | 107m | | 7/2+ | -88.312 | | 44.3 s 2 | IT |
| | 108 | | 1+ | -87.604 | | 2.37 m 1 | β- 97.15%, ε 2.85% |
| | 108m | | 6+ | -87.494 | | 418 y 21 | ε 91.3%, IT 8.7% |
| | 109 | | 1/2- | -88.720 | 48.161% 8 | | |
| | 109m | | 7/2+ | -88.632 | | 39.6 s 2 | IT |
| | 110 | | 1+ | -87.457 | | 24.6 s 2 | β- 99.7%, ε 0.3% |
| | 110m | | 6+ | -87.340 | | 249.76 d 4 | β- 98.64%, IT 1.36% |
| | 111 | | 1/2- | -88.217 | | 7.45 d 1 | β- |
| | 111m | | 7/2+ | -88.158 | | 64.8 s 8 | IT 99.3%, β- 0.7% |
| | 112 | | 2(-) | -86.63 | | 3.130 h 9 | β- |
| | 113 | | 1/2- | -87.03 | | 5.37 h 5 | β- |
| | 113m | | 7/2+ | -86.99 | | 68.7 s 16 | IT 64%, β- 36% |
| | 114 | | 1+ | -84.94 | | 4.6 s 1 | β- |

Nuclear Wallet Cards

| Isotope | | | Δ | T½, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|-----------|--------------------------------|-------------------|
| Z | El | A | Jπ | (MeV) | |
| 47 Ag | 115 | | 1/2- | -84.99 | 20.0 m 5 |
| | 115m | | 7/2+ | -84.95 | 18.0 s 7 |
| | 116 | | (2)- | -82.57 | 2.68 m 10 |
| | 116m | | (5+) | -82.49 | 8.6 s 3 |
| | 117 | | (1/2-) | -82.27 | 72.8 s +20-7 |
| | 117m | | (7/2+) | -82.24 | 5.34 s 5 |
| | 118 | | 1(-) | -79.57 | 3.76 s 15 |
| | 118m | | 4(+) | -79.44 | 2.0 s 2 |
| | 119m | | (7/2+) | -78.56 | 2.1 s 1 |
| | 119m | | (1/2-) | -78.56 | 6.0 s 5 |
| | 120 | | 3(+) | -75.65 | 1.23 s 4 |
| | 120m | | 6(-) | -75.44 | 0.32 s 4 |
| | 121 | | (7/2+) | -74.7 | 0.78 s 1 |
| | 122 | | (3+) | -71.4s | 0.520 s 14 |
| | 123 | | (7/2+) | -70.0s | 0.293 s 7 |
| | 124 | | | -66.6s | 0.172 s 5 |
| | 125 | | (7/2+) | -64.7s | 166 ms 7 |
| | 126 | | | -61.0s | 107 ms 12 |
| | 127 | | (1/2-) | -58.8s | 79 ms 3 |
| | 128 | | | | 58 ms 5 |
| | 129 | | | | 46 ms 5 |
| 48 Cd | 96 | | 0+ | -56.1s | ≈1 s |
| | 97 | | | -60.6s | 2.8 s 6 |
| | 98 | | 0+ | -67.5s | 9.2 s 3 |
| | 99 | | (5/2+) | -69.9s | 16 s 3 |
| | 100 | | 0+ | -74.31 | 49.1 s 5 |
| | 101 | | (5/2+) | -75.7 | 1.36 m 5 |
| | 102 | | 0+ | -79.38 | 5.5 m 5 |
| | 103 | | (5/2)+ | -80.65 | 7.3 m 1 |
| | 104 | | 0+ | -83.976 | 57.7 m 10 |
| | 105 | | 5/2+ | -84.33 | 55.5 m 4 |
| | 106 | | 0+ | -87.134 | ≥2.6×10¹⁷ y |
| | | | | | 1.25% 6 |
| | 107 | | 5/2+ | -86.988 | 6.50 h 2 |
| | 108 | | 0+ | -89.253 | 0.89% 3 |
| | 109 | | 5/2+ | -88.505 | 461.4 d 12 |
| | 110 | | 0+ | -90.350 | 12.49% 18 |
| | 111 | | 1/2+ | -89.254 | 12.80% 12 |
| | 111m | | 11/2- | -88.858 | 48.30 m 15 |
| | 112 | | 0+ | -90.581 | 24.13% 21 |
| | 113 | | 1/2+ | -89.050 | 7.7×10¹⁵ y 3 |
| | | | | | 12.22% 12 |
| | 113m | | 11/2- | -88.786 | 14.1 y 5 |
| | 114 | | 0+ | -90.021 | 28.73% 42 |
| | 115 | | 1/2+ | -88.091 | 53.46 h 5 |
| | 115m | | (11/2)- | -87.910 | 44.56 d 24 |
| | 116 | | 0+ | -88.720 | ≥3.75×10¹⁹ y |
| | | | | | 7.49% 18 |
| | 117 | | 1/2+ | -86.426 | 2.49 h 4 |
| | 117m | | (11/2)- | -86.289 | 3.36 h 5 |
| | 118 | | 0+ | -86.71 | 50.3 m 2 |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|---|-------------------------------|
| 48 Cd | | | | | | | |
| 119 | | | 3/2+ | | -83.91 | 2.69 m 2 | β- |
| 119m | | | (11/2-) | | -83.76 | 2.20 m 2 | β- |
| 120 | | | 0+ | | -83.97 | 50.80 s 21 | β- |
| 121 | | | (3/2+) | | -81.06 | 13.5 s 3 | β- |
| 121m | | | (11/2-) | | -80.84 | 8.3 s 8 | β- |
| 122 | | | 0+ | | -80.6s | 5.24 s 3 | β- |
| 123 | | | (3/2)+ | | -77.31 | 2.10 s 2 | β- |
| 123m | | | (11/2-) | | -76.99 | 1.82 s 3 | β-, IT |
| 124 | | | 0+ | | -76.71 | 1.25 s 2 | β- |
| 125 | | | (3/2+) | | -73.36 | 0.65 s 2 | β- |
| 125m | | | (11/2-) | | -73.31 | 0.48 s 3 | β- |
| 126 | | | 0+ | | -72.33 | 0.506 s 15 | β- |
| 127 | | | (3/2+) | | -68.53 | 0.37 s 7 | β- |
| 128 | | | 0+ | | -67.3 | 0.34 s 3 | β- |
| 129 | | | (3/2+) | | -63.1s | 0.27 s 4 | β- |
| 130 | | | 0+ | | -61.5s | 0.20 s 4 | β-, β-n≈4% |
| 131 | | | | | | ≈0.18 s | β- |
| 49 In | | | | | | | |
| 98 | | | | | -53.8s | | ε ? |
| 99 | | | (9/2+) | | -60.9s | >150 ns | ε |
| 100 | | | | | -64.1 | 7.0 s 8 | ε , εp>3.9% |
| 101 | | | | | -68.4s | 15.1 s 3 | ε≈100%, εp |
| 102 | | | (6+) | | -70.1 | 22 s 1 | ε , εp 9.3×10 ⁻³ % |
| 103 | | | (9/2)+ | | -74.60 | 60 s 1 | ε |
| 103m | | | (1/2-) | | -73.97 | 34 s 2 | ε , IT≈30% |
| 104 | | | 5(+) | | -76.1 | 1.80 m 3 | ε |
| 104m | | | (3+) | | -76.0 | 15.7 s 5 | IT 80%, ε 20% |
| 105 | | | (9/2+) | | -79.48 | 5.07 m 7 | ε |
| 105m | | | (1/2-) | | -78.81 | 48 s 6 | IT , ε≈25% |
| 106 | | | 7+ | | -80.61 | 6.2 m 1 | ε |
| 106m | | | (3+) | | -80.58 | 5.2 m 1 | ε |
| 107 | | | 9/2+ | | -83.56 | 32.4 m 3 | ε |
| 107m | | | 1/2- | | -82.88 | 50.4 s 6 | IT |
| 108 | | | 7+ | | -84.10 | 58.0 m 12 | ε |
| 108m | | | 2+ | | -84.07 | 39.6 m 7 | ε |
| 109 | | | 9/2+ | | -86.485 | 4.2 h 1 | ε |
| 109m | | | 1/2- | | -85.835 | 1.34 m 7 | IT |
| 109m | | | (19/2+) | | -84.384 | 0.209 s 6 | IT |
| 110 | | | 7+ | | -86.47 | 4.9 h 1 | ε |
| 110m | | | 2+ | | -86.41 | 69.1 m 5 | ε |
| 111 | | | 9/2+ | | -88.389 | 2.8047 d 5 | ε |
| 111m | | | 1/2- | | -87.852 | 7.7 m 2 | IT |
| 112 | | | 1+ | | -87.995 | 14.97 m 10 | ε 56%, β- 44% |
| 112m | | | 4+ | | -87.839 | 20.56 m 6 | IT |
| 113 | | | 9/2+ | | -89.366 | 4.29% 5 | |
| 113m | | | 1/2- | | -88.975 | 99.476 m 23 | IT |
| 114 | | | 1+ | | -88.570 | 71.9 s 1 | β- 99.5%, ε 0.5% |
| 114m | | | 5+ | | -88.379 | 49.51 d 1 | IT 96.75%, ε 3.25% |
| 115 | | | 9/2+ | | -89.537 | 4.41×10^{14} y 25 95.71% 5 | β- |
| 115m | | | 1/2- | | -89.201 | 4.486 h 4 | IT 95%, β- 5% |
| 116 | | | 1+ | | -88.250 | 14.10 s 3 | β- 99.97%, ε<0.06% |
| 116m | | | 5+ | | -88.123 | 54.29 m 17 | β- |

Nuclear Wallet Cards

| Isotope | | | Δ | T½, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|-----------|--------------------------------|--------------------------------|
| Z | El | A | Jπ | (MeV) | |
| 49 In | | | | | |
| 116m | 8- | | -87.960 | 2.18 s 4 | IT |
| 117 | 9/2+ | | -88.943 | 43.2 m 3 | β- |
| 117m | 1/2- | | -88.628 | 116.2 m 3 | β- 52.9%, IT 47.1% |
| 118 | 1+ | | -87.230 | 5.0 s 5 | β- |
| 118m | 5+ | | -87.170 | 4.45 m 5 | β- |
| 118m | 8- | | -87.030 | 8.5 s 3 | IT 98.6%, β- 1.4% |
| 119 | 9/2+ | | -87.704 | 2.4 m 1 | β- |
| 119m | 1/2- | | -87.392 | 18.0 m 3 | β- 94.4%, IT 5.6% |
| 120 | 1+ | | -85.73 | 3.08 s 8 | β- |
| 120 | (8-) | | -85.73 | 47.3 s 5 | β- |
| 120m | (5)+ | | -85.66 | 46.2 s 8 | β- |
| 121 | 9/2+ | | -85.84 | 23.1 s 6 | β- |
| 121m | 1/2- | | -85.53 | 3.88 m 10 | β- 98.8%, IT 1.2% |
| 122 | 1+ | | -83.58 | 1.5 s 3 | β- |
| 122m | 5+ | | -83.58 | 10.3 s 6 | β- |
| 122m | 8- | | -83.38 | 10.8 s 4 | β- |
| 123 | 9/2+ | | -83.43 | 5.98 s 6 | β- |
| 123m | 1/2- | | -83.10 | 47.8 s 5 | β- |
| 124 | 3+ | | -80.88 | 3.11 s 10 | β- |
| 124m | (8-) | | -80.83 | 3.7 s 2 | β- |
| 125 | 9/2+ | | -80.48 | 2.36 s 4 | β- |
| 125m | 1/2(-) | | -80.12 | 12.2 s 2 | β- |
| 126 | 3(+) | | -77.81 | 1.60 s 10 | β- |
| 126m | 7,8,9 | | -77.71 | 1.64 s 5 | β- |
| 127 | (9/2+) | | -76.99 | 1.09 s 1 | β-, β-n≤0.03% |
| 127m | (1/2-) | | -76.53 | 3.67 s 4 | β-, β-n 0.69% |
| 128 | (3+) | | -74.36 | 0.84 s 6 | β- |
| 128m | (8-) | | -74.02 | 0.72 s 10 | β- |
| 129 | (9/2+) | | -73.0 | 0.61 s 1 | β-, β-n 0.25% |
| 129m | (1/2-) | | -72.6 | 1.23 s 3 | β->99.7%, β-n 2.5%, IT<0.3% |
| 130 | 1(-) | | -70.00 | 0.32 s 2 | β-, β-n 0.9% |
| 130m | (10-) | | -69.95 | 0.55 s 1 | β-, β-n<1.67% |
| 130m | (5+) | | -69.60 | 0.542 s 9 | β-, β-n≤1.65% |
| 131 | (9/2+) | | -68.22 | 0.28 s 3 | β-, β-n≤2% |
| 131m | (1/2-) | | -67.85 | 0.35 s 5 | β-≥99.98%, β-n≤2%, IT≤0.02% |
| 131m | (21/2+) | | -63.95 | 0.32 s 6 | β->99%, IT<1%, β-n 0.03% |
| 132 | (7-) | | -62.49 | 0.201 s 13 | β-, β-n 6.2% |
| 133 | (9/2+) | | -57.4s | 180 ms 15 | β-, β-n 85% |
| 134 | | | -51.5s | 138 ms 8 | β-, β-n 65% |
| 135 | | | | ≈0.1 s | β-? |
| 50 Sn | | | | | |
| 100 | 0+ | | -56.9s | 0.94 s +54-27 | ε , εp<17% |
| 101 | | | -59.6s | 3 s 1 | ε , εp |
| 102 | 0+ | | -64.7s | 4.5 s 7 | ε |
| 103 | | | -66.9s | 7 s 3 | ε |
| 104 | 0+ | | -71.6 | 20.8 s 5 | ε |
| 105 | | | -73.22 | 31 s 6 | ε , εp |
| 106 | 0+ | | -77.43 | 115 s 5 | ε |
| 107 | (5/2+) | | -78.56 | 2.90 m 5 | ε |
| 108 | 0+ | | -82.00 | 10.30 m 8 | ε |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|---------------------------|
| Z | El | Jπ | (MeV) | |
| 50 Sn | 109 | 5/2(+) | -82.636 | 18.0 m 2 |
| | 110 | 0+ | -85.83 | 4.11 h 10 |
| | 111 | 7/2+ | -85.944 | 35.3 m 6 |
| | 112 | 0+ | -88.659 | 0.97% 1 |
| | 113 | 1/2+ | -88.330 | 115.09 d 4 |
| | 113m | 7/2+ | -88.253 | 21.4 m 4 |
| | 114 | 0+ | -90.558 | 0.66% 1 |
| | 115 | 1/2+ | -90.033 | 0.34% 1 |
| | 116 | 0+ | -91.525 | 14.54% 9 |
| | 117 | 1/2+ | -90.398 | 7.68% 7 |
| | 117m | 11/2- | -90.083 | 13.60 d 4 |
| | 118 | 0+ | -91.653 | 24.22% 9 |
| | 119 | 1/2+ | -90.067 | 8.59% 4 |
| | 119m | 11/2- | -89.978 | 293.1 d 7 |
| | 120 | 0+ | -91.103 | 32.58% 9 |
| | 121 | 3/2+ | -89.203 | 27.06 h 4 |
| | 121m | 11/2- | -89.197 | 55 y 5 |
| | 122 | 0+ | -89.945 | 4.63% 3 |
| | 123 | 11/2- | -87.820 | 129.2 d 4 |
| | 123m | 3/2+ | -87.795 | 40.06 m 1 |
| | 124 | 0+ | -88.236 | 5.79% 5 |
| | 125 | 11/2- | -85.898 | 9.64 d 3 |
| | 125m | 3/2+ | -85.870 | 9.52 m 5 |
| | 126 | 0+ | -86.02 | $\approx 1 \times 10^5$ y |
| | 127 | (11/2-) | -83.51 | 2.10 h 4 |
| | 127m | (3/2+) | -83.50 | 4.13 m 3 |
| | 128 | 0+ | -83.34 | 59.07 m 14 |
| | 128m | (7-) | -81.24 | 6.5 s 5 |
| | 129 | (3/2+) | -80.6 | 2.23 m 4 |
| | 129m | (11/2-) | -80.6 | 6.9 m 1 |
| | 130 | 0+ | -80.25 | 3.72 m 4 |
| | 130m | (7-) | -78.30 | 1.7 m 1 |
| | 131 | (3/2+) | -77.39 | 56.0 s 5 |
| | 131m | (11/2-) | -77.15 | 58.4 s 5 |
| | 132 | 0+ | -76.62 | 39.7 s 5 |
| | 133 | (7/2-) | -70.97 | 1.45 s 3 |
| | 134 | 0+ | -66.6 | 1.12 s 8 |
| | 135 | | -60.8s | >150 ns |
| | 136 | 0+ | -56.5s | >150 ns |
| | 137 | | -50.5s | >150 ns |
| 51 Sb | 103 | | -55.8s | >1.5 μ s |
| | 104 | | -59.3s | 0.44 s +15-11 |
| | 105 | | -63.8 | 1.12 s 16 |
| | 106 | (4+) | -66.4s | 0.6 s 2 |
| | 107 | (5/2+) | -70.7s | 4.6 s 8 |
| | 108 | (4+) | -72.5s | 7.4 s 3 |
| | 109 | (5/2+) | -76.26 | 17.0 s 7 |
| | 110 | (4+) | -77.5s | 23.0 s 4 |
| | 111 | (5/2+) | -80.8s | 75 s 1 |
| | 112 | 3+ | -81.60 | 51.4 s 10 |
| | 113 | 5/2+ | -84.41 | 6.67 m 7 |
| | 114 | 3+ | -84.7 | 3.49 m 3 |

Nuclear Wallet Cards

| Isotope | | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|-----------|--------------------------------|---|
| Z | El | A | Jπ | (MeV) | |
| 51 Sb | | | | | |
| 115 | | 5/2+ | -87.00 | 32.1 m 3 | ε |
| 116 | | 3+ | -86.818 | 15.8 m 8 | ε |
| 116m | | 8- | -86.435 | 60.3 m 6 | ε |
| 117 | | 5/2+ | -88.641 | 2.80 h 1 | ε |
| 118 | | 1+ | -87.996 | 3.6 m 1 | ε |
| 118m | | 8- | -87.746 | 5.00 h 2 | ε |
| 119 | | 5/2+ | -89.473 | 38.19 h 22 | ε |
| 119m (27/2+) | | | -86.632 | 0.85 s 9 | IT |
| 120 | | 1+ | -88.423 | 15.89 m 4 | ε |
| 120m | | 8- | -88.272 | 5.76 d 2 | ε |
| 121 | | 5/2+ | -89.593 | 57.21% 5 | |
| 122 | | 2- | -88.328 | 2.7238 d 2 | β- 97.59%, ε 2.41% |
| 122m (8)- | | | -88.164 | 4.191 m 3 | IT |
| 123 | | 7/2+ | -89.223 | 42.79% 5 | |
| 124 | | 3- | -87.619 | 60.20 d 3 | β- |
| 124m | | 5+ | -87.608 | 93 s 5 | IT 75%, β- 25% |
| 124m (8)- | | | -87.582 | 20.2 m 2 | IT |
| 125 | | 7/2+ | -88.261 | 2.75856 y 25 | β- |
| 126 | | (8)- | -86.40 | 12.46 d 3 | β- |
| 126m (5)+ | | | -86.38 | 19.15 m 8 | β- 86%, IT 14% |
| 126m (3)- | | | -86.36 | ≈11 s | IT |
| 127 | | 7/2+ | -86.709 | 3.85 d 5 | β- |
| 128 | | 8- | -84.61 | 9.01 h 3 | β- |
| 128m | | 5+ | -84.61 | 10.4 m 2 | β- 96.4%, IT 3.6% |
| 129 | | 7/2+ | -84.63 | 4.40 h 1 | β- |
| 129m (19/2-) | | | -82.78 | 17.7 m 1 | β- 85%, IT 15% |
| 130 | | (8-) | -82.39 | 39.5 m 8 | β- |
| 130m (5)+ | | | -82.39 | 6.3 m 2 | β- |
| 131 | | (7/2+) | -82.02 | 23.03 m 4 | β- |
| 132 | | (4+) | -79.72 | 2.79 m 5 | β- |
| 132m (8-) | | | -79.72 | 4.10 m 5 | β- |
| 133 | | (7/2+) | -78.96 | 2.5 m 1 | β- |
| 134m (0-) | | | -74.01 | 0.78 s 6 | β- |
| 134m (7-) | | | -74.01 | 10.22 s 9 | β-, β-n 0.091% |
| 135 | | (7/2+) | -69.7 | 1.68 s 2 | β-, β-n 17.6% |
| 136 | | | -64.6s | 0.82 s 2 | β-, β-n 24% |
| 137 | | | -60.3s | >150 ns | β-?, β-n? |
| 138 | | | -55.0s | >150 ns | β-?, β-n? |
| 52 Te | | | | | |
| 106 | | 0+ | -58.0s | 60 μs +30-10 | α |
| 107 | | | -60.5s | 3.1 ms 1 | α 70%, ε 30% |
| 108 | | 0+ | -65.7 | 2.1 s 1 | ε 51%, α 49%, εp 2.4% |
| 109 | | (5/2+) | -67.57 | 4.6 s 3 | ε 96.1%, εp 9.4%, α 3.9%, εα<5.0×10 ⁻³ % |
| 110 | | 0+ | -72.28 | 18.6 s 8 | ε≈100%, α≈3.0×10 ⁻³ % |
| 111 | | (5/2+) | -73.48 | 19.3 s 4 | ε, εp |
| 112 | | 0+ | -77.3 | 2.0 m 2 | ε |
| 113 | | (7/2+) | -78.3s | 1.7 m 2 | ε |
| 114 | | 0+ | -81.9s | 15.2 m 7 | ε |
| 115 | | 7/2+ | -82.4 | 5.8 m 2 | ε |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|---|--|
| 52 Te | 115 | m | 115m | (1/2)+ | -82.3 | 6.7 m 4 | $\epsilon \leq 100\%$, IT |
| | 116 | | | 0+ | -85.31 | 2.49 h 4 | ϵ |
| | 117 | | | 1/2+ | -85.11 | 62 m 2 | ϵ |
| | 117 | m | 117m | 11/2- | -84.81 | 103 ms 3 | IT |
| | 118 | | | 0+ | -87.72 | 6.00 d 2 | ϵ |
| | 119 | | | 1/2+ | -87.180 | 16.03 h 5 | ϵ |
| | 119 | m | 119m | 11/2- | -86.919 | 4.70 d 4 | ϵ , IT $8.0 \times 10^{-3}\%$ |
| | 120 | | | 0+ | -89.40 | 0.09% 1 | |
| | 121 | | | 1/2+ | -88.56 | 19.16 d 5 | ϵ |
| | 121 | m | 121m | 11/2- | -88.26 | 154 d 7 | IT 88.6%, ϵ 11.4% |
| | 122 | | | 0+ | -90.311 | 2.55% 12 | |
| | 123 | | | 1/2+ | -89.169 | $>6 \times 10^{14}$ y 0.89% 3 | ϵ |
| | 123 | m | 123m | 11/2- | -88.921 | 119.7 d 1 | IT |
| | 124 | | | 0+ | -90.523 | 4.74% 14 | |
| | 125 | | | 1/2+ | -89.028 | 7.07% 15 | |
| | 125 | m | 125m | 11/2- | -88.883 | 57.40 d 15 | IT |
| | 126 | | | 0+ | -90.070 | 18.84% 25 | |
| | 127 | | | 3/2+ | -88.289 | 9.35 h 7 | β^- |
| | 127 | m | 127m | 11/2- | -88.201 | 109 d 2 | IT 97.6%, β^- 2.4% |
| | 128 | | | 0+ | -88.994 | 7.7×10^{24} y 4 31.74% 8 | $2\beta^-$ |
| | 129 | | | 3/2+ | -87.006 | 69.6 m 3 | β^- |
| | 129 | m | 129m | 11/2- | -86.900 | 33.6 d 1 | IT 63%, β^- 37% |
| | 130 | | | 0+ | -87.353 | $>5.6 \times 10^{22}$ y 34.08% 62 | $2\beta^-$ |
| | 131 | | | 3/2+ | -85.211 | 25.0 m 1 | β^- |
| | 131 | m | 131m | 11/2- | -85.029 | 30 h 2 | β^- 77.8%, IT 22.2% |
| | 132 | | | 0+ | -85.21 | 3.204 d 13 | β^- |
| | 133 | | | (3/2+) | -82.96 | 12.5 m 3 | β^- |
| | 133 | m | 133m | (11/2-) | -82.63 | 55.4 m 4 | β^- 82.5%, IT 17.5% |
| | 134 | | | 0+ | -82.40 | 41.8 m 8 | β^- |
| | 135 | | | (7/2-) | -77.83 | 19.0 s 2 | β^- |
| | 136 | | | 0+ | -74.42 | 17.5 s 2 | β^- , β^-n 1.3% |
| | 137 | | | (7/2-) | -69.6 | 2.49 s 5 | β^- , β^-n 2.69% |
| | 138 | | | 0+ | -65.9s | 1.4 s 4 | β^- , β^-n 6.3% |
| | 139 | | | | -60.8s | >150 ns | $\beta^-?$, β^-n ? |
| | 140 | | | 0+ | -57.1s | >150 ns | $\beta^-?$, β^-n ? |
| | 141 | | | | -51.8s | >150 ns | $\beta^-?$, β^-n ? |
| | 142 | | | 0+ | -48.0s | | $\beta^-?$ |
| 53 I | 108 | | | (1) | -52.8s | 36 ms 6 | α 91%, ϵ 9%, $p < 1\%$ |
| | 109 | | | (5/2+) | -57.6 | 100 μ s 5 | $p \approx 100\%$, $\alpha < 0.5\%$ |
| | 110 | | | | -60.3s | 0.65 s 2 | ϵ 83%, α 17%, ϵp 11%, $\epsilon \alpha$ 1.1% |
| | 111 | | | (5/2+) | -64.9s | 2.5 s 2 | ϵ 99.9%, $\alpha \approx 0.1\%$ |
| | 112 | | | | -67.1s | 3.42 s 11 | ϵ , $\alpha \approx 1.2 \times 10^{-3}\%$ |
| | 113 | | | (5/2+) | -71.12 | 6.6 s 2 | ϵ , α $3.3 \times 10^{-7}\%$ |
| | 114 | | | 1+ | -72.8s | 2.1 s 2 | ϵ , ϵp |
| | 114 | m | 114m | (7) | -72.5s | 6.2 s 5 | $\epsilon \leq 100\%$, IT $\leq 100\%$ |
| | 115 | | | (5/2+) | -76.5s | 1.3 m 2 | ϵ |
| | 116 | | | 1+ | -77.6 | 2.91 s 15 | ϵ |
| | 117 | | | (5/2)+ | -80.44 | 2.22 m 4 | ϵ |

Nuclear Wallet Cards

| Isotope | | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|-----------|--------------------------------|---|
| Z | El | A | Jπ | (MeV) | |
| 53 I | 118 | 2- | -80.69 | 13.7 m 5 | ε |
| | 118m | (7-) | -80.59 | 8.5 m 5 | ε < 100%, IT > 0% |
| | 119 | 5/2+ | -83.67 | 19.1 m 4 | ε |
| | 120 | 2- | -83.79 | 81.0 m 6 | ε |
| | 120m | (7-) | -83.47 | 53 m 4 | ε |
| | 121 | 5/2+ | -86.29 | 2.12 h 1 | ε |
| | 122 | 1+ | -86.077 | 3.63 m 6 | ε |
| | 123 | 5/2+ | -87.935 | 13.27 h 8 | ε |
| | 124 | 2- | -87.364 | 4.1760 d 3 | ε |
| | 125 | 5/2+ | -88.842 | 59.400 d 10 | ε |
| | 126 | 2- | -87.915 | 13.11 d 5 | ε 56.3%, β- 43.7% |
| | 127 | 5/2+ | -88.987 | 100% | |
| | 128 | 1+ | -87.742 | 24.99 m 2 | β- 93.1%, ε 6.9% |
| | 129 | 7/2+ | -88.504 | 1.57×10^7 y 4 | β- |
| | 130 | 5+ | -86.933 | 12.36 h 3 | β- |
| | 130m | 2+ | -86.893 | 9.0 m 1 | IT 84%, β- 16% |
| | 131 | 7/2+ | -87.445 | 8.02070 d 11 | β- |
| | 132 | 4+ | -85.70 | 2.295 h 13 | β- |
| | 132m | (8-) | -85.58 | 1.387 h 15 | IT 86%, β- 14% |
| | 133 | 7/2+ | -85.88 | 20.8 h 1 | β- |
| | 133m | (19/2-) | -84.24 | 9 s 2 | IT |
| | 134 | (4)+ | -83.95 | 52.5 m 2 | β- |
| | 134m | (8)- | -83.63 | 3.60 m 10 | IT 97.7%, β- 2.3% |
| | 135 | 7/2+ | -83.79 | 6.57 h 2 | β- |
| | 136 | (1-) | -79.50 | 83.4 s 10 | β- |
| | 136m | (6-) | -78.86 | 46.9 s 10 | β- |
| | 137 | (7/2+) | -76.50 | 24.5 s 2 | β-, β-n 6.97% |
| | 138 | (2-) | -72.30 | 6.49 s 7 | β-, β-n 5.5% |
| | 139 | (7/2+) | -68.84 | 2.280 s 11 | β-, β-n 10% |
| | 140 | (3) | -64.1s | 0.86 s 4 | β-, β-n 9.3% |
| | 141 | | -60.7s | 0.43 s 2 | β-, β-n 22% |
| | 142 | | -55.7s | ≈ 0.2 s | β- |
| | 143 | | -52.1s | > 150 ns | β-? |
| | 144 | | -46.9s | > 150 ns | β-? |
| 54 Xe | 110 | 0+ | -51.7s | ≈ 0.2 s | α, ε |
| | 111 | | -54.4s | 0.74 s 20 | ε, α |
| | 112 | 0+ | -59.9 | 2.7 s 8 | ε 99.16%, α 0.84% |
| | 113 | | -62.05 | 2.74 s 8 | ε ≈ 100%, εp 7%, α ≈ 0.01%, εα ≈ 7.0 × 10 ⁻³ % |
| | 114 | 0+ | -66.9s | 10.0 s 4 | ε |
| | 115 | (5/2+) | -68.4s | 18 s 4 | ε, εp 0.34% |
| | 116 | 0+ | -72.9s | 59 s 2 | ε |
| | 117 | 5/2(+) | -74.0 | 61 s 2 | ε, εp 2.9 × 10 ⁻³ % |
| | 118 | 0+ | -78. | 3.8 m 9 | ε |
| | 119 | (5/2+) | -78.7 | 5.8 m 3 | ε |
| | 120 | 0+ | -81.83 | 40 m 1 | ε |
| | 121 | 5/2(+) | -82.54 | 40.1 m 20 | ε |
| | 122 | 0+ | -85.19 | 20.1 h 1 | ε |
| | 123 | (1/2)+ | -85.26 | 2.08 h 2 | ε |
| | 124 | 0+ | -87.658 | $\geq 1.1 \times 10^{17}$ y | 2ε 0.095% 3 |

Nuclear Wallet Cards

| Isotope | | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|-----------|--------------------------------|--|
| Z | El | A | Jπ | (MeV) | |
| 54 Xe | | | | | |
| 125 | | 1/2(+) | -87.189 | 16.9 h 2 | ε |
| 125m | | 9/2(-) | -86.937 | 56.9 s 9 | IT |
| 126 | | 0+ | -89.173 | 0.089% 1 | |
| 127 | | 1/2+ | -88.325 | 36.4 d 1 | ε |
| 127m | | 9/2- | -88.027 | 69.2 s 9 | IT |
| 128 | | 0+ | -89.861 | 1.910% 22 | |
| 129 | | 1/2+ | -88.697 | 26.40% 18 | |
| 129m | | 11/2- | -88.461 | 8.88 d 2 | IT |
| 130 | | 0+ | -89.882 | 4.071% 53 | |
| 131 | | 3/2+ | -88.416 | 21.232% 62 | |
| 131m | | 11/2- | -88.252 | 11.934 d 21 | IT |
| 132 | | 0+ | -89.280 | 26.909% 68 | |
| 133 | | 3/2+ | -87.648 | 5.243 d 1 | β- |
| 133m | | 11/2- | -87.415 | 2.19 d 1 | IT |
| 134 | | 0+ | -88.124 | 10.436% 29 | |
| 134m | | 7- | -86.159 | 290 ms 17 | IT |
| 135 | | 3/2+ | -86.44 | 9.14 h 2 | β- |
| 135m | | 11/2- | -85.91 | 15.29 m 5 | IT>99.4%, β-<0.6% |
| 136 | | 0+ | -86.424 | >3.6×10 ²⁰ y | 2β- |
| | | | | 8.857% 33 | |
| 137 | | 7/2- | -82.379 | 3.818 m 13 | β- |
| 138 | | 0+ | -80.12 | 14.08 m 8 | β- |
| 139 | | 3/2- | -75.65 | 39.68 s 14 | β- |
| 140 | | 0+ | -73.00 | 13.60 s 10 | β- |
| 141 | | 5/2(-) | -68.33 | 1.73 s 1 | β-, β-n 0.04% |
| 142 | | 0+ | -65.5 | 1.22 s 2 | β-, β-n 0.41% |
| 143 | | 5/2- | -60.7s | 0.30 s 3 | β- |
| 144 | | 0+ | -57.5s | 1.15 s 20 | β- |
| 145 | | (3/2-) | -52.5s | 900 ms 300 | β- |
| | | | -52.5s | 0.9 s 3 | β-n |
| 146 | | 0+ | -49.1s | | β- |
| 147 | | | -43.8s | >150 ns | β-, β-n ? |
| 55 Cs | | | | | |
| 112 | | | -46.3s | 500 μs 100 | p ?, α ? |
| 113 | | (5/2+) | -51.7 | 16.7 μs 7 | p≈100%, ε≈0.03% |
| 114 | | (1+) | -54.6s | 0.57 s 2 | ε≈100%, εp 8.6%, εα 0.16%, α 0.02% |
| 115 | | | -59.7s | 1.4 s 8 | ε, εp≈0.07% |
| 116m | | (1+) | -62.5 | 0.70 s 4 | ε, εα>0%, εp>0% |
| 116m | | ≥5+ | -62.5 | 3.85 s 13 | ε, εα>0%, εp>0% |
| 117 | | (9/2+) | -66.47 | 8.4 s 6 | ε |
| 117m | | (3/2+) | -66.32 | 6.5 s 4 | ε |
| 118 | | 2 | -68.41 | 14 s 2 | ε, εp<0.04%, εα<2.4×10 ⁻³ % |
| 118m | | 6,7,8 | -68.41 | 17 s 3 | ε, εp<0.04%, εα<2.4×10 ⁻³ % |
| 119 | | 9/2+ | -72.31 | 43.0 s 2 | ε |
| 119m | | 3/2(+) | -72.31 | 30.4 s 1 | ε |
| 120 | | 2 | -73.888 | 64 s 3 | ε, εα 2.0×10 ⁻⁵ %, εp 7.0×10 ⁻⁶ % |
| 120m | | (7) | -73.888 | 57 s 6 | ε |
| 121 | | 3/2(+) | -77.14 | 155 s 4 | ε |
| 121m | | 9/2(+) | -77.07 | 122 s 3 | ε 83%, IT 17% |

Nuclear Wallet Cards

| Isotope | | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|-----------|--------------------------------|------------------------------|
| Z | El | A | Jπ | (MeV) | |
| 55 Cs | | | | | |
| 122 | | 1+ | -78.13 | 21.0 s 7 | ε |
| 122m | | 8- | -78.06 | 3.70 m 11 | ε |
| 122m | | (5)- | -78.00 | 0.36 s 2 | IT |
| 123 | | 1/2+ | -81.05 | 5.87 m 5 | ε |
| 123m | | (11/2)- | -80.89 | 1.64 s 12 | IT |
| 124 | | 1+ | -81.74 | 30.8 s 5 | ε |
| 124m | | (7)+ | -81.28 | 6.3 s 2 | IT |
| 125 | | 1/2(+) | -84.091 | 46.7 m 1 | ε |
| 126 | | 1+ | -84.35 | 1.63 m 3 | ε |
| 127 | | 1/2+ | -86.240 | 6.25 h 10 | ε |
| 128 | | 1+ | -85.932 | 3.66 m 2 | ε |
| 129 | | 1/2+ | -87.501 | 32.06 h 6 | ε |
| 130 | | 1+ | -86.903 | 29.21 m 4 | ε 98.4%, β- 1.6% |
| 130m | | 5- | -86.740 | 3.46 m 6 | IT 99.84%, ε 0.16% |
| 131 | | 5/2+ | -88.063 | 9.689 d 16 | ε |
| 132 | | 2+ | -87.160 | 6.479 d 7 | ε 98.13%, β- 1.87% |
| 133 | | 7/2+ | -88.076 | 100% | |
| 134 | | 4+ | -86.896 | 754.5 d 2 | β-, ε $3.0 \times 10^{-4}\%$ |
| 134m | | 8- | -86.757 | 2.903 h 8 | IT |
| 135 | | 7/2+ | -87.587 | 2.3×10^6 y 3 | β- |
| 135m | | 19/2- | -85.954 | 53 m 2 | IT |
| 136 | | 5+ | -86.344 | 13.16 d 3 | β- |
| 136m | | 8- | -86.344 | 19 s 2 | β-, IT > 0% |
| 137 | | 7/2+ | -86.551 | 30.07 y 3 | β- |
| 138 | | 3- | -82.893 | 33.41 m 18 | β- |
| 138m | | 6- | -82.813 | 2.91 m 8 | IT 81%, β- 19% |
| 139 | | 7/2+ | -80.707 | 9.27 m 5 | β- |
| 140 | | 1- | -77.056 | 63.7 s 3 | β- |
| 141 | | 7/2+ | -74.48 | 24.94 s 6 | β-, β-n 0.035% |
| 142 | | 0- | -70.52 | 1.684 s 14 | β-, β-n 0.09% |
| 143 | | 3/2+ | -67.69 | 1.78 s 1 | β-, β-n 1.62% |
| 144 | | 1 | -63.32 | 1.01 s 1 | β-, β-n 3.2% |
| 144m | | (≥4) | -63.32 | <1 s | β- |
| 145 | | 3/2+ | -60.19 | 0.594 s 13 | β-, β-n 14.3% |
| 146 | | 1- | -55.74 | 0.321 s 2 | β-, β-n 14.2% |
| 147 | | (3/2+) | -52.3 | 0.235 s 3 | β-, β-n 43% |
| 148 | | | -47.6 | 158 ms 7 | β-, β-n 25.1% |
| 149 | | | -44.0s | >50 ms | β-, β-n? |
| 150 | | | -39.2s | >50 ms | β-, β-n |
| 151 | | | -35.4s | >50 ms | β-, β-n? |
| 56 Ba | | | | | |
| 114 | | 0+ | -45.7s | 0.43 s +30-15 | ε ≈ 100%, εp 20%, α |
| 115 | | (3/2-) | -48.7s | 0.45 s 5 | ε, εp > 15% |
| 116 | | 0+ | -54.3s | 1.3 s 2 | ε, εp 3% |
| 117 | | 3/2+ | -57.0s | 1.75 s 7 | ε, εα > 0%, εp > 0% |
| 118 | | 0+ | -62.0s | 5.2 s 2 | ε |
| 119 | | (5/2+) | -64. | 5.4 s 3 | ε, εp < 25% |
| 120 | | 0+ | -68.9 | 24 s 2 | ε |
| 121 | | 5/2(+) | -70.3 | 29.7 s 15 | ε, εp 0.02% |
| 122 | | 0+ | -74.3s | 1.95 m 15 | ε |
| 123 | | 5/2+ | -75.6s | 2.7 m 4 | ε |
| 124 | | 0+ | -79.09 | 11.0 m 5 | ε |
| 125 | | 1/2(+) | -79.5 | 3.5 m 4 | ε |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|--|
| Z | El | Jπ | (MeV) | |
| 56 Ba | 126 | 0+ | -82.68 | 100 m 2 |
| | 127 | 1/2+ | -82.8 | 12.7 m 4 |
| | 127m | 7/2- | -82.7 | 1.9 s 2 |
| | 128 | 0+ | -85.41 | 2.43 d 5 |
| | 129 | 1/2+ | -85.07 | 2.23 h 11 |
| | 129m | 7/2+ | -85.06 | 2.16 h 2 |
| | 130 | 0+ | -87.271 | $\geq 3.5 \times 10^{14}$ y 0.106% 1 |
| | 131 | 1/2+ | -86.693 | 11.50 d 6 |
| | 131m | 9/2- | -86.506 | 14.6 m 2 |
| | 132 | 0+ | -88.440 | 0.101% 1 |
| | 133 | 1/2+ | -87.558 | 3848.9 d 7 |
| | 133m | 11/2- | -87.270 | 38.9 h 1 |
| | 134 | 0+ | -88.954 | 2.417% 18 |
| | 135 | 3/2+ | -87.856 | 6.592% 12 |
| | 135m | 11/2- | -87.588 | 28.7 h 2 |
| | 136 | 0+ | -88.892 | 7.854% 24 |
| | 136m | 7- | -86.861 | 0.3084 s 19 |
| | 137 | 3/2+ | -87.727 | 11.232% 24 |
| | 137m | 11/2- | -87.065 | 2.552 m 1 |
| | 138 | 0+ | -88.267 | 71.698% 42 |
| | 139 | 7/2- | -84.919 | 83.06 m 28 |
| | 140 | 0+ | -83.276 | 12.752 d 3 |
| | 141 | 3/2- | -79.730 | 18.27 m 7 |
| | 142 | 0+ | -77.828 | 10.6 m 2 |
| | 143 | 5/2- | -73.94 | 14.33 s 8 |
| | 144 | 0+ | -71.78 | 11.5 s 2 |
| | 145 | 5/2- | -68.07 | 4.31 s 16 |
| | 146 | 0+ | -65.11 | 2.22 s 7 |
| | 147 | (3/2+) | -61.49 | 0.893 s 1 |
| | 148 | 0+ | -58.0 | 0.607 s 25 |
| | 149 | | -53.6s | 0.344 s 7 |
| | 150 | 0+ | -50.7s | 0.3 s |
| | 151 | | -45.9s | >150 ms |
| | 152 | 0+ | -42.7s | ≈ 0.1 s |
| | 153 | | -37.6s | ≈ 0.08 s |
| 57 La | 117 | | -46.6s | ≈ 0.5 s |
| | 118 | | -49.8s | ≈ 1 s |
| | 119 | | -55.0s | ≈ 2 s |
| | 120 | | -57.7s | 2.8 s 2 |
| | 121 | | -62.4s | 5.3 s 2 |
| | 122 | | -64.5s | 8.7 s 7 |
| | 123 | | -68.7s | 17 s 3 |
| | 124m | low | -70.3s | <1 s |
| | 124m | (7,8-) | -70.3s | 29 s 1 |
| | 125 | | -73.9s | 64.8 s 12 |
| | 125m | | -73.8s | 0.4 s 2 |
| | 126 | low | -75.1s | <50 s |
| | 126 | high | -75.1s | 54 s 2 |
| | 127 | (11/2-) | -78.1s | 5.1 m 1 |
| | 127m | (3/2+) | -78.1s | 3.7 m 4 |
| | | | | ϵ , IT |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|--|
| Z | El | A | Jπ | (MeV) |
| 57 La | | | | |
| 128 | | (5+) | -78.8 | 5.23 m 15 |
| 128m | | (1+, 2-) | -78.8 | <1.4 m |
| 129 | | 3/2+ | -81.35 | 11.6 m 2 |
| 129m | | 11/2- | -81.18 | 0.56 s 5 |
| 130 | | 3(+) | -81.7s | 8.7 m 1 |
| 131 | | 3/2+ | -83.7 | 59 m 2 |
| 132 | | 2- | -83.73 | 4.8 h 2 |
| 132m | | 6- | -83.54 | 24.3 m 5 |
| 133 | | 5/2+ | -85.3 | 3.912 h 8 |
| 134 | | 1+ | -85.24 | 6.45 m 16 |
| 135 | | 5/2+ | -86.66 | 19.5 h 2 |
| 136 | | 1+ | -86.02 | 9.87 m 3 |
| 136m | | | -85.79 | 114 ms 3 |
| 137 | | 7/2+ | -87.13 | 6×10^4 y 2 |
| 138 | | 5+ | -86.529 | 1.05×10^{11} y 2 0.090% 1 |
| 139 | | 7/2+ | -87.236 | 99.910% 1 |
| 140 | | 3- | -84.326 | 1.6781 d 3 |
| 141 | | (7/2+) | -82.943 | 3.92 h 3 |
| 142 | | 2- | -80.039 | 91.1 m 5 |
| 143 | | (7/2)+ | -78.19 | 14.2 m 1 |
| 144 | | (3-) | -74.90 | 40.8 s 4 |
| 145 | | (5/2+) | -72.99 | 24.8 s 20 |
| 146 | | 2- | -69.21 | 6.27 s 10 |
| 146m | | (6-) | -69.21 | 10.0 s 1 |
| 147 | | (5/2+) | -67.24 | 4.015 s 8 |
| 148 | | (2-) | -63.2 | 1.05 s 1 |
| 149 | | | -61.1s | 1.05 s 3 |
| 150 | | (3-) | -57.2s | 0.51 s 3 |
| 151 | | | -54.4s | >150 ns |
| 152 | | | -50.2s | >150 ns |
| 153 | | | -47.1s | >150 ns |
| 154 | | | -42.5s | \approx 0.1 s |
| 155 | | | -39.0s | \approx 0.06 s |
| 58 Ce | | | | |
| 119 | | | -44.0s | \approx 0.2 s |
| 120 | | 0+ | -49.7s | \approx 0.25 s |
| 121 | | | -52.5s | 1.1 s 1 |
| 122 | | 0+ | -57.7s | \approx 2 s |
| 123 | | (5/2) | -60.1s | 3.8 s |
| 124 | | 0+ | -64.7s | 6 s 2 |
| 125 | | (5/2+) | -66.6s | 10.2 s 4 |
| 126 | | 0+ | -70.7s | 50 s 3 |
| 127 | | (5/2+) | -72.0s | 31 s 2 |
| 128 | | 0+ | -75.6s | 3.93 m 2 |
| 129 | | 5/2+ | -76.3s | 3.5 m 5 |
| 130 | | 0+ | -79.5s | 25 m 2 |
| 131 | | (7/2+) | -79.7 | 10.2 m 3 |
| 131m | | (1/2+) | -79.7 | 5.0 m 10 |
| 132 | | 0+ | -82.4s | 3.51 h 11 |
| 133 | | 1/2+ | -82.4s | 97 m 4 |
| 133m | | 9/2- | -82.4s | 4.9 h 4 |
| 134 | | 0+ | -84.7 | 3.16 d 4 |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|--|
| Z | El | A | Jπ | (MeV) |
| 58 Ce | | | | |
| 135 | | 1/2(+) | -84.63 | 17.7 h 3 |
| 135m | | (11/2-) | -84.18 | 20 s 1 |
| 136 | | 0+ | -86.50 | 0.185% 2 |
| 137 | | 3/2+ | -85.90 | 9.0 h 3 |
| 137m | | 11/2- | -85.65 | 34.4 h 3 |
| 138 | | 0+ | -87.57 | 0.251% 2 |
| 139 | | 3/2+ | -86.958 | 137.640 d 23 |
| 139m | | 11/2- | -86.204 | 56.54 s 13 |
| 140 | | 0+ | -88.088 | 88.450% 18 |
| 141 | | 7/2- | -85.445 | 32.501 d 5 |
| 142 | | 0+ | -84.543 | >5×10 ¹⁶ y 11.114% 17 |
| 143 | | 3/2- | -81.616 | 33.039 h 6 |
| 144 | | 0+ | -80.441 | 284.893 d 8 |
| 145 | | (3/2-) | -77.10 | 3.01 m 6 |
| 146 | | 0+ | -75.74 | 13.52 m 13 |
| 147 | | (5/2-) | -72.18 | 56.4 s 10 |
| 148 | | 0+ | -70.4 | 56 s 1 |
| 149 | | (3/2-) | -66.80 | 5.3 s 2 |
| 150 | | 0+ | -65.0 | 4.0 s 6 |
| 151 | | | -61.4s | 1.02 s 6 |
| 152 | | 0+ | -59.3s | 1.4 s 2 |
| 153 | | | -55.3s | >150 ns |
| 154 | | 0+ | -52.8s | >150 ns |
| 155 | | | -48.4s | >150 ns |
| 156 | | 0+ | -45.4s | ≈0.15 s |
| 157 | | | -40.7s | ≈0.05 s |
| 59 Pr | | | | |
| 121 | | | -41.6s | 1.4 s 8 |
| 122 | | | -45.0s | ≈0.5 s |
| 123 | | | -50.3s | ≈0.8 s |
| 124 | | | -53.1s | 1.2 s 2 |
| 125 | | | -57.9s | 3.3 s 7 |
| 126 | (3,4,5) | | -60.3s | 3.14 s 22 |
| 127 | | | -64.4s | 4.2 s 3 |
| 128 | 4,5,6 | | -66.3s | 3.1 s 2 |
| 129 | (11/2-) | | -70.0s | 32 s 3 |
| 130 | | | -71.4s | 40.0 s 4 |
| 131 | (3/2+) | | -74.5 | 94 s 4 |
| 131m | (11/2-) | | -74.3 | 5.7 s 2 |
| 132 | | | -75.3s | 1.6 m 3 |
| 133 | (3/2+) | | -78.1s | 6.5 m 3 |
| 134 | 2- | | -78.6s | 17 m 2 |
| 134m | (5-) | | -78.6s | ≈11 m |
| 135 | 3/2(+) | | -80.9 | 24 m 2 |
| 136 | 2+ | | -81.37 | 13.1 m 1 |
| 137 | 5/2+ | | -83.20 | 1.28 h 3 |
| 138 | 1+ | | -83.14 | 1.45 m 5 |
| 138m | 7- | | -82.77 | 2.12 h 4 |
| 139 | 5/2+ | | -84.829 | 4.41 h 4 |
| 140 | 1+ | | -84.700 | 3.39 m 1 |
| 141 | 5/2+ | | -86.026 | 100% |
| 142 | 2- | | -83.797 | 19.12 h 4 β- 99.98%, ε 0.02% |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|---|
| Z | El | Jπ | (MeV) | |
| 59 Pr | 142m | 5- | -83.794 | 14.6 m 5 IT |
| | 143 | 7/2+ | -83.078 | 13.57 d 2 β^- |
| | 144 | 0- | -80.760 | 17.28 m 5 β^- |
| | 144m | 3- | -80.701 | 7.2 m 3 IT 99.93%, β^- 0.07% |
| | 145 | 7/2+ | -79.636 | 5.984 h 10 β^- |
| | 146 | (2)- | -76.77 | 24.15 m 18 β^- |
| | 147 | (3/2+) | -75.47 | 13.4 m 4 β^- |
| | 148 | 1- | -72.49 | 2.29 m 2 β^- |
| | 148m | (4) | -72.40 | 2.01 m 1 β^- |
| | 149 | (5/2+) | -70.99 | 2.26 m 7 β^- |
| | 150 | (1)- | -68.00 | 6.19 s 16 β^- |
| | 151 | (3/2-) | -66.86 | 18.90 s 7 β^- |
| | 152 | (4-) | -63.7s | 3.63 s 12 β^- |
| | 153 | | -61.8s | 4.28 s 11 β^- |
| | 154 | (3+, 2+) | -58.3s | 2.3 s 1 β^- |
| | 155 | | -55.9s | >300 ns β^- ? |
| | 156 | | -52.1s | >300 ns β^- ? |
| | 157 | | -49.2s | \approx 0.3 s β^- ? |
| | 158 | | -44.9s | \approx 0.2 s β^- ? |
| | 159 | | -41.7s | \approx 0.1 s β^- ? |
| 60 Nd | 126 | 0+ | -53.0s | \approx 1 s ϵ ? |
| | 127 | | -55.4s | 1.8 s 4 ϵ , ϵp |
| | 128 | 0+ | -60.2s | ϵ |
| | 129 | (5/2+) | -62.2s | 7 s 1 ϵ , ϵp |
| | 130 | 0+ | -66.3s | 28 s 3 ϵ |
| | 131 | (5/2) | -67.9 | 33 s 3 ϵ , ϵp |
| | 132 | 0+ | -71.6s | 80 s 7 ϵ |
| | 133 | (7/2+) | -72.5s | 70 s 10 ϵ |
| | 133m | (1/2)+ | -72.3s | \approx 70 s ϵ |
| | 134 | 0+ | -75.8s | 8.5 m 15 ϵ |
| | 135 | 9/2(-) | -76.2s | 12.4 m 6 ϵ |
| | 135m | (1/2+) | -76.1s | ϵ > 99.97%, IT < 0.03% |
| | 136 | 0+ | -79.16 | 50.65 m 33 ϵ |
| | 137 | 1/2+ | -79.51 | 38.5 m 15 ϵ |
| | 137m | 11/2- | -78.99 | 1.60 s 15 IT |
| | 138 | 0+ | -82.0s | 5.04 h 9 ϵ |
| | 139 | 3/2+ | -82.04 | 29.7 m 5 ϵ |
| | 139m | 11/2- | -81.81 | ϵ 88.2%, IT 11.8% |
| | 140 | 0+ | -84.48 | 3.37 d 2 ϵ |
| | 141 | 3/2+ | -84.203 | 2.49 h 3 ϵ |
| | 141m | 11/2- | -83.446 | 62.0 s 8 IT, ϵ < 0.05% |
| | 142 | 0+ | -85.960 | 27.2% 5 |
| | 143 | 7/2- | -84.012 | 12.2% 2 |
| | 144 | 0+ | -83.757 | 2.29×10^{15} y 16 α 23.8% 3 |
| | 145 | 7/2- | -81.442 | 8.3% 1 |
| | 146 | 0+ | -80.936 | 17.2% 3 |
| | 147 | 5/2- | -78.156 | 10.98 d 1 β^- |
| | 148 | 0+ | -77.418 | 5.7% 1 |
| | 149 | 5/2- | -74.385 | 1.728 h 1 β^- |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|------------|----------|-------------------|--------------------|--|---------------------------------|
| 60 Nd | 60 | 150 | | | -73.694 | >6.8×10 ¹⁸ y 5.6% 2 | 2β- |
| | | | | | | | |
| 151 | | | | 3/2+ | -70.957 | 12.44 m 7 | β- |
| 152 | | | | 0+ | -70.16 | 11.4 m 2 | β- |
| 153 | | | | (3/2)- | -67.35 | 31.6 s 10 | β- |
| 154 | | | | 0+ | -65.7 | 25.9 s 2 | β- |
| 155 | | | | | -62.8 | 8.9 s 2 | β- |
| 156 | | | | 0+ | -60.4s | 5.49 s 7 | β- |
| 157 | | | | | -56.6s | ≈2 s | β-? |
| 158 | | | | 0+ | -54.1s | ≈0.7 s | β-? |
| 159 | | | | | -49.9s | ≈0.7 s | β-? |
| 160 | | | | 0+ | -47.1s | ≈0.3 s | β-? |
| 161 | | | | | -42.5s | ≈0.2 s | β-? |
| 61 Pm | 61 | 128 | | | -48.2s | ≈0.8 s | ε ? |
| | | | | | -52.9s | ≈1 s | ε ? |
| 129 | | | | | -55.5s | 2.2 s 5 | ε , εp |
| 130 | | | | | -59.8s | ≈4 s | ε ?, εp ? |
| 131 | | | | (3+) | -61.7s | 6.3 s 7 | ε , εp ≈ 5.0×10 ⁻⁵ % |
| 132 | | | | (11/2-) | -65.5s | 15 s 3 | ε |
| 133 | | | | (2+) | -66.6s | ≈5 s | ε |
| 134 | | | | 134m (5+) | -66.6s | 22 s 1 | ε |
| | | | | 135m (11/2-) | -70.2s | 45 s 4 | ε |
| | | | | 135m (3/2+, 5/2+) | -70.2s | 49 s 3 | ε |
| | | | | 136 (2+) | -71.3 | 47 s 2 | ε |
| | | | | 136 5(+), 6- | -71.3 | 107 s 6 | ε |
| | | | | 137 11/2- | -73.9s | 2.4 m 1 | ε |
| | | | | 138 1+ | -75.0s | 10 s 2 | ε |
| | | | | 138m (3+) | -75.0s | 3.24 m 5 | ε |
| | | | | 138m (5-) | -75.0s | 3.24 m | ε |
| | | | | 139 (5/2)+ | -77.54 | 4.15 m 5 | ε |
| | | | | 139m (11/2)- | -77.35 | 180 ms 20 | IT, ε ? |
| | | | | 140 1+ | -78.43 | 9.2 s 2 | ε |
| | | | | 140m 8- | -78.43 | 5.95 m 5 | ε |
| | | | | 141 5/2+ | -80.47 | 20.90 m 5 | ε |
| | | | | 142 1+ | -81.09 | 40.5 s 5 | ε |
| | | | | 143 5/2+ | -82.970 | 265 d 7 | ε |
| | | | | 144 5- | -81.426 | 363 d 14 | ε |
| | | | | 145 5/2+ | -81.279 | 17.7 y 4 | ε , α 3×10 ⁻⁷ % |
| | | | | 146 3- | -79.464 | 5.53 y 5 | ε 66%, β- 34% |
| | | | | 147 7/2+ | -79.052 | 2.6234 y 2 | β- |
| | | | | 148 1- | -76.878 | 5.370 d 9 | β- |
| | | | | 148m 6- | -76.740 | 41.29 d 11 | β- 95.8%, IT 4.2% |
| | | | | 149 7/2+ | -76.076 | 53.08 h 5 | β- |
| | | | | 150 (1-) | -73.61 | 2.68 h 2 | β- |
| | | | | 151 5/2+ | -73.399 | 28.40 h 4 | β- |
| | | | | 152 1+ | -71.27 | 4.12 m 8 | β- |
| | | | | 152m 4- | -71.12 | 7.52 m 8 | β- |
| | | | | 152m (8) | -71.12 | 13.8 m 2 | β- ≤ 100%, IT ≥ 0% |
| | | | | 153 5/2- | -70.69 | 5.25 m 2 | β- |
| | | | | 154 (3,4) | -68.42 | 2.68 m 7 | β- |
| | | | | 154m (0,1) | -68.42 | 1.73 m 10 | β- |
| | | | | 155 (5/2-) | -66.98 | 41.5 s 2 | β- |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|------------|----------------------------|--|-----------------------------|
| Z | El | Jπ | (MeV) | |
| 61 Pm | 156 | 4(-) | -64.22 | 26.70 s 10 |
| | 157 | (5/2-) | -62.2s | 10.56 s 10 |
| | 158 | | -59.0s | 4.8 s 5 |
| | 159 | | -56.7s | 2 s 1 |
| | 160 | | -53.1s | ~2 s |
| | 161 | | -50.4s | ~0.7 s |
| | 162 | | -46.3s | ~0.5 s |
| | 163 | | -43.3s | ~0.2 s |
| 62 Sm | 130 | 0+ | -47.9s | ~0.5 s |
| | 131 | | -50.4s | 1.2 s 2 |
| | 132 | 0+ | -55.1s | 4.0 s 3 |
| | 133 | | -57.1s | 3.7 s 7 |
| | 134 | 0+ | -61.5s | 10 s 1 |
| | 135 | (3/2+, 5/2+) | -63.0s | 10.3 s 5 |
| | 136 | 0+ | -66.8s | 47 s 2 |
| | 137 | (9/2-) | -68.0 | 45 s 1 |
| | 138 | 0+ | -71.2s | 3.1 m 2 |
| | 139 | (1/2)+ | -72.38 | 2.57 m 10 |
| | 139m | (11/2)- | -71.92 | 10.7 s 6 |
| | 140 | 0+ | -75.46 | 14.82 m 12 |
| | 141 | 1/2+ | -75.95 | 10.2 m 2 |
| | 141m | 11/2- | -75.77 | 22.6 m 2 |
| | 142 | 0+ | -79.00 | 72.49 m 5 |
| | 143 | 3/2+ | -79.528 | 8.83 m 1 |
| | 143m | 11/2- | -78.774 | 66 s 2 |
| | 144 | 0+ | -81.976 | 3.07% 7 |
| | 145 | 7/2- | -80.662 | 340 d 3 |
| | 146 | 0+ | -81.006 | 10.3×10^7 y 5 |
| | 147 | 7/2- | -79.276 | 1.06×10^{11} y 2 |
| | | | | 14.99% 18 |
| | 148 | 0+ | -79.347 | 7×10^{15} y 3 |
| | | | | 11.24% 10 |
| | 149 | 7/2- | -77.147 | $> 2 \times 10^{15}$ y |
| | | | | 13.82% 7 |
| | 150 | 0+ | -77.061 | 7.38% 1 |
| | 151 | 5/2- | -74.586 | 90 y 8 |
| | 152 | 0+ | -74.773 | 26.75% 16 |
| | 153 | 3/2+ | -72.569 | 46.284 h 4 |
| | 154 | 0+ | -72.465 | $\geq 2.3 \times 10^{18}$ y |
| | | | | 22.75% 29 |
| | 155 | 3/2- | -70.201 | 22.3 m 2 |
| | 156 | 0+ | -69.372 | 9.4 h 2 |
| | 157 | (3/2-) | -66.74 | 482 s 4 |
| | 158 | 0+ | -65.22 | 5.30 m 3 |
| | 159 | (5/2-) | -62.2s | 11.37 s 15 |
| | 160 | 0+ | -60.4s | 9.6 s 3 |
| | 161 | | -57.0s | 4.8 s 8 |
| | 162 | 0+ | -54.8s | ~2 s |
| | 163 | | -50.9s | ~1 s |
| | 164 | 0+ | -48.2s | ~0.5 s |
| | 165 | | -43.8s | ~0.2 s |
| 63 Eu | 131 | (3/2)+ | | 26 ms 6 |
| | | | | p |

Nuclear Wallet Cards

| Isotope | | Δ | T$\frac{1}{2}$, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|---|-------------------|
| Z | El | A | Jπ | (MeV) |
| 63 | Eu | 132 | | -42.7s |
| | | 133 | | -47.6s |
| | | 134 | | -50.0s |
| | | 135 | | -54.3s |
| | | 136m | (7+) | -56.4s |
| | | 136m | (3+) | -56.4s |
| | | 137 | (11/2-) | -60.4s |
| | | 138 | (6-) | -62.0s |
| | | 139 | (11/2)- | -65.4s |
| | | 140 | 1+ | -66.99 |
| | | 140m | (5-) | -66.80 |
| | | 141 | 5/2+ | -69.97 |
| | | 141m | 11/2- | -69.87 |
| | | 142 | 1+ | -71.35 |
| | | 142m | 8- | -71.35 |
| | | 143 | 5/2+ | -74.25 |
| | | 144 | 1+ | -75.66 |
| | | 145 | 5/2+ | -78.002 |
| | | 146 | 4- | -77.128 |
| | | 147 | 5/2+ | -77.555 |
| | | 148 | 5- | -76.24 |
| | | 149 | 5/2+ | -76.451 |
| | | 150 | 5(-) | -74.800 |
| | | 150m | 0- | -74.758 |
| | | 151 | 5/2+ | -74.663 |
| | | 152 | 3- | -72.898 |
| | | 152m | 0- | -72.853 |
| | | 152m | 8- | -72.750 |
| | | 153 | 5/2+ | -73.377 |
| | | 154 | 3- | -71.748 |
| | | 154m | (8-) | -71.603 |
| | | 155 | 5/2+ | -71.828 |
| | | 156 | 0+ | -70.094 |
| | | 157 | 5/2+ | -69.471 |
| | | 158 | (1-) | -67.21 |
| | | 159 | 5/2+ | -66.057 |
| | | 160 | 1(-) | -63.4s |
| | | 161 | | -61.8s |
| | | 162 | | -58.6s |
| | | 163 | | -56.6s |
| | | 164 | | -53.1s |
| | | 165 | | -50.6s |
| | | 166 | | -46.6s |
| | | 167 | | -43.7s |
| 64 | Gd | 135 | | 1.1 s 2 |
| | | 136 | 0+ | -49.3s |
| | | 137 | | -51.6s |
| | | 138 | 0+ | -55.9s |
| | | 139 | | -57.7s |
| | | 140 | 0+ | -61.5s |
| | | 141 | (1/2+) | -63.1s |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|--------------|----------------------------|--|-----------------------------|
| Z | El | A | Jπ | (MeV) |
| 64 Gd | | | | |
| 141m | (11/2-) | | -62.8s | 24.5 s 5 |
| 142 | 0+ | | -66.9s | 70.2 s 6 |
| 143 | (1/2)+ | | -68.2 | 39 s 2 |
| 143m | (11/2-) | | -68.1 | 112 s 2 |
| 144 | 0+ | | -71.9s | 4.5 m 1 |
| 145 | 1/2+ | | -72.95 | 23.0 m 4 |
| 145m | 11/2- | | -72.20 | 85 s 3 |
| 146 | 0+ | | -76.098 | 48.27 d 10 |
| 147 | 7/2- | | -75.368 | 38.06 h 12 |
| 148 | 0+ | | -76.280 | 74.6 y 30 |
| 149 | 7/2- | | -75.138 | 9.28 d 10 |
| 150 | 0+ | | -75.772 | 1.79×10^6 y 8 |
| 151 | 7/2- | | -74.199 | 124 d 1 |
| 152 | 0+ | | -74.717 | 1.08×10^{14} y 8 |
| | | | | 0.20% 1 |
| 153 | 3/2- | | -72.893 | 240.4 d 10 |
| 154 | 0+ | | -73.716 | 2.18% 3 |
| 155 | 3/2- | | -72.080 | 14.80% 12 |
| 156 | 0+ | | -72.545 | 20.47% 9 |
| 157 | 3/2- | | -70.834 | 15.65% 2 |
| 158 | 0+ | | -70.700 | 24.84% 7 |
| 159 | 3/2- | | -68.572 | 18.479 h 4 |
| 160 | 0+ | | -67.952 | $\geq 1.3 \times 10^{21}$ y |
| | | | | 21.86% 19 |
| 161 | 5/2- | | -65.516 | 3.66 m 5 |
| 162 | 0+ | | -64.291 | 8.4 m 2 |
| 163 | (5/2-, 7/2+) | | -61.5s | 68 s 3 |
| 164 | 0+ | | -59.7s | 45 s 3 |
| 165 | | | -56.5s | 10.3 s 16 |
| 166 | 0+ | | -54.4s | \approx 7 s |
| 167 | | | -50.7s | \approx 3 s |
| 168 | 0+ | | -48.1s | \approx 0.3 s |
| 169 | | | -43.9s | \approx 1 s |
| 65 Tb | | | | |
| 138 | | | -43.9s | \approx 0.4 s |
| 139 | | | -48.4s | \approx 0.7 s |
| 140 | 5 | | -50.7s | 2.4 s 2 |
| 141 | (5/2-) | | -54.8s | 3.5 s 2 |
| 141m | | | -54.8s | 7.9 s 6 |
| 142 | 1+ | | -57.0s | 597 ms 17 |
| 142m | (5-) | | -56.7s | 303 ms 17 |
| 143 | (11/2-) | | -60.8s | 12 s 1 |
| 143m | (5/2+) | | -60.8s | <21 s |
| 144 | (1+) | | -62.8s | \approx 1 s |
| 144m | (6-) | | -62.5s | 4.25 s 15 |
| 145 | (3/2+) | | -66.2s | \approx 20 m |
| 145m | (11/2-) | | -66.2s | 30.9 s 7 |
| 146 | 1+ | | -67.83 | 8 s 4 |
| 146m | 5- | | -67.83 | 23 s 2 |
| 147 | (1/2+) | | -70.76 | 1.7 h 1 |
| 147m | (11/2-) | | -70.71 | 1.83 m 6 |
| 148 | 2- | | -70.52 | 60 m 1 |
| 148m | 9+ | | -70.43 | 2.20 m 5 |

Nuclear Wallet Cards

| Isotope | | Δ | T$\frac{1}{2}$, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|---|-------------------|
| Z | El | A | Jπ | (MeV) |
| 65 Tb | | | | |
| 149 | | 1/2+ | -71.500 | 4.118 h 25 |
| 149m | | 11/2- | -71.464 | 4.16 m 4 |
| 150 | | (2-) | -71.116 | 3.48 h 16 |
| 150m | | 9+ | -70.642 | 5.8 m 2 |
| 151 | | 1/2(+) | -71.634 | 17.609 h 1 |
| 151m | | (11/2-) | -71.534 | 25 s 3 |
| 152 | | 2- | -70.73 | 17.5 h 1 |
| 152m | | 8+ | -70.23 | 4.2 m 1 |
| 153 | | 5/2+ | -71.324 | 2.34 d 1 |
| 154 | | 0 | -70.15 | 21.5 h 4 |
| 154m | | 3- | -70.15 | 9.4 h 4 |
| | | | | |
| 154m | | 7- | -70.15 | 22.7 h 5 |
| 155 | | 3/2+ | -71.26 | 5.32 d 6 |
| 156 | | 3- | -70.101 | 5.35 d 10 |
| 156m | | (7-) | -70.051 | 24.4 h 10 |
| 156m | | (0+) | -70.013 | 5.3 h 2 |
| 157 | | 3/2+ | -70.774 | 71 y 7 |
| 158 | | 3- | -69.480 | 180 y 11 |
| 158m | | 0- | -69.370 | 10.70 s 17 |
| | | | | |
| 159 | | 3/2+ | -69.542 | 100% |
| 160 | | 3- | -67.846 | 72.3 d 2 |
| 161 | | 3/2+ | -67.472 | 6.88 d 3 |
| 162 | | 1- | -65.68 | 7.60 m 15 |
| 163 | | 3/2+ | -64.605 | 19.5 m 3 |
| 164 | | (5+) | -62.1 | 3.0 m 1 |
| 165 | | (3/2+) | -60.7s | 2.11 m 10 |
| 166 | | | -57.7s | 21 s 6 |
| 167 | | | -55.8s | 19.4 s 27 |
| 168 | | (4-) | -52.5s | 8.2 s 13 |
| 169 | | | -50.1s | ≈2 s |
| 170 | | | -46.3s | ≈3 s |
| 171 | | | -43.5s | ≈0.5 s |
| 66 Dy | | | | |
| 139 | | | | ≈0.2 s |
| 141 | | (9/2-) | -45.5s | 0.9 s 2 |
| 142 | | 0+ | -50.1s | 2.3 s 3 |
| 143 | | | -52.3s | 3.9 s 4 |
| 144 | | 0+ | -56.8s | 9.1 s 4 |
| 145 | | (1/2+) | -58.7s | 10.5 s 15 |
| 145m | | (11/2-) | -58.7s | 13.6 s 10 |
| 146 | | 0+ | -62.7 | 29 s 3 |
| 146m | | (10+) | -59.7 | 150 ms 20 |
| 147 | | 1/2+ | -64.39 | 40 s 10 |
| 147m | | 11/2- | -63.64 | 55.7 s 7 |
| 148 | | 0+ | -67.83 | 3.1 m 1 |
| 149 | | (7/2-) | -67.69 | 4.20 m 14 |
| 149m | | (27/2-) | -65.03 | 0.490 s 15 |
| 150 | | 0+ | -69.322 | 7.17 m 5 |
| 151 | | 7/2(-) | -68.763 | 17.9 m 3 |
| 152 | | 0+ | -70.129 | 2.38 h 2 |
| 153 | | 7/2(-) | -69.153 | 6.4 h 1 |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|------------------------|
| Z | El | Jπ | (MeV) | |
| 66 Dy | 154 | 0+ | -70.400 | 3.0×10^6 y 15 |
| | 155 | 3/2- | -69.16 | 9.9 h 2 |
| | 156 | 0+ | -70.534 | 0.06% 1 |
| | 157 | 3/2- | -69.432 | 8.14 h 4 |
| | 158 | 0+ | -70.417 | 0.10% 1 |
| | 159 | 3/2- | -69.177 | 144.4 d 2 |
| | 160 | 0+ | -69.682 | 2.34% 8 |
| | 161 | 5/2+ | -68.065 | 18.91% 24 |
| | 162 | 0+ | -68.190 | 25.51% 26 |
| | 163 | 5/2- | -66.390 | 24.90% 16 |
| | 164 | 0+ | -65.977 | 28.18% 37 |
| | 165 | 7/2+ | -63.621 | 2.334 h 1 |
| | 165m | 1/2- | -63.513 | 1.257 m 6 |
| | 166 | 0+ | -62.593 | 81.6 h 1 |
| | 167 | (1/2-) | -59.94 | 6.20 m 8 |
| | 168 | 0+ | -58.5s | 8.7 m 3 |
| | 169 | (5/2-) | -55.6 | 39 s 8 |
| | 170 | 0+ | -53.4s | \approx 30 s |
| | 171 | | -49.9s | \approx 6 s |
| | 172 | 0+ | -47.4s | \approx 3 s |
| | 173 | | -43.4s | \approx 2 s |
| 67 Ho | 140 | | | 6 ms 3 |
| | 141 | (7/2-) | | p |
| | 142 | | -37.4s | \approx 0.3 s |
| | 143 | | -42.2s | \approx 0.3 s |
| | 144 | | -45.0s | 0.7 s 1 |
| | 145 | | -49.5s | 2.4 s 1 |
| | 146 | (10+) | -52.1s | 3.6 s 3 |
| | 147 | (11/2-) | -56.0s | 5.8 s 4 |
| | 148 | 1+ | -58.4s | 2.2 s 11 |
| | 148m | 6- | -58.4s | 9.59 s 15 |
| | 149 | (11/2-) | -61.67 | 21.1 s 2 |
| | 149m | (1/2+) | -61.63 | 56 s 3 |
| | 150 | 2- | -62.1s | 72 s 4 |
| | 150m | (9)+ | -61.3s | 23.3 s 3 |
| | 151 | (11/2-) | -63.64 | 35.2 s 1 |
| | 151m | (1/2+) | -63.60 | 47.2 s 10 |
| | 152 | 2- | -63.58 | 161.8 s 3 |
| | 152m | 9+ | -63.42 | 50.0 s 4 |
| | 153 | 11/2- | -65.023 | 2.01 m 3 |
| | 153m | 1/2+ | -64.955 | 9.3 m 5 |
| | 154 | 2- | -64.649 | 11.76 m 19 |
| | 154m | 8+ | -64.649 | 3.10 m 14 |
| | 155 | 5/2+ | -66.06 | 48 m 1 |
| | 156 | (5+) | -65.5s | 56 m 1 |
| | 156m | (2+) | -65.4s | 9.5 s 15 |
| | 157 | 7/2- | -66.89 | 12.6 m 2 |
| | 158 | 5+ | -66.19 | 11.3 m 4 |
| | 158m | 2- | -66.12 | 28 m 2 |
| | 158m | (9+) | -66.01 | 21.3 m 23 |
| | 159 | 7/2- | -67.339 | 33.05 m 11 |

Nuclear Wallet Cards

| Isotope | | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|-----------|--------------------------------|----------------------------|
| Z | El | A | Jπ | (MeV) | |
| 67 Ho | | | | | |
| 159m | | 1/2+ | -67.133 | 8.30 s 8 | IT |
| 160 | | 5+ | -66.39 | 25.6 m 3 | ε |
| 160m | | 2- | -66.33 | 5.02 h 5 | IT 65%, ε 35% |
| 160m | | (9+) | -66.22 | 3 s | IT |
| 161 | | 7/2- | -67.206 | 2.48 h 5 | ε |
| 161m | | 1/2+ | -66.995 | 6.76 s 7 | IT |
| 162 | | 1+ | -66.050 | 15.0 m 10 | ε |
| 162m | | 6- | -65.944 | 67.0 m 7 | IT 62%, ε 38% |
| 163 | | 7/2- | -66.387 | STABLE | |
| 163 | | 7/2- | -66.387 | 4570 y 25 | ε |
| 163m | | 1/2+ | -66.089 | 1.09 s 3 | IT |
| 164 | | 1+ | -64.990 | 29 m 1 | ε 60%, β- 40% |
| 164m | | 6- | -64.850 | 37.5 m +15-5 | IT |
| 165 | | 7/2- | -64.907 | 100% | |
| 166 | | 0- | -63.080 | 26.763 h 4 | β- |
| 166m | | (7)- | -63.074 | 1.20×10 ³ y 18 | β- |
| 167 | | 7/2- | -62.292 | 3.1 h 1 | β- |
| 168 | | 3+ | -60.08 | 2.99 m 7 | β- |
| 168m | | (6+) | -60.03 | 132 s 4 | IT ≥ 99.5%, β- ≤ 0.5% |
| 169 | | 7/2- | -58.81 | 4.7 m 1 | β- |
| 170 | | (6+) | -56.25 | 2.76 m 5 | β- |
| 170m | | (1+) | -56.13 | 43 s 2 | β- |
| 171 | | (7/2-) | -54.5 | 53 s 2 | β- |
| 172 | | | -51.4s | 25 s 3 | β- |
| 173 | | | -49.1s | ≈ 10 s | β- ? |
| 174 | | | -45.5s | ≈ 8 s | β- ? |
| 175 | | | -42.8s | ≈ 5 s | β- ? |
| 68 Er | | | | | |
| 144 | | 0+ | -36.7s | ≈ 0.4 s | ε ? |
| 145 | | (11/2-) | -39.6s | 0.9 s 3 | ε , εp |
| 146 | | 0+ | -44.6s | 1.7 s 6 | ε , εp |
| 147 | | (11/2-) | -47.2s | 2.5 s 2 | ε , εp > 0% |
| 147m | | (1/2+) | -47.2s | ≈ 2.5 s | ε , εp > 0% |
| 148 | | 0+ | -51.8s | 4.6 s 2 | ε |
| 149 | | (1/2+) | -53.9s | 4 s 2 | ε , εp 7% |
| 149m | | (11/2-) | -53.1s | 8.9 s 2 | ε 96.5%, IT 3.5%, εp 0.18% |
| 150 | | 0+ | -58.0s | 18.5 s 7 | ε |
| 151 | | (7/2-) | -58.3s | 23.5 s 13 | ε |
| 151m | | (27/2-) | -55.7s | 0.58 s 2 | IT 95.3%, ε 4.7% |
| 152 | | 0+ | -60.47 | 10.3 s 1 | α 90%, ε 10% |
| 153 | | (7/2-) | -60.46 | 37.1 s 2 | α 53%, ε 47% |
| 154 | | 0+ | -62.618 | 3.73 m 9 | ε 99.53%, α 0.47% |
| 155 | | 7/2- | -62.22 | 5.3 m 3 | ε 99.98%, α 0.02% |
| 156 | | 0+ | -64.26 | 19.5 m 10 | ε , α 5×10 ⁻⁶ % |
| 157 | | 3/2- | -63.39 | 18.65 m 10 | ε ≈ 100%, α < 0.02% |
| 158 | | 0+ | -65.3s | 2.29 h 6 | ε |
| 159 | | 3/2- | -64.571 | 36 m 1 | ε |
| 160 | | 0+ | -66.06 | 28.58 h 9 | ε |
| 161 | | 3/2- | -65.203 | 3.21 h 3 | ε |
| 162 | | 0+ | -66.346 | 0.139% 5 | |
| 163 | | 5/2- | -65.177 | 75.0 m 4 | ε |
| 164 | | 0+ | -65.953 | 1.601% 3 | |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|--|
| Z | El | Jπ | (MeV) | |
| 68 Er | 165 | 5/2- | -64.531 | 10.36 h 4 |
| | 166 | 0+ | -64.935 | 33.503% 36 |
| | 167 | 7/2+ | -63.299 | 22.869% 9 |
| | 167m | 1/2- | -63.091 | 2.269 s 6 |
| | 168 | 0+ | -62.999 | 26.978% 18 |
| | 169 | 1/2- | -60.931 | 9.40 d 2 |
| | 170 | 0+ | -60.118 | $\geq 3.2 \times 10^{17}$ y 14.910% 36 |
| | 171 | 5/2- | -57.729 | 7.516 h 2 |
| | 172 | 0+ | -56.493 | 49.3 h 3 |
| | 173 | (7/2-) | -53.7s | 1.4 m 1 |
| | 174 | 0+ | -51.8s | 3.2 m 2 |
| | 175 | (9/2+) | -48.5s | 1.2 m 3 |
| | 176 | 0+ | -46.3s | ≈ 20 s |
| | 177 | | -42.5s | ≈ 3 s |
| 69 Tm | 145 | (11/2-) | | 3.5 μ s 10 |
| | 146 | (5-, 6-) | -31.2s | 62 ms +19-14 |
| | 146m | (10+) | -31.2s | 206 ms 25 |
| | 147 | (11/2-) | -36.3s | 0.559 s 26 |
| | 148m | (10+) | -39.5s | 0.7 s 2 |
| | 149 | (11/2-) | -44.1s | 0.9 s 2 |
| | 150 | (6-) | -46.9s | 2.2 s 2 |
| | 151 | (11/2-) | -50.8s | 4.17 s 10 |
| | 151m | (1/2+) | -50.8s | 6.6 s 14 |
| | 152 | (2-) | -51.9s | 8.0 s 10 |
| | 152m | (9)+ | -51.9s | 5.2 s 6 |
| | 153 | (11/2-) | -54.00 | 1.48 s 1 |
| | 153m | (1/2+) | -53.96 | 2.5 s 2 |
| | 154 | (2-) | -54.6s | 8.1 s 3 |
| | 154m | (9+) | -54.6s | 3.30 s 7 |
| | 155 | (11/2-) | -56.64 | 21.6 s 2 |
| | 155m | (1/2+) | -56.60 | 45 s 3 |
| | 156 | 2- | -56.81 | 83.8 s 18 |
| | 156m | | -56.81 | 19 s 3 |
| | 157 | 1/2+ | -58.9 | 3.63 m 9 |
| | 158 | 2- | -58.7s | 3.98 m 6 |
| | 159 | 5/2+ | -60.72 | 9.13 m 16 |
| | 160 | 1- | -60.5 | 9.4 m 3 |
| | 160m | 5 | -60.4 | 74.5 s 15 |
| | 161 | 7/2+ | -62.04 | 33 m 3 |
| | 162 | 1- | -61.51 | 21.70 m 19 |
| | 162m | 5+ | -61.51 | 24.3 s 17 |
| | 163 | 1/2+ | -62.738 | 1.810 h 5 |
| | 164 | 1+ | -61.99 | 2.0 m 1 |
| | 164 | 6- | -61.99 | 5.1 m 1 |
| | 165 | 1/2+ | -62.939 | 30.06 h 3 |
| | 166 | 2+ | -61.89 | 7.70 h 3 |
| | 167 | 1/2+ | -62.551 | 9.25 d 2 |
| | 168 | 3+ | -61.320 | 93.1 d 2 |
| | 169 | 1/2+ | -61.282 | 100% |
| | 170 | 1- | -59.804 | 128.6 d 3 |
| | 171 | 1/2+ | -59.219 | 1.92 y 1 |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|--|
| Z | El | Jπ | (MeV) | |
| 69 Tm | 172 | 2- | -57.384 | 63.6 h 2 β^- |
| | 173 | (1/2+) | -56.262 | 8.24 h 8 β^- |
| | 174 | (4)- | -53.87 | 5.4 m 1 β^- |
| | 175 | 1/2+ | -52.32 | 15.2 m 5 β^- |
| | 176 | (4+) | -49.4 | 1.9 m 1 β^- |
| | 177 | (1/2+) | -47.5s | 85 s +10-15 β^- |
| | 178 | | -44.1s | \approx 30 s β^- ? |
| | 179 | | -41.6s | \approx 20 s β^- ? |
| 70 Yb | 148 | 0+ | -31.0s | \approx 0.25 s ϵ ? |
| | 149 | | -34.0s | \approx 0.6 s ϵ ? |
| | 150 | 0+ | -39.1s | \approx 0.7 s ϵ ? |
| | 151 | (1/2+) | -41.7s | 1.6 s 1 ϵ , ϵp |
| | 151m | (11/2-) | -41.7s | 1.6 s 1 $\epsilon \approx 100\%$, ϵp , IT? |
| | 152 | 0+ | -46.4s | 3.04 s 6 ϵ , ϵp |
| | 153 | 7/2- | -47.3s | 4.2 s 2 $\alpha 50\%$, $\epsilon 50\%$ |
| | 154 | 0+ | -50.1s | 0.409 s 2 $\alpha 92.6\%$, $\epsilon 7.4\%$ |
| | 155 | (7/2-) | -50.5s | 1.800 s 20 $\alpha 89\%$, $\epsilon 11\%$ |
| | 156 | 0+ | -53.24 | 26.1 s 7 $\epsilon 90\%$, $\alpha 10\%$ |
| | 157 | 7/2- | -53.41 | 38.6 s 10 $\epsilon 99.5\%$, $\alpha 0.5\%$ |
| | 158 | 0+ | -56.022 | 1.49 m 13 ϵ , $\alpha \approx 2.1 \times 10^{-3}\%$ |
| | 159 | 5/2(-) | -55.75 | 1.58 m 14 ϵ |
| | 160 | 0+ | -58.2s | 4.8 m 2 ϵ |
| | 161 | 3/2- | -57.9s | 4.2 m 2 ϵ |
| | 162 | 0+ | -59.8s | 18.87 m 19 ϵ |
| | 163 | 3/2- | -59.4 | 11.05 m 35 ϵ |
| | 164 | 0+ | -61.0s | 75.8 m 17 ϵ |
| | 165 | 5/2- | -60.18 | 9.9 m 3 ϵ |
| | 166 | 0+ | -61.591 | 56.7 h 1 ϵ |
| | 167 | 5/2- | -60.597 | 17.5 m 2 ϵ |
| | 168 | 0+ | -61.577 | 0.13% 1 |
| | 169 | 7/2+ | -60.373 | 32.026 d 5 ϵ |
| | 169m | 1/2- | -60.349 | 46 s 2 IT |
| | 170 | 0+ | -60.772 | $\geq 1.6 \times 10^{17}$ y $2\beta^-$ |
| | | | | 3.04% 15 |
| | 171 | 1/2- | -59.315 | 14.28% 57 |
| | 172 | 0+ | -59.264 | 21.83% 67 |
| | 173 | 5/2- | -57.560 | 16.13% 27 |
| | 174 | 0+ | -56.953 | 31.83% 92 |
| | 175 | 7/2- | -54.704 | 4.185 d 1 β^- |
| | 176 | 0+ | -53.497 | 12.76% 41 |
| | 176m | (8)- | -52.447 | 11.4 s 3 IT $\geq 90\%$, $\beta^- \leq 10\%$ |
| | 177 | (9/2+) | -50.993 | 1.911 h 3 β^- |
| | 177m | (1/2-) | -50.662 | 6.41 s 3 IT |
| | 178 | 0+ | -49.70 | 74 m 3 β^- |
| | 179 | (1/2-) | -46.4s | 8.0 m 4 β^- |
| | 180 | 0+ | -44.4s | 2.4 m 5 β^- |
| | 181 | | -40.8s | \approx 1 m β^- ? |
| 71 Lu | 150 | | -25.5s | 35 ms 10 p 80% |
| | 151 | (11/2-) | -30.6s | 80 ms 2 p 70% |
| | 152 | (5-, 6-) | -33.9s | 0.7 s 1 ϵ , ϵp 15% |
| | 153 | 11/2- | -38.5s | $\alpha \approx 70\%$, $\epsilon \approx 30\%$ |
| | 154 | (2-) | -40.0s | \approx 2 s ϵ ? |

Nuclear Wallet Cards

| Isotope | | | Δ | T½, Γ, or Abundance | Decay Mode |
|----------------|--------------|----------|-----------|---|-------------------------------|
| Z | El | A | Jπ | (MeV) | |
| 71 Lu | | | | | |
| 154m | (9+) | | -40.0s | 1.12 s 8 | ε |
| 155 | (11/2-) | | -42.6s | 70 ms 1 | α 79%, ε 21% |
| 155m | (1/2+) | | -42.6s | 136 ms 9 | ε , α |
| 155m | (25/2-) | | -40.8s | 2.71 ms 3 | α |
| 156m | | | -43.9s | 198 ms 2 | α≥75%, ε≤25% |
| 156m | | | -43.9s | 494 ms 12 | α≈95%, ε 5% |
| 157 | (1/2+, 3/2+) | | -46.48 | 6.8 s 18 | α>0% |
| 157m | (11/2-) | | -46.45 | 4.79 s 12 | ε 94%, α 6% |
| 158 | | | -47.3s | 10.6 s 3 | ε 99.09%, α 0.91% |
| 159 | | | -49.73 | 12.1 s 10 | ε , α 0.04% |
| 160 | | | -50.3s | 36.1 s 3 | ε , α≤1.0×10 ⁻⁴⁰ % |
| 160m | | | -50.3s | 40 s 1 | ε≤100%, α |
| 161 | (5/2+) | | -52.6s | 72 s | ε |
| 162 | (1-) | | -52.9s | 1.37 m 2 | ε≤100% |
| 162m | (4-) | | -52.9s | 1.5 m | ε≤100% |
| 162m | | | -52.9s | 1.9 m | ε≤100% |
| 163 | 1/2(+) | | -54.8 | 3.97 m 13 | ε |
| 164 | | | -54.8s | 3.14 m 3 | ε |
| 165 | 1/2+ | | -56.26 | 10.74 m 10 | ε |
| 166 | (6-) | | -56.1 | 2.65 m 10 | ε |
| 166m | (3-) | | -56.1 | 1.41 m 10 | ε 58%, IT 42% |
| 166m | (0-) | | -56.1 | 2.12 m 10 | ε>80%, IT<20% |
| 167 | 7/2+ | | -57.5 | 51.5 m 10 | ε |
| 168 | (6-) | | -57.10 | 5.5 m 1 | ε |
| 168m | 3+ | | -56.88 | 6.7 m 4 | ε>95%, IT<5% |
| 169 | 7/2+ | | -58.080 | 34.06 h 5 | ε |
| 169m | 1/2- | | -58.051 | 160 s 10 | IT |
| 170 | 0+ | | -57.31 | 2.012 d 20 | ε |
| 170m | (4)- | | -57.22 | 0.67 s 10 | IT |
| 171 | 7/2+ | | -57.836 | 8.24 d 3 | ε |
| 171m | 1/2- | | -57.765 | 79 s 2 | IT |
| 172 | 4- | | -56.744 | 6.70 d 3 | ε |
| 172m | 1- | | -56.703 | 3.7 m 5 | IT |
| 173 | 7/2+ | | -56.889 | 1.37 y 1 | ε |
| 174 | (1)- | | -55.579 | 3.31 y 5 | ε |
| 174m | (6)- | | -55.408 | 142 d 2 | IT 99.38%, ε 0.62% |
| 175 | 7/2+ | | -55.174 | 97.41% 2 | |
| 176 | 7- | | -53.391 | 3.73×10 ¹⁰ y 1 2.59% 2 | β- |
| 176m | 1- | | -53.268 | 3.664 h 19 | β- 99.9%, ε 0.1% |
| 177 | 7/2+ | | -52.392 | 6.734 d 12 | β- |
| 177m | 23/2- | | -51.422 | 160.4 d 3 | β- 78.3%, IT 21.7% |
| 178 | 1(+) | | -50.346 | 28.4 m 2 | β- |
| 178m | (9-) | | -50.226 | 23.1 m 3 | β- |
| 179 | 7/2(+) | | -49.067 | 4.59 h 6 | β- |
| 180 | (3)+ | | -46.69 | 5.7 m 1 | β- |
| 181 | (7/2+) | | -44.7s | 3.5 m 3 | β- |
| 182 | (0,1,2) | | -41.7s | 2.0 m 2 | β- |
| 183 | (7/2+) | | -39.5s | 58 s 4 | β- |
| 184 | (3+) | | -36.2s | 20 s 3 | β- |
| 72 Hf | | | | | |
| 154 | | 0+ | -33.3s | 2 s 1 | ε≈100%, α≈0% |
| 155 | | | -34.7s | 0.89 s 12 | ε , α |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|--|
| Z | El | Jπ | (MeV) | |
| 72 Hf | | | | |
| 156 | | 0+ | -38.0s | 23 ms 1 |
| 157 | | 7/2- | -39.0s | 115 ms 1 |
| 158 | | 0+ | -42.2s | 2.85 s 7 |
| 159 | | | -42.8s | 5.2 s 1 |
| 160 | | 0+ | -45.91 | 13.6 s 2 |
| 161 | | | -46.27 | 18.7 s 1 |
| 162 | | 0+ | -49.18 | 39.4 s 9 |
| 163 | | | -49.3s | 40.0 s 6 |
| 164 | | 0+ | -51.8s | 111 s 8 |
| 165 | | (5/2-) | -51.7s | 76 s 4 |
| 166 | | 0+ | -53.8s | 6.77 m 30 |
| 167 | | (5/2)- | -53.5s | 2.05 m 5 |
| 168 | | 0+ | -55.3s | 25.95 m 20 |
| 169 | | (5/2)- | -54.81 | 3.24 m 4 |
| 170 | | 0+ | -56.2s | 16.01 h 13 |
| 171 | | (7/2+) | -55.4s | 12.1 h 4 |
| 172 | | 0+ | -56.39 | 1.87 y 3 |
| 173 | | 1/2- | -55.3s | 23.6 h 1 |
| 174 | | 0+ | -55.852 | 2.0×10^{15} y 4 0.16% 1 |
| 175 | | 5/2- | -54.490 | 70 d 2 |
| 176 | | 0+ | -54.584 | 5.26% 7 |
| 177 | | 7/2- | -52.890 | 18.60% 9 |
| 177m | | 23/2+ | -51.575 | 1.08 s 6 |
| 177m | | 37/2- | -50.150 | 51.4 m 5 |
| 178 | | 0+ | -52.445 | 27.28% 7 |
| 178m | | 8- | -51.298 | 4.0 s 2 |
| 178m | | 16+ | -49.999 | 31 y 1 |
| 179 | | 9/2+ | -50.473 | 13.62% 2 |
| 179m | | 1/2- | -50.098 | 18.67 s 4 |
| 179m | | 25/2- | -49.367 | 25.05 d 25 |
| 180 | | 0+ | -49.790 | 35.08% 16 |
| 180m | | 8- | -48.648 | 5.5 h 1 |
| 181 | | 1/2- | -47.414 | 42.39 d 6 |
| 182 | | 0+ | -46.060 | 9×10^6 y 2 |
| 182m | | 8- | -44.887 | 61.5 m 15 |
| 183 | | (3/2-) | -43.29 | 1.067 h 17 |
| 184 | | 0+ | -41.50 | 4.12 h 5 |
| 184m | | 8- | -41.50 | 48 s 10 |
| 185 | | | -38.4s | 3.5 m 6 |
| 186 | | 0+ | -36.4s | 2.6 m 12 |
| 73 Ta | | | | |
| 155 | | (11/2-) | | 12 μ s +4-3 |
| 156 | | (2-) | -26.4s | 144 ms 24 |
| 156m | (7,8,9)+ | | -26.3s | 375 ms 54 |
| 157 | | (1/2+) | -29.7s | 10.1 ms 4 |
| 157m | high | | -29.7s | 1.7 ms 1 |
| 157m | | | -29.7s | 4.3 ms 1 |
| 158 | | (2-) | -31.3s | 72 ms 12 |
| 158m | (9+) | | -31.2s | 37.7 ms 15 |
| 159 | | (1/2+) | -34.5s | 0.544 s 16 |
| 159m | (11/2-) | | -34.5s | 1.1 s 1 |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode | | |
|----------------|-----------|----------------------------|--|-------------------|-------------------------|---|
| Z | El | A | Jπ | (MeV) | | |
| 73 | Ta | 160 | | -36.0s | 1.55 s 4 | ϵ 66%, α 34% |
| | | 161 | | -38.78 | 4.9 s 8 | $\epsilon \approx$ 95%, α 5% |
| | | 162 | | -39.9s | 3.57 s 12 | ϵ 99.93%, α 0.07% |
| | | 163 | | -42.55 | 10.6 s 18 | $\epsilon \approx$ 99.8%, $\alpha \approx$ 0.2% |
| | | 164 | (3+) | -43.2s | 14.2 s 3 | ϵ |
| | | 165 | | -45.8s | 31.0 s 15 | ϵ |
| | | 166 | (2)+ | -46.1s | 34.4 s 5 | ϵ |
| | | 167 | (3/2+) | -48.5s | 80 s 4 | ϵ |
| | | 168 | (2-, 3+) | -48.6s | 2.0 m 1 | ϵ |
| | | 169 | (5/2-) | -50.4s | 4.9 m 4 | ϵ |
| | | 170 | (3+) | -50.2s | 6.76 m 6 | ϵ |
| | | 171 | (5/2-) | -51.7s | 23.3 m 3 | ϵ |
| | | 172 | (3+) | -51.5 | 36.8 m 3 | ϵ |
| | | 173 | 5/2- | -52.6s | 3.14 h 13 | ϵ |
| | | 174 | 3+ | -52.01 | 1.14 h 8 | ϵ |
| | | 175 | 7/2+ | -52.5s | 10.5 h 2 | ϵ |
| | | 176 | (1)- | -51.5 | 8.09 h 5 | ϵ |
| | | 177 | 7/2+ | -51.724 | 56.56 h 6 | ϵ |
| | | 178 | 1+ | -50.5 | 9.31 m 3 | ϵ |
| | | 178 | (7)- | -50.5 | 2.36 h 8 | ϵ |
| | | 179 | 7/2+ | -50.362 | 1.82 y 3 | ϵ |
| | | 180 | 1+ | -48.935 | 8.152 h 6 | ϵ 86%, β^- 14% |
| | | 180m | 9- | -48.860 | >1.2×10 ¹⁵ y | β^- ?, 0.012% 2 ϵ ? |
| | | 181 | 7/2+ | -48.441 | 99.988% 2 | |
| | | 182 | 3- | -46.433 | 114.43 d 3 | β^- |
| | | 182m | 5+ | -46.417 | 283 ms 3 | IT |
| | | 182m | 10- | -45.913 | 15.84 m 10 | IT |
| | | 183 | 7/2+ | -45.296 | 5.1 d 1 | β^- |
| | | 184 | (5-) | -42.84 | 8.7 h 1 | β^- |
| | | 185 | (7/2+) | -41.40 | 49.4 m 15 | β^- |
| | | 186 | (2-, 3-) | -38.61 | 10.5 m 5 | β^- |
| | | 187 | | -36.9s | ≈2 m | β^- ? |
| | | 188 | | -33.8s | ≈20 s | β^- ? |
| 74 | W | 158 | 0+ | -24.3s | 0.9 ms 3 | α |
| | | 159 | | -25.8s | 8.2 ms 7 | $\alpha \approx$ 92%, ϵ |
| | | 160 | 0+ | -29.5s | 91 ms 5 | α 87% |
| | | 161 | | -30.7s | 409 ms 18 | $\alpha \approx$ 73%, ϵ |
| | | 162 | 0+ | -34.1s | 1.36 s 7 | ϵ 54.8%, α 45.2% |
| | | 163 | | -34.9s | 2.8 s 2 | ϵ 87%, α 13% |
| | | 164 | 0+ | -38.21 | 6.0 s 3 | ϵ 97.4%, α 2.6% |
| | | 165 | (5/2-) | -38.81 | 5.1 s 5 | ϵ , $\alpha <$ 0.2% |
| | | 166 | 0+ | -41.90 | 18.8 s 4 | ϵ 99.97%, α 0.04% |
| | | 167 | (+) | -42.2s | 19.9 s 5 | ϵ 99.96%, α 0.04% |
| | | 168 | 0+ | -44.8s | 53 s 2 | $\epsilon \approx$ 100%, α 3.2×10 ⁻³ % |
| | | 169 | (5/2-) | -44.9s | 80 s 6 | ϵ |
| | | 170 | 0+ | -47.2s | 2.42 m 4 | ϵ |
| | | 171 | (5/2-) | -47.1s | 2.38 m 4 | ϵ |
| | | 172 | 0+ | -49.0s | 6.6 m 9 | ϵ |
| | | 173 | 5/2- | -48.6s | 7.6 m 2 | ϵ |
| | | 174 | 0+ | -50.2s | 33.2 m 21 | ϵ |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|------------|--------------------|---|-------------------------------------|
| 74 W | 175 | | | (1/2-) | -49.6s | 35.2 m 6 | ε |
| | 176 | | | 0+ | -50.7s | 2.5 h 1 | ε |
| | 177 | | | (1/2-) | -49.7s | 135 m 3 | ε |
| | 178 | | | 0+ | -50.4 | 21.6 d 3 | ε |
| | 179 | | | (7/2)- | -49.30 | 37.05 m 16 | ε |
| | 179m | | | (1/2)- | -49.08 | 6.40 m 7 | IT 99.72%, ε 0.28% |
| | 180 | | | 0+ | -49.643 | >7.4×10 ¹⁶ y 0.12% 1 | α |
| | 181 | | | 9/2+ | -48.253 | 121.2 d 2 | ε |
| | 182 | | | 0+ | -48.246 | >8.3×10 ¹⁸ y 26.50% 16 | α |
| | 183 | | | 1/2- | -46.366 | >1.9×10 ¹⁸ y 14.31% 4 | α |
| | 183m | | | 11/2+ | -46.056 | 5.2 s 3 | IT |
| | 184 | | | 0+ | -45.706 | >4×10 ¹⁸ y 30.64% 2 | α |
| | 185 | | | 3/2- | -43.388 | 75.1 d 3 | β- |
| | 185m | | | 11/2+ | -43.191 | 1.67 m 3 | IT |
| | 186 | | | 0+ | -42.511 | >6.5×10 ¹⁸ y 28.43% 19 | α |
| | 187 | | | 3/2- | -39.907 | 23.72 h 6 | β- |
| | 188 | | | 0+ | -38.669 | 69.4 d 5 | β- |
| | 189 | | | (3/2-) | -35.5 | 10.8 m 3 | β- |
| | 190 | | | 0+ | -34.3 | 30.0 m 15 | β- |
| 75 Re | 160 | | | | -17.2s | 0.79 ms 16 | p 91%, α 9% |
| | 161 | | | (1/2+) | -20.8s | 0.37 ms 4 | p |
| | 161m | | | (11/2-) | -20.7s | 16 ms 1 | p 4.8%, α |
| | 162 | | | (2-) | -22.6s | 107 ms 13 | α 94%, ε 6% |
| | 162m | | | (9+) | -22.5s | 77 ms 9 | α 91%, ε 9% |
| | 163 | | | (1/2+) | -26.1s | 390 ms 72 | ε 68%, α 32% |
| | 163m | | | (11/2-) | -26.0s | 214 ms 5 | α 66%, ε 34% |
| | 164 | | | | -27.6s | 0.38 s 16 | α≈58%, ε≈42% |
| | 165 | | | (1/2+) | -30.69 | ≈1 s | ε , α |
| | 165m | | | (11/2-) | -30.64 | 2.1 s 3 | ε 87%, α 13% |
| | 166 | | | | -31.9s | 2.8 s 3 | α |
| | 167 | | | (9/2-) | -34.9s | 5.9 s 3 | ε≈99%, α≈1% |
| | 167m | | | | -34.9s | 3.4 s 4 | α |
| | 168 | | | (5+,6+,7+) | -35.8s | 4.4 s 1 | ε≈100%, α≈5.0×10 ⁻³ % |
| | 169 | | | | -38.3s | 8.1 s 5 | ε≈100%, α≈1.0×10 ⁻⁴ % |
| | 169m | | | | -38.3s | 16.3 s 8 | α |
| | 170 | | | (5+) | -39.0s | 9.2 s 2 | ε |
| | 171 | | | (9/2-) | -41.4s | 15.2 s 4 | ε |
| | 172m | | | (5) | -41.7s | 15 s 3 | ε |
| | 172m | | | (2) | -41.7s | 55 s 5 | ε |
| | 173 | | | (5/2-) | -43.7s | 1.98 m 26 | ε |
| | 174 | | | | -43.7s | 2.40 m 4 | ε |
| | 175 | | | (5/2-) | -45.3s | 5.89 m 5 | ε |
| | 176 | | | 3+ | -45.1s | 5.3 m 3 | ε |
| | 177 | | | (5/2-) | -46.3s | 14 m 1 | ε |
| | 178 | | | (3+) | -45.8 | 13.2 m 2 | ε |

Nuclear Wallet Cards

| Isotope | | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------|--------------|--------------------------------|--------------------------------|
| Z | El | A | Jπ | (MeV) | |
| 75 | Re | 179 | (5/2)+ | -46.59 | 19.5 m 1 |
| | | 180 | (1)- | -45.84 | 2.44 m 6 |
| | | 181 | 5/2+ | -46.51 | 19.9 h 7 |
| | | 182 | 7+ | -45.4 | 64.0 h 5 |
| | | 182m | 2+ | -45.4 | 12.7 h 2 |
| | | 183 | 5/2+ | -45.810 | 70.0 d 14 |
| | | 184 | 3(-) | -44.223 | 38.0 d 5 |
| | | 184m | 8(+) | -44.035 | 169 d 8 |
| | | 185 | 5/2+ | -43.821 | 37.40% 2 |
| | | 186 | 1- | -41.930 | 3.7183 d 11 |
| | | 186m | (8+) | -41.781 | 2.0×10^5 y |
| | | 187 | 5/2+ | -41.218 | 4.35×10^{10} y 13 |
| | | | | | β_- , 62.60% 2 |
| | | 188 | 1- | -39.018 | 17.005 h 4 |
| | | 188m | (6)- | -38.846 | 18.6 m 1 |
| | | 189 | 5/2+ | -37.979 | 24.3 h 4 |
| | | 190 | (2)- | -35.6 | 3.1 m 3 |
| | | 190m | (6-) | -35.4 | 3.2 h 2 |
| | | 191 | (3/2+, 1/2+) | -34.35 | 9.8 m 5 |
| | | 192 | | -31.7s | 16 s 1 |
| 76 | Os | 162 | 0+ | -15.1s | 1.7 ms 5 |
| | | 163 | | -16.7s | 5.5 ms 6 |
| | | 164 | 0+ | -20.6s | 27 ms 4 |
| | | 165 | (7/2-) | -21.9s | 71 ms 3 |
| | | 166 | 0+ | -25.6s | 220 ms 7 |
| | | 167 | | -26.5s | 0.81 s 6 |
| | | 168 | 0+ | -29.96 | 2.1 s 1 |
| | | 169 | | -30.67 | 3.6 s 2 |
| | | 170 | 0+ | -33.93 | 7.3 s 2 |
| | | 171 | (5/2-) | -34.4s | 8.3 s 2 |
| | | 172 | 0+ | -37.2s | 19.2 s 5 |
| | | 173 | (5/2-) | -37.5s | 22.4 s 9 |
| | | 174 | 0+ | -39.9s | 44 s 4 |
| | | 175 | (5/2-) | -40.0s | 1.4 m 1 |
| | | 176 | 0+ | -42.0s | 3.6 m 5 |
| | | 177 | (1/2-) | -41.9s | 2.8 m 3 |
| | | 178 | 0+ | -43.5 | 5.0 m 4 |
| | | 179 | (1/2-) | -42.9s | 6.5 m 3 |
| | | 180 | 0+ | -44.4s | 21.5 m 4 |
| | | 181 | 1/2- | -43.5 | 105 m 3 |
| | | 181m | (7/2)- | -43.5 | 2.7 m 1 |
| | | 182 | 0+ | -44.54 | 22.10 h 25 |
| | | 183 | 9/2+ | -43.7s | 13.0 h 5 |
| | | 183m | 1/2- | -43.5s | 9.9 h 3 |
| | | 184 | 0+ | -44.255 | $>5.6 \times 10^{13}$ y |
| | | | | | 0.02% 1 |
| | | 185 | 1/2- | -42.809 | 93.6 d 5 |
| | | 186 | 0+ | -42.999 | 2.0×10^{15} y 11 |
| | | | | | 1.59% 3 |
| | | 187 | 1/2- | -41.221 | 1.6% 3 |
| | | 188 | 0+ | -41.139 | 13.29% 8 |
| | | 189 | 3/2- | -38.988 | 16.21% 5 |

Nuclear Wallet Cards

| Isotope | | | Δ | T½, Γ, or Abundance | Decay Mode |
|----------------|-----------|--------------|-----------|--------------------------------|----------------------|
| Z | El | A | Jπ | (MeV) | |
| 76 Os | | | | | |
| 189m | | 9/2- | -38.957 | 5.8 h 1 | IT |
| 190 | | 0+ | -38.708 | 26.36% 2 | |
| 190m | | (10)- | -37.003 | 9.9 m 1 | IT |
| 191 | | 9/2- | -36.395 | 15.4 d 1 | β- |
| 191m | | 3/2- | -36.321 | 13.10 h 5 | IT |
| 192 | | 0+ | -35.882 | 40.93% 19 | |
| 192m | | (10-) | -33.867 | 5.9 s 1 | IT > 87%, β- < 13% |
| 193 | | 3/2- | -33.396 | 30.11 h 1 | β- |
| 194 | | 0+ | -32.435 | 6.0 y 2 | β- |
| 195 | | | -29.7 | ≈ 9 m | β- ? |
| 196 | | 0+ | -28.30 | 34.9 m 2 | β- |
| 77 Ir | | | | | |
| 164 | | | | ≈ 1 ms | p ?, α ? |
| 165 | | | -11.6s | < 1 μs | p ?, α ? |
| 166 | | (2-) | -13.5s | 10.5 ms 22 | α 93.1%, p 6.9% |
| 166m | | (9+) | -13.3s | 15.1 ms 9 | α 98.2%, p 1.8% |
| 167 | | (1/2+) | -17.2s | 35.2 ms 20 | α 48%, p 32%, ε |
| 167m | | (11/2-) | -17.0s | 30.0 ms 6 | α 80%, ε 20%, p 0.4% |
| 168 | | | -18.7s | 0.161 ms 21 | α 82% |
| 169 | | (1/2+) | -21.99 | 0.6 ms +5-2 | α 50% |
| 169m | | (11/2-) | -21.84 | 0.32 s +9-7 | α 84%, ε, p |
| 170 | | | -23.3s | 0.83 s 3 | α 63%, ε |
| 171 | | (11/2-) | -26.3s | 1.46 s 9 | α 58%, ε ≤ 42% |
| 172 | | (3+) | -27.3s | 4.4 s 3 | ε 98%, α ≈ 2% |
| 172m | | (7+) | -27.2s | 2.0 s 1 | ε 77%, α 23% |
| 173m | | (11/2-) | -30.1s | 2.4 s 9 | ε, α 7% |
| 173m | | (3/2+, 5/2+) | -30.1s | 9.0 s 8 | ε > 93%, α < 7% |
| 174 | | (3+) | -30.9s | 7.9 s 6 | ε 99.5%, α 0.5% |
| 174m | | (7+) | -30.7s | 4.9 s 3 | ε 97.5%, α 2.5% |
| 175 | | (5/2-) | -33.3s | 9 s 2 | ε 99.15%, α 0.85% |
| 176 | | | -34.0s | 8.3 s 6 | ε 96.9%, α 3.1% |
| 177 | | (5/2-) | -36.2s | 30 s 2 | ε 99.94%, α 0.06% |
| 178 | | | -36.3s | 12 s 2 | ε |
| 179 | | (5/2)- | -38.1s | 79 s 1 | ε |
| 180 | | | -38.0s | 1.5 m 1 | ε |
| 181 | | (5/2)- | -39.5 | 4.90 m 15 | ε |
| 182 | | (5+) | -39.0 | 15 m 1 | ε |
| 183 | | 5/2- | -40.2s | 57 m 4 | ε |
| 184 | | 5- | -39.7 | 3.09 h 3 | ε |
| 185 | | 5/2- | -40.4s | 14.4 h 1 | ε |
| 186 | | 5+ | -39.17 | 16.64 h 3 | ε |
| 186m | | 2- | -39.17 | 1.90 h 5 | ε ≈ 75%, IT ≈ 25% |
| 187 | | 3/2+ | -39.718 | 10.5 h 3 | ε |
| 188 | | 1- | -38.329 | 41.5 h 5 | ε |
| 189 | | 3/2+ | -38.46 | 13.2 d 1 | ε |
| 190 | | (4-) | -36.7 | 11.78 d 10 | ε |
| 190m | | (1-) | -36.7 | 1.120 h 3 | IT |
| 190m | | (11)- | -36.3 | 3.087 h 12 | ε 91.4%, IT 8.6% |
| 191 | | 3/2+ | -36.709 | 37.3% 2 | |
| 191m | | 11/2- | -36.538 | 4.94 s 3 | IT |
| 191m | | | -34.662 | 5.5 s 7 | IT |
| 192 | | 4+ | -34.836 | 73.827 d 13 | β- 95.13%, ε 4.87% |
| 192m | | 1- | -34.779 | 1.45 m 5 | IT 99.98%, β- 0.02% |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|--------------------------------|------------------------------|
| 77 Ir | 192 | m | (11-) | | -34.668 | 241 y 9 | IT |
| | 193 | | 3/2+ | | -34.536 | 62.7% 2 | |
| | 193 | m | 11/2- | | -34.456 | 10.53 d 4 | IT |
| | 194 | | 1- | | -32.532 | 19.28 h 13 | β- |
| | 194 | m | (10,11) | | -32.342 | 171 d 11 | β- |
| | 195 | | 3/2+ | | -31.692 | 2.5 h 2 | β- |
| | 195 | m | 11/2- | | -31.592 | 3.8 h 2 | β- 95%, IT 5% |
| | 196 | | (0-) | | -29.45 | 52 s 1 | β- |
| | 196 | m | (10,11-) | | -29.04 | 1.40 h 2 | β-≈100%, IT<0.3% |
| | 197 | | 3/2+ | | -28.28 | 5.8 m 5 | β- |
| | 197 | m | 11/2- | | -28.17 | 8.9 m 3 | β- 99.75%, IT 0.25% |
| | 198 | | | | -25.8s | 8 s 1 | β- |
| | 199 | | | | -24.42 | ≈20 s | β-? |
| 78 Pt | 166 | | 0+ | | | 0.3 ms 1 | α |
| | 167 | | (7/2-) | | | 0.7 ms 2 | α |
| | 168 | | 0+ | | -11.1s | 2.0 ms 4 | α≤100% |
| | 169 | | | | -12.6s | 5 ms 3 | α≤100% |
| | 170 | | 0+ | | -16.5s | 13.8 ms 5 | α 98% |
| | 171 | | | | -17.5s | 34 ms 9 | α≈98%, ε 2% |
| | 172 | | 0+ | | -21.07 | 0.096 s 3 | α 94%, ε 6% |
| | 173 | | | | -21.9 | 376 ms 11 | α 83%, ε |
| | 174 | | 0+ | | -25.33 | 0.889 s 17 | α 76%, ε 24% |
| | 175 | | | | -25.8s | 2.4 s 3 | α 56%, ε |
| | 176 | | 0+ | | -28.9s | 6.7 s 7 | ε, α 42% |
| | 177 | | (5/2-) | | -29.4s | 11 s 1 | ε 94.4%, α 5.6% |
| | 178 | | 0+ | | -31.9s | 21.1 s 6 | ε 92.3%, α 7.7% |
| | 179 | | 1/2- | | -32.2s | 21.2 s 4 | ε 99.76%, α 0.24% |
| | 180 | | 0+ | | -34.3s | 52 s 3 | ε, α≈0.3% |
| | 181 | | 1/2- | | -34.3s | 52.0 s 22 | ε, α≈0.08% |
| | 182 | | 0+ | | -36.1 | 3.0 m 2 | ε 99.96%, α 0.04% |
| | 183 | | 1/2- | | -35.7s | 6.5 m 10 | ε, α≈1.3×10 ⁻³ % |
| | 183 | m | (7/2)- | | -35.6s | 43 s 5 | ε≈100%, |
| | | | | | | | α<4.0×10 ⁻⁴ %, IT |
| | 184 | | 0+ | | -37.4s | 17.3 m 2 | ε, α≈0.001% |
| | 185 | | 9/2+ | | -36.6 | 70.9 m 24 | ε, α? |
| | 185 | m | 1/2- | | -36.5 | 33.0 m 8 | ε>98%, IT<2%, α? |
| | 186 | | 0+ | | -37.79 | 2.08 h 5 | ε, α≈1.4×10 ⁻⁴ % |
| | 187 | | 3/2- | | -36.7s | 2.35 h 3 | ε |
| | 188 | | 0+ | | -37.823 | 10.2 d 3 | ε, α 2.6×10 ⁻⁵ % |
| | 189 | | 3/2- | | -36.48 | 10.87 h 12 | ε |
| | 190 | | 0+ | | -37.325 | 6.5×10 ¹¹ y 3 | α 0.014% 1 |
| | 191 | | 3/2- | | -35.690 | 2.802 d 25 | ε |
| | 192 | | 0+ | | -36.296 | 0.782% 7 | |
| | 193 | | 1/2- | | -34.480 | 50 y 6 | ε |
| | 193 | m | 13/2+ | | -34.330 | 4.33 d 3 | IT |
| | 194 | | 0+ | | -34.779 | 32.967% 99 | |
| | 195 | | 1/2- | | -32.812 | 33.832% 10 | |
| | 195 | m | 13/2+ | | -32.553 | 4.02 d 1 | IT |
| | 196 | | 0+ | | -32.663 | 25.242% 41 | |
| | 197 | | 1/2- | | -30.438 | 19.8915 h 19 | β- |
| | 197 | m | 13/2+ | | -30.038 | 95.41 m 18 | IT 96.7%, β- 3.3% |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|--------------------------------|-----------------------------|
| 78 Pt | 78 | Pt | 198 | 0+ | -29.923 | 7.163% 55 | |
| | | | 199 | 5/2- | -27.408 | 30.80 m 21 | β- |
| | | | 199m | (13/2)+ | -26.984 | 13.6 s 4 | IT |
| | | | 200 | 0+ | -26.62 | 12.5 h 3 | β- |
| | | | 201 | (5/2-) | -23.76 | 2.5 m 1 | β- |
| | | | 202 | 0+ | -22.6s | 44 h 15 | β- |
| 79 Au | 79 | Au | 171 | (1/2+) | -7.7s | 17 μs +9-5 | p |
| | | | 171m | (11/2-) | -7.4s | 1.02 ms 10 | α 54%, p 46% |
| | | | 172 | | -9.2s | 6.3 ms 15 | α≤100%, p<2% |
| | | | 173 | (1/2+) | -12.7 | 20 ms +9-6 | α 94% |
| | | | 173m | (11/2-) | -12.5 | 12 ms +3-2 | α 92% |
| | | | 174 | | -14.1s | 120 ms 20 | α>0% |
| | | | 175 | | -17.2s | 185 ms 30 | α 94%, ε 6% |
| | | | 176 | | -18.4s | 1.08 s 17 | ε, α |
| | | | 177 | | -21.2s | 1.3 s 2 | ε≥60%, α≤40% |
| | | | 178 | | -22.4s | 2.6 s 5 | ε≤60%, α≥40% |
| | | | 179 | | -24.8s | 3.3 s 13 | ε 78%, α 22% |
| | | | 180 | | -25.7s | 8.1 s 3 | ε≤98.2%, α≥1.8% |
| | | | 181 | (3/2-) | -28.0s | 13.7 s 14 | ε 97.3%, α 2.7% |
| | | | 182 | | -28.3s | 15.6 s 4 | ε 99.87%, α 0.13% |
| | | | 183 | (5/2)- | -30.2s | 42.8 s 10 | ε 99.45%, α 0.55% |
| | | | 184 | 5+ | -30.3s | 21 s 1 | ε |
| | | | 184m | 2+ | -30.2s | 48 s 1 | ε 99.98%, α 0.02%, IT |
| | | | 185 | 5/2- | -31.9 | 4.25 m 6 | ε 99.74%, α 0.26% |
| | | | 185m | | -31.9 | 6.8 m 3 | ε<100%, IT |
| | | | 186 | 3- | -31.7 | 10.7 m 5 | ε, α 8.0×10 ⁻⁴ % |
| | | | 187 | 1/2+ | -33.0s | 8.4 m 3 | ε, α 3.0×10 ⁻³ % |
| | | | 187m | 9/2- | -32.9s | 2.3 s 1 | IT |
| | | | 188 | 1(-) | -32.5s | 8.84 m 6 | ε |
| | | | 189 | 1/2+ | -33.6s | 28.7 m 3 | ε, α<3.0×10 ⁻⁵ % |
| | | | 189m | 11/2- | -33.4s | 4.59 m 11 | ε, IT>0% |
| | | | 190 | 1- | -32.88 | 42.8 m 10 | ε, α<1.0×10 ⁻⁶ % |
| | | | 190m | (11-) | -32.88 | 125 ms 20 | IT≈100%, ε |
| | | | 191 | 3/2+ | -33.86 | 3.18 h 8 | ε |
| | | | 191m | (11/2-) | -33.59 | 0.92 s 11 | IT |
| | | | 192 | 1- | -32.78 | 4.94 h 9 | ε |
| | | | 192m | (11-) | -32.35 | 160 ms 20 | IT |
| | | | 193 | 3/2+ | -33.411 | 17.65 h 15 | ε |
| | | | 193m | 11/2- | -33.121 | 3.9 s 3 | IT 99.97%, ε≈0.03% |
| | | | 194 | 1- | -32.29 | 38.02 h 10 | ε |
| | | | 194m | (5+) | -32.18 | 600 ms 8 | IT |
| | | | 194m | (11-) | -31.81 | 420 ms 10 | IT |
| | | | 195 | 3/2+ | -32.586 | 186.098 d 47 | ε |
| | | | 195m | 11/2- | -32.267 | 30.5 s 2 | IT |
| | | | 196 | 2- | -31.157 | 6.183 d 10 | ε 92.8%, β- 7.2% |
| | | | 196m | 5+ | -31.073 | 8.1 s 2 | IT |
| | | | 196m | 12- | -30.562 | 9.6 h 1 | IT |
| | | | 197 | 3/2+ | -31.157 | 100% | |
| | | | 197m | 11/2- | -30.748 | 7.73 s 6 | IT |
| | | | 198 | 2- | -29.598 | 2.69517 d 21 | β- |
| | | | 198m | (12-) | -28.786 | 2.27 d 2 | IT |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|--|
| Z | El | Jπ | (MeV) | |
| 79 Au | 199 | 3/2+ | -29.111 | 3.139 d 7 |
| | 200 | 1(-) | -27.28 | 48.4 m 3 |
| | 200m | 12- | -26.31 | 18.7 h 5 |
| | 201 | 3/2+ | -26.416 | 26 m 1 |
| | 202 | (1-) | -24.4 | 28.8 s 19 |
| | 203 | 3/2+ | -23.160 | 60 s 6 |
| | 204 | (2-) | -20.8s | 39.8 s 9 |
| | 205 | 3/2+ | -19.0s | 31 s 2 |
| 80 Hg | 172 | 0+ | | 0.25 ms +35-9 α |
| | 173 | | | 0.93 ms +57-36 α |
| | 174 | 0+ | | 2.1 ms +18-7 α 99.6% |
| | 175 | | -8.0s | 8 ms 8 α |
| | 176 | 0+ | -11.72 | 34 ms +18-9 α |
| | 177 | | -12.7 | 0.114 s 15 α 85%, ϵ 15% |
| | 178 | 0+ | -16.32 | 0.287 s 23 $\alpha \approx 70\%$, $\epsilon \approx 30\%$ |
| | 179 | | -17.0s | 0.93 s 11 $\alpha \approx 53\%$, $\epsilon \approx 47\%$, $\epsilon p \approx 0.15\%$ |
| | 180 | 0+ | -20.2s | ϵ 52%, α 48% |
| | 181 | 1/2(-) | -20.7s | ϵ 69%, α 31%, ϵp 0.02%, $\epsilon \alpha$ $1.1 \times 10^{-5}\%$ |
| | 182 | 0+ | -23.5s | ϵ 84.8%, α 15.2% |
| | 183 | 1/2- | -23.7s | ϵ 74.5%, α 25.5%, ϵp $5.6 \times 10^{-4}\%$ |
| | 184 | 0+ | -26.2s | ϵ 98.89%, α 1.11% |
| | 185 | 1/2- | -26.1s | ϵ 94%, α 6% |
| | 185m | 13/2+ | -26.0s | IT 54%, ϵ 46%, $\alpha \approx 0.03\%$ |
| | 186 | 0+ | -28.4 | ϵ 99.98%, α 0.02% |
| | 187 | 13/2+ | -28.1s | ϵ , $\alpha > 1.2 \times 10^{-4}\%$ |
| | 187m | 3/2- | -28.1s | ϵ , $\alpha > 2.5 \times 10^{-4}\%$ |
| | 188 | 0+ | -30.2s | ϵ , $\alpha 3.7 \times 10^{-5}\%$ |
| | 189 | 3/2- | -29.7s | ϵ , $\alpha < 3.0 \times 10^{-5}\%$ |
| | 189m | 13/2+ | -29.7s | ϵ , $\alpha < 3.0 \times 10^{-5}\%$ |
| | 190 | 0+ | -31.4s | ϵ , $\alpha < 5.0 \times 10^{-5}\%$ |
| | 191 | (3/2-) | -30.68 | ϵ |
| | 191m | 13/2+ | -30.68 | ϵ |
| | 192 | 0+ | -32.1s | ϵ |
| | 193 | 3/2- | -31.07 | ϵ |
| | 193m | 13/2+ | -30.93 | ϵ 92.8%, IT 7.2% |
| | 194 | 0+ | -32.25 | ϵ |
| | 195 | 1/2- | -31.08 | ϵ |
| | 195m | 13/2+ | -30.90 | IT 54.2%, ϵ 45.8% |
| | 196 | 0+ | -31.843 | 0.15% 1 |
| | 197 | 1/2- | -30.557 | ϵ |
| | 197m | 13/2+ | -30.258 | IT 91.4%, ϵ 8.6% |
| | 198 | 0+ | -30.971 | 9.97% 20 |
| | 199 | 1/2- | -29.563 | 16.87% 22 |
| | 199m | 13/2+ | -29.031 | IT |
| | 200 | 0+ | -29.520 | 23.10% 19 |
| | 201 | 3/2- | -27.679 | 13.18% 9 |
| | 202 | 0+ | -27.362 | 29.86% 26 |

Nuclear Wallet Cards

| Isotope | | Δ | T$\frac{1}{2}$, Γ, or Abundance | Decay Mode | | |
|----------------|-----------|----------------------------|---|-------------------|--------------------|--|
| Z | El | Jπ | (MeV) | | | |
| 80 | Hg | 203 | 5/2- | -25.283 | 46.612 d 18 | β^- |
| | | 204 | 0+ | -24.707 | 6.87% 15 | |
| | | 205 | 1/2- | -22.304 | 5.2 m 1 | β^- |
| | | 206 | 0+ | -20.96 | 8.15 m 10 | β^- |
| | | 207 | (9/2+) | -16.2 | 2.9 m 2 | β^- |
| | | 208 | 0+ | -13.1s | 41 m +5-4 | β^- |
| 81 | Tl | 177 | (1/2+) | -2.9s | 18 ms 5 | α 73%, p 27% |
| | | 178 | | -4.4s | \approx 60 ms | $\alpha?$, $\varepsilon?$ |
| | | 179 | (11/2-) | -7.9s | 0.43 s 35 | α |
| | | 179m | (9/2-) | -7.9s | 1.5 ms 3 | $\alpha \approx 100\%$ |
| | | 180 | | -9.1s | 1.5 s 3 | ε SF $\approx 1 \times 10^{-4}\%$, ε , α |
| | | 181 | (1/2+) | -12.2s | 3.2 s 3 | ε , α |
| | | 181m | | -12.2s | 1.4 s 5 | α |
| | | 182 | (7+) | -13.4s | 3.1 s 10 | $\varepsilon > 96\%$, $\alpha < 4\%$ |
| | | 183 | (1/2+) | -16.1s | 6.9 s 7 | $\varepsilon > 0\%$ |
| | | 183m | (9/2-) | -15.6s | 60 ms 15 | $\alpha < 0.01\%$, IT? |
| | | 184 | (2+) | -17.0s | 11 s 1 | ε 97.9%, α 2.1% |
| | | 185 | (1/2+) | -19.5s | 19.5 s 5 | ε |
| | | 185m | (9/2-) | -19.0s | 1.83 s 12 | α , IT |
| | | 186m | (7+) | -20.0s | 27.5 s 10 | ε , $\alpha \approx 6.0 \times 10^{-3}\%$ |
| | | 186m | (10-) | -19.6s | 2.9 s 2 | IT |
| | | 187 | (1/2+) | -22.2s | \approx 51 s | $\varepsilon < 100\%$, $\alpha > 0\%$ |
| | | 187m | (9/2-) | -21.9s | 15.60 s 12 | $\varepsilon < 99.9\%$, IT < 99.9%, α 0.15% |
| | | 188m | (2-) | -22.4s | 71 s 2 | ε |
| | | 188m | (7+) | -22.4s | 71 s 1 | ε |
| | | 189 | (1/2+) | -24.5s | 2.3 m 2 | ε |
| | | 189m | (9/2-) | -24.2s | 1.4 m 1 | ε , IT < 4% |
| | | 190m | (2-) | -24.4s | 2.6 m 3 | ε |
| | | 190m | (7+) | -24.4s | 3.7 m 3 | ε |
| | | 191 | (1/2+) | -26.2s | ? | $\varepsilon?$ |
| | | 191m | 9/2(-) | -25.9s | 5.22 m 16 | ε |
| | | 192 | (2-) | -25.9s | 9.6 m 4 | ε |
| | | 192m | (7+) | -25.8s | 10.8 m 2 | ε |
| | | 193 | 1/2+ | -27.4s | 21.6 m 8 | ε |
| | | 193m | 9/2- | -27.1s | 2.11 m 15 | IT $\leq 75\%$, $\varepsilon \leq 25\%$ |
| | | 194 | 2- | -27.0s | 33.0 m 5 | ε , $\alpha < 1.0 \times 10^{-7}\%$ |
| | | 194m | (7+) | -27.0s | 32.8 m 2 | ε |
| | | 195 | 1/2+ | -28.3s | 1.16 h 5 | ε |
| | | 195m | 9/2- | -27.8s | 3.6 s 4 | IT |
| | | 196 | 2- | -27.5s | 1.84 h 3 | ε |
| | | 196m | (7+) | -27.1s | 1.41 h 2 | ε 95.5%, IT 4.5% |
| | | 197 | 1/2+ | -28.38 | 2.84 h 4 | ε |
| | | 197m | 9/2- | -27.77 | 0.54 s 1 | IT |
| | | 198 | 2- | -27.51 | 5.3 h 5 | ε |
| | | 198m | 7+ | -26.97 | 1.87 h 3 | ε 54%, IT 46% |
| | | 199 | 1/2+ | -28.12 | 7.42 h 8 | ε |
| | | 200 | 2- | -27.064 | 26.1 h 1 | ε |
| | | 201 | 1/2+ | -27.20 | 72.912 h 17 | ε |
| | | 202 | 2- | -26.00 | 12.23 d 2 | ε |
| | | 203 | 1/2+ | -25.775 | 29.524% 14 | |
| | | 204 | 2- | -24.360 | 3.78 y 2 | β^- 97.1%, ε 2.9% |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode | |
|----------------|-----------|----------------------------|--|-------------------|-----------------------------|
| Z | El | A | Jπ | (MeV) | |
| 81 | Tl | 205 | 1/2+ | -23.835 | 70.476% 14 |
| | | 206 | 0- | -22.267 | 4.200 m 17 |
| | | 206m | (12-) | -19.624 | 3.74 m 3 |
| | | 207 | 1/2+ | -21.044 | 4.77 m 2 |
| | | 207m | 11/2- | -19.696 | 1.33 s 11 |
| | | 208 | 5(+) | -16.763 | 3.053 m 4 |
| | | 209 | (1/2+) | -13.647 | 2.161 m 7 |
| | | 210 | (5+) | -9.25 | 1.30 m 3 |
| 82 | Pb | 180 | 0+ | 4 s +4-2 | α |
| | | 181 | (13/2+) | -3.1s | 45 ms 20 |
| | | 182 | 0+ | -6.82 | 55 ms +40-35 |
| | | 183 | (1/2-) | -7.5s | 300 ms 80 |
| | | 184 | 0+ | -11.0s | 0.55 s 6 |
| | | 185 | | -11.6s | 4.1 s 3 |
| | | 186 | 0+ | -14.6s | 4.82 s 3 |
| | | 187m | | -14.9s | 15.2 s 3 |
| | | 187m | (13/2+) | -14.9s | 18.3 s 3 |
| | | 188 | 0+ | -17.6s | 24 s 2 |
| | | 189m | | -17.8s | 51 s 3 |
| | | 190 | 0+ | -20.3 | 1.2 m 1 |
| | | 191 | (3/2-) | -20.3s | 1.33 m 8 |
| | | 191m | (13/2+) | -20.2s | 2.18 m 8 |
| | | 192 | 0+ | -22.6s | 3.5 m 1 |
| | | 193 | (3/2-) | -22.3s | ϵ |
| | | 193m | (13/2+) | -22.3s | ϵ |
| | | 194 | 0+ | -24.3s | 12.0 m 5 |
| | | 195 | 3/2- | -23.8s | \approx 15 m |
| | | 195m | 13/2+ | -23.6s | 15.0 m 12 |
| | | 196 | 0+ | -25.4s | 37 m 3 |
| | | 197 | 3/2- | -24.8s | ϵ |
| | | 197m | 13/2+ | -24.5s | 43 m 1 |
| | | 198 | 0+ | -26.10s | 2.40 h 10 |
| | | 199 | 3/2- | -25.23 | 90 m 10 |
| | | 199m | 13/2+ | -24.81 | 12.2 m 3 |
| | | 200 | 0+ | -26.25 | 21.5 h 4 |
| | | 201 | 5/2- | -25.29 | 9.33 h 3 |
| | | 201m | 13/2+ | -24.66 | 61 s 2 |
| | | 202 | 0+ | -25.948 | 52.5×10^3 y 28 |
| | | 202m | 9- | -23.778 | 3.53 h 1 |
| | | 203 | 5/2- | -24.801 | 51.873 h 9 |
| | | 203m | 13/2+ | -23.975 | 6.3 s 2 |
| | | 203m | 29/2- | -21.851 | 0.48 s 2 |
| | | 204 | 0+ | -25.124 | $\geq 1.4 \times 10^{17}$ y |
| | | | | 1.4% 1 | |
| | | 204m | 9- | -22.938 | 67.2 m 3 |
| | | 205 | 5/2- | -23.784 | 1.53×10^7 y 7 |
| | | 206 | 0+ | -23.801 | 24.1% 1 |
| | | 207 | 1/2- | -22.467 | 22.1% 1 |
| | | 207m | 13/2+ | -20.834 | 0.806 s 6 |
| | | 208 | 0+ | -21.764 | 52.4% 1 |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode | | |
|----------------|-----------|----------------------------|--|-------------------|------------|---|
| Z | El | A | Jπ | (MeV) | | |
| 82 | Pb | 209 | 9/2+ | -17.629 | 3.253 h 14 | β^- |
| | | 210 | 0+ | -14.743 | 22.3 y 3 | β^- , $\alpha 1.9 \times 10^{-60\%}$ |
| | | 211 | 9/2+ | -10.497 | 36.1 m 2 | β^- |
| | | 212 | 0+ | -7.557 | 10.64 h 1 | β^- |
| | | 213 | (9/2+) | -3.3s | 10.2 m 3 | β^- |
| | | 214 | 0+ | -0.188 | 26.8 m 9 | β^- |
| 83 | Bi | 186 | (3+) | -3.3s | 15.0 ms 17 | α |
| | | 186m | (10-) | -3.3s | 9.8 ms 13 | $\alpha \approx 100\%$ |
| | | 187 | (9/2-) | -6.1s | 32 ms 3 | $\alpha 53\%$ |
| | | 188m | | -7.3s | 44 ms 3 | ϵ , α |
| | | 188m | | -7.3s | 218 ms 50 | ϵ , α |
| | | 189 | (9/2-) | -9.8s | 728 ms 40 | $\alpha > 50\%$, $\epsilon < 50\%$ |
| | | 189m | (1/2+) | -9.7s | 4.8 ms 5 | $\alpha > 50\%$, $\epsilon < 50\%$ |
| | | 190m | (10-) | -10.7s | 6.2 s 1 | $\alpha 70\%$, $\epsilon 30\%$ |
| | | 190m | (3+) | -10.7s | 6.3 s 1 | $\alpha \approx 90\%$, $\epsilon \approx 10\%$ |
| | | 191 | (9/2-) | -13.0s | 12.3 s 5 | $\alpha 60\%$, $\epsilon 40\%$ |
| | | 191m | (1/2+) | -12.7s | 150 ms 15 | $\alpha 75\%$, $\epsilon \leq 25\%$ |
| | | 192 | (3+) | -13.6s | 34.6 s 9 | $\epsilon 88\%$, $\alpha 12\%$ |
| | | 192m | (10-) | -13.6s | 39.6 s 4 | $\epsilon 90\%$, $\alpha 10\%$ |
| | | 193 | (9/2-) | -15.8s | 67 s 3 | $\epsilon 96.5\%$, $\alpha 3.5\%$ |
| | | 193m | (1/2+) | -15.5s | 3.2 s 6 | $\alpha 90\%$, $\epsilon 10\%$ |
| | | 194 | (3+) | -16.1s | 95 s 3 | $\epsilon 99.54\%$, $\alpha 0.46\%$ |
| | | 194m | (10-) | -16.1s | 115 s 4 | $\epsilon 99.8\%$, $\alpha 0.2\%$ |
| | | 194m | (6+, 7+) | -16.1s | 125 s 2 | ϵ |
| | | 195 | (9/2-) | -17.9s | 183 s 4 | $\epsilon 99.97\%$, $\alpha 0.03\%$ |
| | | 195m | (1/2+) | -17.5s | 87 s 1 | $\epsilon 67\%$, $\alpha 33\%$ |
| | | 196 | (3+) | -18.1s | 308 s 12 | $\epsilon \approx 100\%$, $\alpha 1.2 \times 10^{-3\%}$ |
| | | 196m | (7+) | -17.9s | 0.6 s 5 | IT, ϵ |
| | | 196m | (10-) | -17.8s | 240 s 3 | $\epsilon 74.2\%$, IT 25.8%, $\alpha 3.8 \times 10^{-4\%}$ |
| | | 197 | (9/2-) | -19.6 | 9.33 m 50 | ϵ , $\alpha 1.0 \times 10^{-4\%}$ |
| | | 197m | (1/2+) | -19.1 | 5.04 m 16 | $\alpha 55\%$, $\epsilon 45\%$, IT < 0.3% |
| | | 198 | (2+, 3+) | -19.5 | 10.3 m 3 | ϵ |
| | | 198m | (7+) | -19.5 | 11.6 m 3 | ϵ |
| | | 198m | (10-) | -19.3 | 7.7 s 5 | IT |
| | | 199 | 9/2- | -20.9 | 27 m 1 | ϵ |
| | | 199m | (1/2+) | -20.2 | 24.70 m 15 | $\epsilon \geq 98\%$, IT $\leq 2\%$, $\alpha \approx 0.01\%$ |
| | | 200 | 7+ | -20.36 | 36.4 m 5 | ϵ |
| | | 200m | (2+) | -20.36 | 31 m 2 | $\epsilon > 90\%$, IT < 10% |
| | | 200m | (10-) | -19.93 | 0.40 s 5 | IT |
| | | 201 | 9/2- | -21.45 | 108 m 3 | ϵ , $\alpha < 1.0 \times 10^{-4\%}$ |
| | | 201m | 1/2+ | -20.61 | 59.1 m 6 | $\epsilon > 93\%$, IT $\leq 6.8\%$, $\alpha \approx 0.3\%$ |
| | | 202 | 5+ | -20.80 | 1.72 h 5 | ϵ , $\alpha < 1.0 \times 10^{-5\%}$ |
| | | 203 | 9/2- | -21.55 | 11.76 h 5 | ϵ , $\alpha \approx 1.0 \times 10^{-5\%}$ |
| | | 203m | 1/2+ | -20.45 | 303 ms 5 | IT |
| | | 204 | 6+ | -20.67 | 11.22 h 10 | ϵ |
| | | 205 | 9/2- | -21.075 | 15.31 d 4 | ϵ |
| | | 206 | 6(+) | -20.043 | 6.243 d 3 | ϵ |

Nuclear Wallet Cards

| Isotope | | Δ | T%, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|--|---|
| Z | El | Jπ | (MeV) | |
| 83 Bi | | | | |
| 207 | | 9/2- | -20.069 | 31.55 y 5 |
| 208 | | (5)+ | -18.885 | 3.68×10^5 y 4 |
| 209 | | 9/2- | -18.273 | 100% |
| 210 | | 1- | -14.806 | 5.013 d 5 |
| 210m | | 9- | -14.535 | 3.04×10^6 y 6 |
| 211 | | 9/2- | -11.869 | 2.14 m 2 |
| 212 | | 1(-) | -8.130 | 60.55 m 6 |
| | | | | β^- 64.06%, α 35.94%, $\beta-\alpha$ 0.014% |
| 212m | | (9-) | -7.880 | 25.0 m 2 |
| 212m | | | -6.220 | 7.0 m 3 |
| 213 | | 9/2- | -5.240 | 45.59 m 6 |
| 214 | | 1- | -1.21 | 19.9 m 4 |
| 215 | | | 1.71 | 7.6 m 2 |
| 216 | | (1-) | 5.8s | 2.17 m 5 |
| | | | | 97 s 3 |
| 217 | | | | β^- ? |
| 84 Po | | | | |
| 190 | | 0+ | -4.6s | 2.53 ms 33 |
| 191 | | (3/2-) | -5.0s | 22 ms 1 |
| 191m | | (13/2+) | -4.9s | 98 ms 8 |
| 192 | | 0+ | -7.9s | 33.2 ms 14 |
| 193m | | (13/2+) | -8.3s | 0.24 s 1 |
| 193m | | (3/2-) | -8.3s | 0.42 s 4 |
| 194 | | 0+ | -10.9 | 0.392 s 4 |
| 195 | | (3/2-) | -11.1s | 4.64 s 9 |
| 195m | | (13/2+) | -10.9s | 1.92 s 2 |
| | | | | $\alpha \approx 90\%$, $\varepsilon \approx 10\%$, IT < 0.01% |
| 196 | | 0+ | -13.5s | 5.8 s 2 |
| 197 | | (3/2-) | -13.4s | 1.4 m 2 |
| 197m | | (13/2+) | -13.2s | 31 s 2 |
| | | | | α 84%, ε 16%, IT 0.01% |
| 198 | | 0+ | -15.5s | 1.87 m 10 |
| 199 | | (3/2-) | -15.3s | 4.58 m 52 |
| 199m | 13/2+ | | -15.0s | 4.13 m 43 |
| | | | | ε 73.5%, α 24%, IT 2.5% |
| 200 | | 0+ | -17.0s | 10.9 m 11 |
| 201 | | 3/2- | -16.6s | 15.3 m 2 |
| 201m | 13/2+ | | -16.1s | 8.9 m 2 |
| | | | | ε 88.9%, α 11.1% ε 98.4%, α 1.6% IT 56%, ε 41%, $\alpha \approx 2.9\%$ |
| 202 | | 0+ | -17.98s | 44.7 m 5 |
| 203 | | 5/2- | -17.31 | 36.7 m 5 |
| 203m | 13/2+ | | -16.67 | 45 s 2 |
| 204 | | 0+ | -18.34 | 3.53 h 2 |
| 205 | | 5/2- | -17.54 | 1.66 h 2 |
| 206 | | 0+ | -18.197 | 8.8 d 1 |
| 207 | | 5/2- | -17.160 | 5.80 h 2 |
| 207m | 19/2- | | -15.777 | 2.79 s 8 |
| 208 | | 0+ | -17.483 | 2.898 y 2 |
| 209 | | 1/2- | -16.380 | 102 y 5 |
| 210 | | 0+ | -15.968 | 138.376 d 2 |
| 211 | | 9/2+ | -12.448 | 0.516 s 3 |
| 211m | (25/2+) | | -10.986 | 25.2 s 6 |
| 212 | | 0+ | -10.384 | 0.299 μ s 2 |
| 212m | (18+) | | -7.463 | 45.1 s 6 |
| | | | | α 99.98%, IT 0.02% α 99.93%, IT 0.07% |

Nuclear Wallet Cards

| Isotope | | Δ | T$\frac{1}{2}$, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|---|---|
| Z | El | Jπ | (MeV) | |
| 84 | Po | 213 | 9/2+ | -6.667 3.65 μ s 4 α |
| | | 214 | 0+ | -4.484 164.3 μ s 20 α |
| | | 215 | 9/2+ | -0.545 1.781 ms 4 α , β^- $2.3 \times 10^{-4}\%$ |
| | | 216 | 0+ | 1.775 0.145 s 2 α |
| | | 217 | | 5.8s 1.47 s 5 $\alpha > 95\%$, $\beta^- < 5\%$ |
| | | 218 | 0+ | 8.352 3.10 m 2 α 99.98%, β^- 0.02% |
| | | 219 | | ≈ 2 m α ?, β^- ? |
| 85 | At | 193 | | 0.2s 40 ms α |
| | | 193m | | 0.2s ≈ 40 ms α |
| | | 194m | | -1.0s ≈ 40 ms α |
| | | 194m | | -1.0s ≈ 250 ms α |
| | | 195 | | -3.2s 146 ms +21-17 $\alpha > 75\%$, $\epsilon < 25\%$ |
| | | 195m | | -3.2s 385 ms +69-51 ϵ , α |
| | | 196 | | -4.0s 0.253 s 9 $\alpha > 0\%$ |
| | | 197 | (9/2-) | -6.3s 0.37 s +9-6 α 96%, ϵ 4% |
| | | 197m | (1/2+) | -6.2s 3.7 s 25 $\alpha \leq 100\%$, ϵ |
| | | 198 | (3+) | -6.8s 4.6 s +18-10 α 90%, ϵ 10% |
| | | 198m | (10-) | -6.6s 1.3 s +8-3 α 84%, ϵ 16% |
| | | 199 | (9/2-) | -8.7s 7.2 s 5 α 90%, ϵ 10% |
| | | 200 | (3+) | -9.0s 43 s 1 α 57%, ϵ 43% |
| | | 200m | (7+) | -8.9s 47 s 1 $\epsilon \leq 57\%$, α 43% |
| | | 200m | (10-) | -8.7s 3.5 s 2 IT ≈ 84%, $\alpha \approx 10.5\%$, $\epsilon \approx 4.5\%$ |
| | | 201 | (9/2-) | -10.7 89 s 3 α 71%, ϵ 29% |
| | | 202 | (2,3)+ | -10.8 184 s 1 ϵ 82%, α 18% |
| | | 202m | (7+) | -10.8 182 s 2 ϵ 91.3%, α 8.7% |
| | | 202m | (10-) | -10.4 0.46 s 5 IT 99.7%, ϵ 0.25%, α 0.1% |
| | | 203 | 9/2- | -12.3 7.4 m 2 ϵ 69%, α 31% |
| | | 204 | 7+ | -11.87 9.2 m 2 ϵ 96.2%, α 3.8% |
| | | 204m | (10-) | -11.28 108 ms 10 IT |
| | | 205 | 9/2- | -13.01 26.2 m 5 ϵ 90%, α 10% |
| | | 206 | (5)+ | -12.48 30.6 m 13 ϵ 99.11%, α 0.89% |
| | | 207 | 9/2- | -13.25 1.80 h 4 ϵ 91.4%, α 8.6% |
| | | 208 | 6+ | -12.50 1.63 h 3 ϵ 99.45%, α 0.55% |
| | | 209 | 9/2- | -12.893 5.41 h 5 ϵ 95.9%, α 4.1% |
| | | 210 | (5)+ | -11.987 8.1 h 4 ϵ 99.82%, α 0.18% |
| | | 211 | 9/2- | -11.662 7.214 h 7 ϵ 58.2%, α 41.8% |
| | | 212 | (1-) | -8.631 0.314 s 2 α , $\epsilon < 0.03\%$, $\beta^- < 2.0 \times 10^{-6}\%$ |
| | | 212m | (9-) | -8.409 0.119 s 3 $\alpha > 99\%$, IT < 1% |
| | | 213 | 9/2- | -6.594 125 ns 6 α |
| | | 214 | 1- | -3.394 558 ns 10 α |
| | | 215 | 9/2- | -1.266 0.10 ms 2 α |
| | | 216 | 1- | 2.244 0.30 ms 3 α , $\beta^- < 6.0 \times 10^{-3}\%$, $\epsilon < 3.0 \times 10^{-7}\%$ |
| | | 217 | 9/2- | 4.387 32.3 ms 4 α 99.99%, β^- 0.01% |
| | | 218 | | 8.09 1.5 s 3 α 99.9%, β^- 0.1% |
| | | 219 | | 10.52 56 s 3 $\alpha \approx 97\%$, $\beta^- \approx 3\%$ |
| | | 220 | 3 | 14.3s 3.71 m 4 β^- 92%, α 8% |
| | | 221 | | 16.9s 2.3 m 2 β^- |
| | | 222 | | 20.8s 54 s 10 β^- |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-------------|--------------------|--------------------------------|-----------------------------|
| 85 At | 85 | At | 223 | | 23.6s | 50 s 7 | β- |
| 86 Rn | 86 | Rn | 196m | 0+ | 2.2s | 3 ms +7-2 | α > 0% |
| | | | 197 | (3/2-) | 1.5s | 65 ms +25-14 | α |
| | | | 197m | (13/2+) | 1.5s | 19 ms +8-4 | α |
| | | | 198 | 0+ | -1.1 | 84 ms +16-12 | ε, α |
| | | | 199 | (3/2-) | -1.6s | 0.62 s 3 | α 94%, ε 6% |
| | | | 199m | (13/2+) | -1.6s | 0.32 s 2 | α 97%, ε 3% |
| | | | 200 | 0+ | -4.0s | 0.96 s 3 | α ≈ 98%, ε ≈ 2% |
| | | | 201 | (3/2-) | -4.2s | 7.1 s 8 | α ≈ 80%, ε ≈ 20% |
| | | | 201m | (13/2+) | -3.9s | 3.8 s 1 | α ≈ 90%, ε ≈ 10%, IT ≈ 0% |
| | | | 202 | 0+ | -6.3s | 10.0 s 3 | α 86%, ε 14% |
| | | | 203 | (3/2, 5/2)- | -6.2s | 42 s 3 | α 66%, ε 34% |
| | | | 203m | (13/2+) | -5.9s | 26.7 s 5 | α ≈ 80%, ε ≈ 20%, IT < 0.1% |
| | | | 204 | 0+ | -8.0s | 1.17 m 18 | α 73%, ε 27% |
| | | | 205 | 5/2- | -7.8s | 2.8 m 1 | ε 77%, α 23% |
| | | | 206 | 0+ | -9.17s | 5.67 m 17 | α 62%, ε 38% |
| | | | 207 | 5/2- | -8.64 | 9.25 m 17 | ε 79%, α 21% |
| | | | 208 | 0+ | -9.66 | 24.35 m 14 | α 62%, ε 38% |
| | | | 209 | 5/2- | -8.96 | 28.5 m 10 | ε 83%, α 17% |
| | | | 210 | 0+ | -9.61 | 2.4 h 1 | α 96%, ε 4% |
| | | | 211 | 1/2- | -8.770 | 14.6 h 2 | ε 72.6%, α 27.4% |
| | | | 212 | 0+ | -8.673 | 23.9 m 12 | α |
| | | | 213 | (9/2+) | -5.712 | 25.0 ms 2 | α |
| | | | 214 | 0+ | -4.335 | 0.27 μs 2 | α |
| | | | 215 | 9/2+ | -1.184 | 2.30 μs 10 | α |
| | | | 216 | 0+ | 0.241 | 45 μs 5 | α |
| | | | 217 | 9/2+ | 3.646 | 0.54 ms 5 | α |
| | | | 218 | 0+ | 5.204 | 35 ms 5 | α |
| | | | 219 | 5/2+ | 8.826 | 3.96 s 1 | α |
| | | | 220 | 0+ | 10.604 | 55.6 s 1 | α |
| | | | 221 | 7/2(+) | 14.4s | 25.7 m 5 | β- 78%, α 22% |
| | | | 222 | 0+ | 16.367 | 3.8235 d 3 | α |
| | | | 223 | 7/2 | 20.3s | 23.2 m 4 | β- |
| | | | 224 | 0+ | 22.4s | 107 m 3 | β- |
| | | | 225 | 7/2- | 26.5s | 4.66 m 4 | β- |
| | | | 226 | 0+ | 28.8s | 7.4 m 1 | β- |
| | | | 227 | 5/2 | 33.0s | 22.5 s 7 | β- |
| | | | 228 | 0+ | 35.5s | 65 s 2 | β- |
| 87 Fr | 87 | Fr | 199 | | | 12 ms +10-4 | α |
| | | | 200 | (3+) | 6.1s | 19 ms +13-6 | α |
| | | | 200m | (10-) | 6.3s | 0.57 s +27-14 | α |
| | | | 201 | (9/2-) | 3.7s | 69 ms +16-11 | α, ε < 1% |
| | | | 202 | (3+) | 3.1s | 0.23 s +8-4 | α ≈ 97%, ε ≈ 3% |
| | | | 202m | (10-) | 3.2s | 0.23 s +14-5 | α ≈ 97%, ε ≈ 3% |
| | | | 203 | (9/2-) | 1.0s | 0.55 s 2 | α ≈ 95%, ε ≈ 5% |
| | | | 204 | (3+) | 0.6s | 1.7 s 3 | α ≈ 80%, ε ≈ 20% |
| | | | 204m | (7+) | 0.6s | 2.6 s 3 | α ≤ 100% |
| | | | 204m | (10-) | 0.9s | ≈ 1 s | α ≤ 100%, IT |
| | | | 205 | (9/2-) | -1.2 | 3.85 s 10 | α, ε < 1% |
| | | | 206 | (2+, 3+) | -1.4 | ≈ 16 s | α ≈ 84%, ε ≈ 16% |

Nuclear Wallet Cards

| Isotope | | | Δ | T½, Γ, or Abundance | Decay Mode |
|----------------|--------------|----------|-----------|--------------------------------|---|
| Z | El | A | Jπ | (MeV) | |
| 87 Fr | | | | | |
| 206m | (7+) | | -1.4 | 15.9 s 1 | α 84%, ε 16% |
| 206m | (10-) | | -0.9 | 0.7 s 1 | IT, α≈12% |
| 207 | 9/2- | | -2.9 | 14.8 s 1 | α 95%, ε 5% |
| 208 | 7+ | | -2.67 | 59.1 s 3 | α 90%, ε 10% |
| 209 | 9/2- | | -3.80 | 50.0 s 3 | α 89%, ε 11% |
| 210 | 6+ | | -3.35 | 3.18 m 6 | α 60%, ε 40% |
| 211 | 9/2- | | -4.16 | 3.10 m 2 | α>80%, ε<20% |
| 212 | 5+ | | -3.54 | 20.0 m 6 | ε 57%, α 43% |
| 213 | 9/2- | | -3.563 | 34.6 s 3 | α 99.45%, ε 0.55% |
| 214 | (1-) | | -0.974 | 5.0 ms 2 | α |
| 214m | (8-) | | -0.852 | 3.35 ms 5 | α |
| 215 | 9/2- | | 0.304 | 86 ns 5 | α |
| 216 | (1-) | | 2.97 | 0.70 μs 2 | α, ε<2.0×10⁻⁷% |
| 217 | 9/2- | | 4.300 | 22 μs 5 | α |
| 218 | 1- | | 7.045 | 1.0 ms 6 | α |
| 218m | | | 7.131 | 22.0 ms 5 | α≤100%, IT |
| 219 | 9/2- | | 8.608 | 20 ms 2 | α |
| 220 | 1+ | | 11.469 | 27.4 s 3 | α 99.65%, β- 0.35% |
| 221 | 5/2- | | 13.270 | 4.9 m 2 | α, β-<0.1%, ¹⁴ C 9×10⁻¹³% |
| 222 | 2- | | 16.34 | 14.2 m 3 | β- |
| 223 | 3/2(-) | | 18.379 | 22.00 m 7 | β- 99.99%, α 6.0×10⁻³% |
| 224 | 1- | | 21.64 | 3.33 m 10 | β- |
| 225 | 3/2- | | 23.85 | 4.0 m 2 | β- |
| 226 | 1- | | 27.33 | 49 s 1 | β- |
| 227 | 1/2+ | | 29.65 | 2.47 m 3 | β- |
| 228 | 2- | | 33.3s | 38 s 1 | β-≤100% |
| 229 | (1/2+) | | 35.8s | 50.2 s 4 | β- |
| 230 | | | 39.6s | 19.1 s 5 | β- |
| 231 | | | 42.3s | 17.5 s 8 | β- |
| 232 | | | 46.3s | 5 s 1 | β- |
| 88 Ra | | | | | |
| 202 | 0+ | | | 0.7 ms +33-3 | α |
| 203 | (3/2-) | | 8.6s | 1.1 ms +50-5 | α |
| 203m | (13/2+) | | 8.6s | 33 ms +22-10 | α |
| 204 | 0+ | | 6.0s | 59 ms +12-9 | α |
| 205 | (3/2-) | | 5.8s | 0.21 s +6-4 | ε, α |
| 205m | (13/2+) | | 5.8s | 0.17 s +6-4 | α |
| 206 | 0+ | | 3.5s | 0.24 s 2 | α |
| 207 | (5/2-, 3/2-) | | 3.5s | 1.3 s 2 | α≈90%, ε≈10% |
| 207m | (13/2+) | | 3.9s | 55 ms 10 | IT 85%, α 15%, ε≈0.35% |
| 208 | 0+ | | 1.7s | 1.3 s 2 | α 95%, ε 5% |
| 209 | 5/2- | | 1.8s | 4.6 s 2 | α≈90%, ε≈10% |
| 210 | 0+ | | 0.42s | 3.7 s 2 | α≈96%, ε≈4% |
| 211 | 5/2(-) | | 0.83 | 13 s 2 | α>93%, ε<7% |
| 212 | 0+ | | -0.20 | 13.0 s 2 | α≈90%, ε≈15% |
| 213 | 1/2- | | 0.32 | 2.74 m 6 | α 80%, ε 20% |
| 213m | | | 2.09 | 2.1 ms 1 | IT≈99%, α≈1% |
| 214 | 0+ | | 0.08 | 2.46 s 3 | α 99.94%, ε 0.06% |
| 215 | (9/2+) | | 2.519 | 1.59 ms 9 | α |
| 216 | 0+ | | 3.277 | 182 ns 10 | α, ε<1.0×10⁻⁸% |

Nuclear Wallet Cards

| Isotope | | Δ | T$\frac{1}{2}$, Γ, or Abundance | Decay Mode |
|----------------|-----------|----------------------------|---|-------------------|
| Z | El | A | Jπ | (MeV) |
| 88 Ra | 217 | (9/2+) | 5.874 | 1.6 μ s 2 |
| | 218 | 0+ | 6.64 | 25.6 μ s 11 |
| | 219 | (7/2)+ | 9.379 | 10 ms 3 |
| | 220 | 0+ | 10.26 | 18 ms 2 |
| | 221 | 5/2+ | 12.955 | 28 s 2 |
| | 222 | 0+ | 14.309 | 38.0 s 5 |
| | 223 | 3/2+ | 17.230 | 11.435 d 4 |
| | 224 | 0+ | 18.818 | 3.66 d 4 |
| | 225 | 1/2+ | 21.987 | 14.9 d 2 |
| | 226 | 0+ | 23.662 | 1600 y 7 |
| | 227 | 3/2+ | 27.172 | 42.2 m 5 |
| | 228 | 0+ | 28.936 | 5.75 y 3 |
| | 229 | 5/2(+) | 32.43 | 4.0 m 2 |
| | 230 | 0+ | 34.54 | 93 m 2 |
| | 231 | (7/2-, 1/2+) | 38.4s | 103 s 3 |
| | 232 | 0+ | 40.7s | 250 s 50 |
| | 233 | (1/2+) | 44.7s | 30 s 5 |
| | 234 | 0+ | 47.1s | 30 s 10 |
| 89 Ac | 206m | | | 11 ms +9-3 |
| | 206m | (3+) | | 22 ms +9-5 |
| | 206m | (10-) | | 33 ms +22-9 |
| | 207 | (9/2-) | 11.3s | 27 ms +11-6 |
| | 208 | (3+) | 10.7s | 95 ms +24-16 |
| | 208m | (10-) | 11.2s | 25 ms +9-5 |
| | 209 | (9/2-) | 8.9 | 0.10 s 5 |
| | 210 | | 8.6 | 0.35 s 5 |
| | 211 | | 7.1 | 0.25 s 5 |
| | 212 | | 7.28 | 0.93 s 5 |
| | 213 | | 6.12 | 0.80 s 5 |
| | 214 | | 6.42 | 8.2 s 2 |
| | 215 | 9/2- | 6.01 | 0.17 s 1 |
| | 216 | (1-) | 8.12 | \approx 0.33 ms |
| | 217 | 9/2- | 8.69 | 69 ns 4 |
| | 218 | (1-) | 10.83 | 1.08 μ s 9 |
| | 219 | 9/2- | 11.56 | 11.8 μ s 15 |
| | 220 | (3-) | 13.74 | 26.4 ms 2 |
| | 221 | | 14.51 | 52 ms 2 |
| | 222 | 1- | 16.608 | 5.0 s 5 |
| | 222m | | 16.608 | 63 s 3 |
| | 223 | (5/2-) | 17.816 | 2.10 m 5 |
| | 224 | 0- | 20.221 | 2.78 h 17 |
| | 225 | (3/2-) | 21.630 | 10.0 d 1 |
| | 226 | (1) | 24.302 | 29.37 h 12 |
| | 227 | 3/2- | 25.846 | 21.773 y 3 |
| | 228 | 3+ | 28.890 | 6.15 h 2 |
| | 229 | (3/2+) | 30.67 | 62.7 m 5 |
| | 230 | (1+) | 33.6 | 122 s 3 |
| | 231 | (1/2+) | 35.9 | 7.5 m 1 |
| | 232 | (1+) | 39.1 | 119 s 5 |

Nuclear Wallet Cards

| Isotope | | Δ | T$\frac{1}{2}$, Γ, or Abundance | Decay Mode | | |
|----------------|-----------|----------------------------|---|-------------------|---|---|
| Z | El | A | Jπ | (MeV) | | |
| 89 | Ac | 233 | (1/2+) | 41.5s | 145 s 10 | β^- |
| | | 234 | | 45.1s | 44 s 7 | β^- |
| | | 235 | | 47.6s | \approx 40 s | β^- ? |
| | | 236 | | 51.4s | \approx 2 m | β^- ? |
| 90 | Th | 209 | (5/2-) | | 3.8 ms +69-15 | α |
| | | 210 | 0+ | 14.0s | 9 ms +17-4 | α |
| | | 211 | | 13.8s | 37 ms +28-11 | ϵ , α |
| | | 212 | 0+ | 12.0s | 30 ms +20-10 | α , $\epsilon \approx 0.3\%$ |
| | | 213 | | 12.1s | 140 ms 25 | $\alpha \leq 100\%$ |
| | | 214 | 0+ | 10.67s | 100 ms 25 | α |
| | | 215 | (1/2-) | 10.92 | 1.2 s 2 | α |
| | | 216 | 0+ | 10.29 | 0.028 s 2 | α , $\epsilon \approx 0.01\%$ |
| | | 217 | (9/2+) | 12.17 | 0.252 ms 7 | α |
| | | 218 | 0+ | 12.36 | 109 ns 13 | α |
| | | 219 | | 14.46 | 1.05 μ s 3 | α |
| | | 220 | 0+ | 14.66 | 9.7 μ s 6 | α , $\epsilon 2.0 \times 10^{-7}\%$ |
| | | 221 | (7/2+) | 16.93 | 1.68 ms 6 | α |
| | | 222 | 0+ | 17.19 | 2.8 ms 3 | α |
| | | 223 | (5/2)+ | 19.371 | 0.60 s 2 | α |
| | | 224 | 0+ | 19.99 | 1.05 s 2 | α |
| | | 225 | (3/2)+ | 22.301 | 8.72 m 4 | $\alpha \approx 90\%$, $\epsilon \approx 10\%$ |
| | | 226 | 0+ | 23.185 | 30.57 m 10 | α |
| | | 227 | (1/2+) | 25.801 | 18.72 d 2 | α |
| | | 228 | 0+ | 26.763 | 1.9116 y 16 | α , $^{20}\text{O} 1 \times 10^{-11}\%$ |
| | | 229 | 5/2+ | 29.580 | 7340 y 160 | α |
| | | 230 | 0+ | 30.857 | 7.538×10^4 y 30 | α , SF $< 4. \times 10^{-11}\%$ |
| | | 231 | 5/2+ | 33.811 | 25.52 h 1 | β^- , $\alpha \approx 1.0 \times 10^{-8}\%$ |
| | | 232 | 0+ | 35.444 | 1.405×10^{10} y 6 100% | α , SF $1.2 \times 10^{-8}\%$, Ne |
| | | 233 | 1/2+ | 38.729 | 22.3 m 1 | β^- |
| | | 234 | 0+ | 40.609 | 24.10 d 3 | β^- |
| | | 235 | (1/2+) | 44.25 | 7.1 m 2 | β^- |
| | | 236 | 0+ | 46.3s | 37.5 m 2 | β^- |
| | | 237 | (5/2+) | 50.2s | 5.0 m 9 | β^- |
| | | 238 | 0+ | 52.4s | \approx 20 m | β^- ? |
| 91 | Pa | 212 | | | 5.1 ms +61-19 | α |
| | | 213 | (9/2-) | 19.7 | 5.3 ms +40-16 | α |
| | | 214 | | 19.3 | 17 ms 3 | α |
| | | 215 | (9/2-) | 17.8 | 15 ms 4 | α |
| | | 216 | | 17.8 | 105 ms 12 | $\alpha \approx 98\%$, $\epsilon \approx 2\%$ |
| | | 217 | (9/2-) | 17.04 | 2.3 ms +5-3 | α |
| | | 217m | (29/2+) | 18.89 | 1.5 ms +9-4 | α |
| | | 218 | | 18.64 | 0.11 ms 2 | α |
| | | 219 | 9/2- | 18.52 | 53 ns 10 | α |
| | | 221 | 9/2- | 20.37 | 4.9 μ s 8 | α |
| | | 222 | | 22.10s | 3.3 ms 3 | α |
| | | 223 | | 22.32 | 5 ms 1 | α |
| | | 224 | | 23.86 | 0.85 s 2 | α |
| | | 225 | | 24.33 | 1.7 s 2 | α |
| | | 226 | | 26.02 | 1.8 m 2 | $\alpha 74\%$, $\epsilon 26\%$ |
| | | 227 | (5/2-) | 26.821 | 38.3 m 3 | $\alpha 85\%$, $\epsilon 15\%$ |
| | | 228 | 3+ | 28.911 | 22 h 1 | $\epsilon 98\%$, $\alpha 2\%$ |

Nuclear Wallet Cards

| Isotope | Z El A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|---------------|--------------|--------------------|---|---|
| 91 Pa | 229 | (5/2+) | 29.890 | 1.50 d 5 | ε 99.52%, α 0.48% |
| | 230 | (2-) | 32.167 | 17.4 d 5 | ε 91.6%, β- 8.4%, α $3.2 \times 10^{-3}\%$ |
| | 231 | 3/2- | 33.421 | 32760 y 110 | α, Ne $13 \times 10^{-10}\%$, SF < $2 \times 10^{-11}\%$ |
| | 232 | (2-) | 35.939 | 1.31 d 2 | β-, ε $3.0 \times 10^{-3}\%$ |
| | 233 | 3/2- | 37.484 | 26.967 d 2 | β- |
| | 234 | 4+ | 40.336 | 6.70 h 5 | β- |
| | 234m | (0-) | 40.410 | 1.17 m 3 | β- 99.84%, IT 0.16% |
| | 235 | (3/2-) | 42.32 | 24.5 m 2 | β- |
| | 236 | 1(-) | 45.3 | 9.1 m 1 | β- |
| | 237 | (1/2+) | 47.6 | 8.7 m 2 | β- |
| | 238 | (3-) | 50.76 | 2.3 m 1 | β-, SF < $2.6 \times 10^{-6}\%$ |
| | 239 | (1/2+) | 53.2s | 106 m 30 | β- |
| | 240 | | 56.8s | ≈ 2 m | β- ? |
| 92 U | 218 | 0+ | 21.88s | 1.5 ms +73-7 | α |
| | 219 | (9/2+) | 23.21 | 42 μs +34-13 | α |
| | 220 | 0+ | 23.0s | ≈ 60 ns | α?, ε? |
| | 221 | | 24.5s | ≈ 0.7 μs | α?, ε? |
| | 222 | 0+ | 24.3s | 1.0 μs +10-4 | α |
| | 223 | (7/2+) | 25.82 | 55 μs 10 | α |
| | 224 | 0+ | 25.70 | 0.9 ms 3 | α |
| | 225 | | 27.37 | 60 ms 10 | α |
| | 226 | 0+ | 27.33 | 0.35 s 15 | α |
| | 227 | (3/2+) | 29.01 | 1.1 m 1 | α |
| | 228 | 0+ | 29.22 | 9.1 m 2 | α > 95%, ε < 5% |
| | 229 | (3/2+) | 31.201 | 58 m 3 | ε ≈ 80%, α ≈ 20% |
| | 230 | 0+ | 31.603 | 20.8 d | α, SF < $1 \times 10^{-10}\%$ |
| | 231 | (5/2-) | 33.803 | 4.2 d 1 | ε |
| | 231 | (3/2+, 5/2+) | 33.803 | 4.2 d 1 | α ≈ 4 × 10 ⁻³ % |
| | 232 | 0+ | 34.602 | 68.9 y 4 | α, Ne $9 \times 10^{-10}\%$, SF < $1 \times 10^{-12}\%$ |
| | 233 | 5/2+ | 36.913 | 1.592×10^5 y 2 | α, SF < $6 \times 10^{-11}\%$, Ne $7 \times 10^{-11}\%$ |
| | 234 | 0+ | 38.141 | 2.455×10^5 y 6 0.0054% 5 | α, SF $1.6 \times 10^{-9}\%$, Mg $1 \times 10^{-11}\%$, Ne $9 \times 10^{-12}\%$ |
| | 235 | 7/2- | 40.914 | 703.8×10^6 y 5 0.7204% 6 | α, SF $7.0 \times 10^{-9}\%$, Ne $8 \times 10^{-10}\%$ |
| | 235m | 1/2+ | 40.914 | ≈ 25 m | IT |
| | 236 | 0+ | 42.441 | 2.342×10^7 y 3 | α, SF $9.4 \times 10^{-8}\%$, ³⁰ Mg |
| | 237 | 1/2+ | 45.386 | 6.75 d 1 | β- |
| | 238 | 0+ | 47.304 | 4.468×10^9 y 3 99.2742% 10 | α, SF $5.4 \times 10^{-5}\%$ |
| | 239 | 5/2+ | 50.569 | 23.45 m 2 | β- |
| | 240 | 0+ | 52.709 | 14.1 h 1 | β- |
| | 241 | | 56.2s | ≈ 5 m | β- ? |
| | 242 | 0+ | 58.6s | 16.8 m 5 | β- |
| 93 Np | 225 | (9/2-) | 31.58 | > 2 μs | α |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|--------------------------------|-------------------------------|
| 93 Np | | | | | | | |
| 226 | | | | | 32.72s | 35 ms 10 | α |
| 227 | | | | | 32.56 | 0.51 s 6 | α |
| 228 | | | | | 33.7s | 61.4 s 14 | ε 60%, α 40% |
| 229 | | | | | 33.76 | 4.0 m 2 | α>50%, ε<50% |
| 230 | | | | | 35.22 | 4.6 m 3 | ε≤97%, α≥3% |
| 231 | | | | (5/2) | 35.61 | 48.8 m 2 | ε 98%, α 2% |
| 232 | | | | (4+) | 37.4s | 14.7 m 3 | ε |
| 233 | | | | (5/2+) | 37.94 | 36.2 m 1 | ε, α≤1.0×10⁻³% |
| 234 | | | | (0+) | 39.950 | 4.4 d 1 | ε |
| 235 | | | | 5/2+ | 41.038 | 396.1 d 12 | ε, α 2.6×10⁻³% |
| 236 | | | | (6-) | 43.37 | 154×10³ y 6 | ε 87.3%, β- 12.5%, α 0.16% |
| 236m | | | 1 | | 43.43 | 22.5 h 4 | ε 52%, β- 48% |
| 237 | | | | 5/2+ | 44.868 | 2.144×10⁶ y 7 | α, SF≤2×10⁻¹⁰% |
| 238 | | | | 2+ | 47.451 | 2.117 d 2 | β- |
| 239 | | | | 5/2+ | 49.305 | 2.3565 d 4 | β- |
| 240 | | | | 1(+) | 52.32 | 7.22 m 2 | β- 99.89% |
| 240 | | | | (5+) | 52.32 | 61.9 m 2 | β- |
| 241 | | | | (5/2+) | 54.26 | 13.9 m 2 | β- |
| 242m | | | 1(+) | | 57.4s | 2.2 m 2 | β- |
| 242m | | | (6) | | 57.4s | 5.5 m 1 | β- |
| 243 | | | | (5/2-) | 59.87s | 1.85 m 15 | β- |
| 244 | | | | (7-) | 63.2s | 2.29 m 16 | β- |
| 94 Pu | | | | | | | |
| 228 | | | | 0+ | 36.07 | ≈0.2 s | α |
| 229 | | | | (3/2+) | 37.39 | >2 μs | α |
| 230 | | | | 0+ | 36.93 | ≈200 s | α≤100% |
| 231 | | | | (3/2+) | 38.4s | 8.6 m 5 | ε 90%, α 10% |
| 232 | | | | 0+ | 38.36 | 34.1 m 7 | ε 80%, α 20% |
| 233 | | | | | 40.04 | 20.9 m 4 | ε 99.88%, α 0.12% |
| 234 | | | | 0+ | 40.338 | 8.8 h 1 | ε≈94%, α≈6% |
| 235 | | | | (5/2+) | 42.18 | 25.3 m 5 | ε, α 2.7×10⁻³% |
| 236 | | | | 0+ | 42.894 | 2.858 y 8 | α, SF 1.9×10⁻⁷% |
| 237 | | | | 7/2- | 45.088 | 45.2 d 1 | ε, α 4.2×10⁻³% |
| 237m | | | 1/2+ | | 45.234 | 0.18 s 2 | IT |
| 238 | | | | 0+ | 46.159 | 87.7 y 3 | α, SF 1.8×10⁻⁷% |
| 239 | | | | 1/2+ | 48.583 | 24110 y 30 | α, SF 3×10⁻¹⁰% |
| 240 | | | | 0+ | 50.121 | 6564 y 11 | α, SF 5.7×10⁻⁶% |
| 241 | | | | 5/2+ | 52.951 | 14.290 y 6 | β-, α 2.5×10⁻³%, SF>2.×10⁻¹⁴% |
| 242 | | | | 0+ | 54.713 | 3.733×10⁵ y 12 | α, SF 5.5×10⁻⁴% |
| 243 | | | | 7/2+ | 57.750 | 4.956 h 3 | β- |
| 244 | | | | 0+ | 59.800 | 8.00×10⁷ y 9 | α 99.88%, SF 0.12% |
| 245 | | | | (9/2-) | 63.10 | 10.5 h 1 | β- |
| 246 | | | | 0+ | 65.39 | 10.84 d 2 | β- |
| 247 | | | | | 69.0s | 2.27 d 23 | β- |
| 95 Am | | | | | | | |
| 231 | | | | | 42.4s | ≈10 s | ε ?, α ? |
| 232 | | | | | 43.4s | 79 s 2 | ε≈98%, α≈2% |
| 233 | | | | | 43.3s | ≈2 m | ε ?, α ? |
| 234 | | | | | 44.5s | 2.32 m 8 | ε 99.96%, α 0.04% |
| 235 | | | | | 44.7s | 15 ms 5 | ε |
| 236 | | | | | 46.2s | 4.4 m 8 | ε |
| 237 | | | | 5/2(-) | 46.55 | 73.0 m 10 | ε 99.98%, α 0.03% |

Nuclear Wallet Cards

| Isotope | | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|------------------|-----------|--------------------------|--------------------------------|--|
| Z El A | Jπ | | | |
| 95 Am 238 | 1+ | 48.42 | 98 m 2 | $\varepsilon > 99.99\%$, $\alpha 1.0 \times 10^{-4}\%$ |
| 239 | (5/2)− | 49.386 | 11.9 h 1 | $\varepsilon 99.99\%$, $\alpha 0.01\%$ |
| 240 | (3−) | 51.50 | 50.8 h 3 | ε , $\alpha 1.9 \times 10^{-4}\%$ |
| 241 | 5/2− | 52.930 | 432.2 y 7 | α , SF $4 \times 10^{-10}\%$ |
| 242 | 1− | 55.464 | 16.02 h 2 | $\beta^- 82.7\%$, $\varepsilon 17.3\%$ |
| 242m | 5− | 55.513 | 141 y 2 | IT 99.54%, $\alpha 0.46\%$, SF $< 4.7 \times 10^{-9}\%$ |
| 242m | | 57.664 | 14.0 ms 10 | SF ≈ 100%, $\alpha < 1.5\%$, IT > 0% |
| 243 | 5/2− | 57.168 | 7370 y 40 | α , SF $3.7 \times 10^{-9}\%$ |
| 244 | (6−) | 59.876 | 10.1 h 1 | β^- |
| 244m | 1+ | 59.964 | ≈ 26 m | $\beta^- 99.96\%$, $\varepsilon 0.04\%$ |
| 245 | (5/2)+ | 61.894 | 2.05 h 1 | β^- |
| 246 | (7−) | 64.99 | 39 m 3 | β^- |
| 246m | 2(−) | 64.99 | 25.0 m 2 | β^- , IT < 0.02% |
| 247 | (5/2) | 67.1s | 23.0 m 13 | β^- |
| 248 | | 70.6s | ≈ 10 m | β^- |
| 249 | | 73.1s | ≈ 2 m | $\beta^- ?$ |
| 96 Cm 232 | 0+ | | 1 m ? | SF < 30.3% |
| 233 | | 47.3s | ≈ 1 m | $\varepsilon ?, \alpha ?$ |
| 234 | 0+ | 46.8s | ≈ 2 m | $\varepsilon ?, \alpha ?$ |
| 235 | | 48.1s | ≈ 5 m | $\varepsilon ?, \alpha ?$ |
| 236 | 0+ | 47.9s | ≈ 10 m | ε , α |
| 237 | | 49.3s | ≈ 20 m | $\varepsilon ?, \alpha ?$ |
| 238 | 0+ | 49.38 | 2.4 h 1 | $\varepsilon \geq 90\%$, $\alpha \leq 10\%$ |
| 239 | (7/2−) | 51.2s | ≈ 2.9 h | ε , $\alpha < 0.1\%$ |
| 240 | 0+ | 51.716 | 27 d 1 | $\alpha > 99.5\%$, $\varepsilon < 0.5\%$, SF $3.9 \times 10^{-6}\%$ |
| 241 | 1/2+ | 53.698 | 32.8 d 2 | $\varepsilon 99\%$, $\alpha 1\%$ |
| 242 | 0+ | 54.799 | 162.8 d 2 | α , SF $6.4 \times 10^{-6}\%$, ^{34}Si |
| 243 | 5/2+ | 57.177 | 29.1 y 1 | $\alpha 99.71\%$, $\varepsilon 0.29\%$, SF $5.3 \times 10^{-9}\%$ |
| 244 | 0+ | 58.448 | 18.10 y 2 | α , SF $1.4 \times 10^{-4}\%$ |
| 245 | 7/2+ | 60.999 | 8500 y 100 | α , SF $6.1 \times 10^{-7}\%$ |
| 246 | 0+ | 62.613 | 4760 y 40 | $\alpha 99.97\%$, SF $2.6 \times 10^{-2}\%$ |
| 247 | 9/2− | 65.528 | 1.56×10^7 y 5 | α |
| 248 | 0+ | 67.386 | 3.48×10^5 y 6 | $\alpha 91.61\%$, SF 8.39% |
| 249 | 1/2(+) | 70.744 | 64.15 m 3 | β^- |
| 250 | 0+ | 72.98 | ≈ 9700 y | SF ≈ 80%, $\alpha \approx 11\%$, $\beta^- \approx 9\%$ |
| 251 | (1/2+) | 76.64 | 16.8 m 2 | β^- |
| 252 | 0+ | 79.1s | < 2 d | β^- |
| 97 Bk 235 | | 52.7s | ≈ 20 s | $\varepsilon ?, \alpha ?$ |
| 236 | | 53.4s | ≈ 1 m | $\alpha ?, \varepsilon ?$ |
| 237 | | 53.2s | ≈ 1 m | $\varepsilon ?, \alpha ?$ |
| 238 | | 54.3s | 144 s 5 | ε , $\varepsilon \text{SF} 0.048\%$, α |
| 239 | (7/2+) | 54.4s | ≈ 3 m | $\varepsilon ?$ |
| 240 | | 55.7s | 4.8 m 8 | $\varepsilon \approx 100\%$, εSFw |
| 241 | (7/2+) | 56.1s | ≈ 3 m | $\alpha ?, \varepsilon ?$ |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|--------------------------------|---------------------------------------|
| 97 Bk | 242 | | | | 57.8s | 7.0 m 13 | ε |
| | | 243 | (3/2-) | | 58.686 | 4.5 h 2 | ε ≈ 99.85%, α ≈ 0.15% |
| | | 244 | (1-) | | 60.70 | 4.35 h 15 | ε 99.994%, α 6.0 × 10⁻³% |
| | | 245 | 3/2- | | 61.810 | 4.94 d 3 | ε 99.88%, α 0.12% |
| | | 246m | 2(-) | | 63.96 | 1.80 d 2 | ε, α < 0.2% |
| | | 247 | (3/2-) | | 65.483 | 1380 y 250 | α ≤ 100% |
| | | 248 | | | 68.07s | >9 y | α |
| | | 248m | 1(-) | | 68.07s | 23.7 h 2 | β- 70%, ε 30% |
| | | 249 | 7/2+ | | 69.843 | 330 d 4 | β-, α 1.4 × 10⁻³%, SF 4.7 × 10⁻⁸% |
| | | 250 | 2- | | 72.946 | 3.217 h 5 | β- |
| | | 251 | (3/2-) | | 75.22 | 55.6 m 11 | β- |
| | | 252 | | | 78.5s | ≈ 2 m | β-?, α? |
| | | 253 | | | 80.9s | ≈ 10 m | β-? |
| | | 254 | | | 84.4s | ≈ 2 m | β-? |
| 98 Cf | 237 | | | | 57.8s | 2.1 s 3 | α?, SF ≈ 10% |
| | | 238 | 0+ | | 57.2s | 21. ms 2 | SF |
| | | 239 | | | 58.3s | 39 s +37-12 | ε, α |
| | | 240 | 0+ | | 58.0s | 1.06 m 15 | SF ≈ 2.1%, α |
| | | 241 | | | 59.4s | 3.78 m 70 | ε ≈ 75%, α ≈ 25% |
| | | 242 | 0+ | | 59.33 | 3.4 m 2 | SF ≤ 0.014%, α |
| | | 243 | (1/2+) | | 60.9s | 10.7 m 5 | ε ≈ 86%, α ≈ 14% |
| | | 244 | 0+ | | 61.470 | 19.4 m 6 | α |
| | | 245 | (5/2+) | | 63.4s | 45.0 m 15 | ε 64%, α 36% |
| | | 246 | 0+ | | 64.086 | 35.7 h 5 | α, ε < 4.0 × 10⁻³%, SF 2.3 × 10⁻⁴% |
| | | 247 | (7/2+) | | 66.129 | 3.11 h 3 | ε 99.97%, α 0.04% |
| | | 248 | 0+ | | 67.233 | 333.5 d 28 | α, SF 2.9 × 10⁻³% |
| | | 249 | 9/2- | | 69.719 | 351 y 2 | α, SF 5.0 × 10⁻⁷% |
| | | 250 | 0+ | | 71.166 | 13.08 y 9 | α 99.92%, SF 0.08% |
| | | 251 | 1/2+ | | 74.128 | 898 y 44 | α, SF |
| | | 252 | 0+ | | 76.028 | 2.645 y 8 | α 96.91%, SF 3.09% |
| | | 253 | (7/2+) | | 79.295 | 17.81 d 8 | β- 99.69%, α 0.31% |
| | | 254 | 0+ | | 81.33 | 60.5 d 2 | SF 99.69%, α 0.31% |
| | | 255 | (7/2+) | | 84.8s | 85 m 18 | β- |
| | | 256 | 0+ | | 87.0s | 12.3 m 12 | SF, β- < 1%, α ≈ 1.0 × 10⁻⁶% |
| 99 Es | 241 | | | (3/2-) | 64.0s | 8 s +6-4 | α |
| | | 242 | | | 64.9s | 23.9 s 28 | ε, α, εSF |
| | | 243 | | | 64.9s | 19 s 4 | ε ≤ 70%, α ≥ 30% |
| | | 244 | | | 66.1s | 37 s 4 | ε 96%, α 4% |
| | | 245 | (3/2-) | | 66.4s | 1.1 m 1 | ε 60%, α 40% |
| | | 246m | | | 68.0s | 7.7 m 5 | ε 90.1%, α 9.9%, ε 3.0 × 10⁻³% |
| | | 247 | (7/2+) | | 68.60s | 4.55 m 26 | ε ≈ 93%, α ≈ 7% |
| | | 248 | (2-, 0+) | | 70.29s | 27 m 5 | ε 99.7%, α ≈ 0.25% |
| | | 249 | 7/2+ | | 71.17s | 102.2 m 6 | ε 99.43%, α 0.57% |
| | | 250 | 1(-) | | 73.3s | 2.22 h 5 | ε ≥ 99%, α ≤ 1% |
| | | 250 | (6+) | | 73.3s | 8.6 h 1 | ε > 97%, α < 3% |
| | | 251 | (3/2-) | | 74.504 | 33 h 1 | ε 99.5%, α 0.5% |
| | | 252 | (5-) | | 77.29 | 471.7 d 19 | α 78%, ε 22%, β- ≈ 0.01% |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|--------------------------------|--|
| 99 Es | 99 | | 253 | 7/2+ | 79.007 | 20.47 d 3 | α , SF $8.7 \times 10^{-6}\%$ |
| | | | 254 | (7+) | 81.986 | 275.7 d 5 | α , $\varepsilon < 1.0 \times 10^{-4}\%$, SF $< 3.0 \times 10^{-6}\%$, $\beta^- 1.7 \times 10^{-6}\%$ |
| | | | 254m | 2+ | 82.064 | 39.3 h 2 | $\beta^- 98\%$, IT $< 3\%$, $\alpha 0.33\%$, $\varepsilon 0.08\%$, SF $< 0.05\%$ |
| | | | 255 | (7/2+) | 84.08 | 39.8 d 12 | $\beta^- 92\%$, $\alpha 8\%$, SF $4.1 \times 10^{-3}\%$ |
| | | | 256 | (1+, 0-) | 87.2s | 25.4 m 24 | β^- |
| | | | 256m | (8+) | 87.2s | 7.6 h | β^- |
| | | | 257 | | 89.4s | 7.7 d 2 | β^- , SF |
| 100 Fm | 100 | | 242 | 0+ | 68.4s | 0.8 ms 2 | SF |
| | | | 243 | | 69.4s | 0.18 s +8-4 | $\alpha \leq 100\%$, SF $\leq 0.4\%$ |
| | | | 244 | 0+ | 69.0s | 3.3 ms 4 | SF $\leq 100\%$ |
| | | | 245 | | 70.2s | 4.2 s 13 | $\alpha \leq 100\%$, SF $\leq 0.1\%$ |
| | | | 246 | 0+ | 70.12 | 1.1 s 2 | $\alpha 92\%$, SF 8%, $\varepsilon \leq 1\%$ |
| | | | 247? | | 71.6s | 35 s 4 | $\alpha \geq 50\%$, $\varepsilon \leq 50\%$ |
| | | | 247m | | 71.6s | 9.2 s 23 | $\alpha \leq 100\%$ |
| | | | 248 | 0+ | 71.90 | 36 s 3 | $\alpha 97\%$, $\varepsilon 3\%$, SF 0.1% |
| | | | 249 | (7/2+) | 73.6s | 2.6 m 7 | $\varepsilon 67\%$, $\alpha 33\%$ |
| | | | 250 | 0+ | 74.07 | 33 m 3 | $\alpha > 90\%$, $\varepsilon < 10\%$, SF $7.1 \times 10^{-3}\%$ |
| | | | 250m | | 75.07 | 1.8 s 1 | IT $> 80\%$, SF $\leq 0.8 \times 10^{-4}\%$ |
| | | | 251 | (9/2-) | 75.979 | 5.30 h 8 | $\varepsilon 98.2\%$, $\alpha 1.8\%$ |
| | | | 252 | 0+ | 76.811 | 25.39 h 4 | α , SF $2.3 \times 10^{-3}\%$ |
| | | | 253 | (1/2)+ | 79.341 | 3.00 d 12 | $\varepsilon 88\%$, $\alpha 12\%$ |
| | | | 254 | 0+ | 80.898 | 3.240 h 2 | $\alpha 99.94\%$, SF 0.06% |
| | | | 255 | 7/2+ | 83.793 | 20.07 h 7 | α , SF $2.4 \times 10^{-5}\%$ |
| | | | 256 | 0+ | 85.480 | 157.6 m 13 | SF 91.9%, $\alpha 8.1\%$ |
| | | | 257 | (9/2+) | 88.584 | 100.5 d 2 | $\alpha 99.79\%$, SF 0.21% |
| | | | 258 | 0+ | 90.4s | 360 μ s 20 | SF |
| | | | 259 | | 93.7s | 1.5 s 3 | SF |
| | | | 260 | 0+ | | ≈ 4 ms | SF |
| 101 Md | 101 | | 245 | (1/2-) | 75.5s | 900 μ s 250 | SF, $\alpha 0.26\%$ |
| | | | 245m | | 75.6s | 0.35 s +23-16 | ε , α |
| | | | 246m | | 76.3s | 1.0 s 4 | $\alpha > 0\%$, $\varepsilon > 0\%$, SF |
| | | | 247 | | 76.2s | 0.38 s 8 | SF $\approx 55\%$, $\alpha 45\%$ |
| | | | 248 | | 77.2s | 7 s 3 | $\varepsilon 80\%$, $\alpha 20\%$, SF $\leq 0.05\%$ |
| | | | 249 | | 77.3s | 24 s 4 | $\alpha > 60\%$, $\varepsilon \leq 40\%$ |
| | | | 250 | | 78.7s | 52 s 6 | $\varepsilon 93\%$, $\alpha 7\%$ |
| | | | 251 | | 79.1s | 4.0 m 5 | $\varepsilon \geq 90\%$, $\alpha \leq 10\%$ |
| | | | 252 | | 80.7s | 2.3 m 8 | $\varepsilon \leq 100\%$ |
| | | | 253 | (1/2-) | 81.3s | 6 m +12-3 | $\varepsilon \leq 100\%$, α |
| | | | 254 | | 83.6s | 10 m 3 | $\varepsilon \leq 100\%$ |
| | | | 254 | | 83.6s | 28 m 8 | $\varepsilon \leq 100\%$ |
| | | | 255 | (7/2-) | 84.836 | 27 m 2 | $\varepsilon 92\%$, $\alpha 8\%$, SF $< 0.15\%$ |
| | | | 256 | (1-) | 87.61 | 77 m 2 | $\varepsilon 90.8\%$, $\alpha 9.2\%$, SF $< 3\%$ |

Nuclear Wallet Cards

| Isotope | Z | El | A | Δ (MeV) | T%, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|--------------------------------------|--|--|
| 101 Md | 257 | | (7/2-) | 88.990 | 5.52 h 5 | ϵ 85%, α 15%, SF < 1% |
| | 258 | | (8-) | 91.683 | 51.5 d 3 | α , SF \leq 0.003% |
| | 258m | | (1-) | 91.683 | 57.0 m 9 | $\epsilon \geq$ 70%, SF \leq 30%, α 1.2% |
| | 259 | | | 93.6s | 96 m 3 | SF \approx 100%, α < 1.3% |
| | 260 | | | 96.5s | 31.8 d 5 | SF \geq 42%, $\alpha \leq$ 25%, $\epsilon \leq$ 23%, $\beta^- \leq$ 10% |
| | 249 | | | 81.8s | | ϵ ?, α ? |
| | 250 | | 0+ | 81.5s | 0.25 ms 5 | SF, $\alpha \approx$ 0.05% |
| 102 No | 251 | | (7/2+) | 82.9s | 0.8 s 3 | $\alpha \leq$ 100%, ϵ , SF \leq 8% |
| | 252 | | 0+ | 82.87 | 2.27 s 14 | α 58%, ϵ 23%, SF 19% |
| | 253 | | (9/2-) | 84.4s | 1.62 m 15 | $\alpha \leq$ 100%, ϵ |
| | 254 | | 0+ | 84.72 | 54 s 3 | α 90%, ϵ 10%, SF 0.19% |
| | 254m | | | 85.22 | 0.28 s 4 | IT > 80%, SF \geq 0.2% |
| | 255 | | (1/2+) | 86.85 | 3.1 m 2 | α 61%, ϵ 39% |
| | 256 | | 0+ | 87.817 | 2.91 s 5 | α 99.47%, SF 0.53% |
| | 257 | | (7/2+) | 90.22 | 25 s 2 | $\alpha \leq$ 100%, SF \leq 1.5% |
| | 258 | | 0+ | 91.5s | 1.2 ms 2 | SF, α 0.001% |
| | 259 | | | 94.1s | 58 m 5 | α 75%, ϵ 25%, SF < 10% |
| | 260 | | 0+ | 95.6s | 106 ms 8 | SF |
| | 261 | | | 98.5s | | β^- , α |
| | 262 | | 0+ | 100.2s | 5 ms 1 | SF |
| 103 Lr | 251 | | | 87.9s | | ϵ ?, α ? |
| | 252 | | | 88.8s | 0.36 s +11-7 | $\alpha \approx$ 90%, $\epsilon \approx$ 10%, SF < 1% |
| | 253m | | | 88.7s | 0.57 s +7-6 | α 90%, ϵ , SF < 2% |
| | 253m | | | 88.7s | 1.5 s +3-2 | α 90%, ϵ , SF < 2% |
| | 254 | | | 90.0s | 13 s 2 | α 78%, ϵ 22%, SF < 0.1% |
| | 255 | | | 90.1s | 22 s 4 | α 85%, ϵ < 30%, SF \leq 0.1% |
| | 256 | | | 92.0s | 27 s 3 | α 85%, ϵ 15%, SF < 0.03% |
| | 257 | | | 92.8s | 0.646 s 25 | $\alpha \leq$ 100%, SF \leq 0.03% |
| | 258 | | | 94.9s | 3.9 s 4 | α > 95%, ϵ < 5%, SF < 5% |
| | 259 | | | 95.93s | 6.2 s 3 | α 78%, SF 22% |
| | 260 | | | 98.3s | 180 s 30 | α 80%, ϵ < 40%, SF < 10% |
| | 261 | | | 99.6s | 39 m 12 | SF |
| | 262 | | | 102.2s | 3.6 h 2 | ϵ , SF < 10% |
| | 263 | | | 103.8s | | |
| 104 Rf | 253m | | | 93.8s | 48 μ s +17-10 | SF \leq 100%, α |
| | 253m | | | 93.8s | \approx 1.8 s | SF \approx 50%, $\alpha \approx$ 50% |
| | 254 | | 0+ | 93.3s | 23 μ s 3 | SF \approx 100%, $\alpha \approx$ 0.3% |
| | 255 | | (9/2-) | 94.5s | 1.5 s 2 | α 52%, SF 48% |
| | 255m | | | 94.5s | 0.8 s +5-2 | $\alpha \leq$ 100% |
| | 256 | | 0+ | 94.25 | 6.4 ms 2 | SF 99.68%, α 0.32% |
| | 257 | | (1/2+) | 96.0s | 4.7 s 3 | α < 100%, SF \leq 1.4%, ϵ > 0% |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|----------|-----------|----------|-----------|--------------------|--------------------------------|---|
| 104 Rf | 104 | Rf | 257m | | 96.0s | 3.9 s 4 | $\alpha < 100\%$, SF $\leq 1.4\%$, $\epsilon > 0\%$ |
| | 258 | | | 0+ | 96.5s | 12 ms 2 | SF $\approx 87\%$, $\alpha \approx 13\%$ |
| | 259 | | | | 98.39s | 3.2 s 6 | $\alpha 92\%$, SF 8% |
| | 260 | | | 0+ | 99.1s | 21 ms 1 | SF $\leq 100\%$, $\alpha ?$ |
| | 261 | | | | 101.3s | 65 s 10 | $\alpha > 80\%$, $\epsilon < 15\%$, SF $< 10\%$ |
| | 262 | | | 0+ | 102.4s | 2.1 s 2 | SF |
| | 263 | | | | 104.8s | 10 m 2 | SF $\approx 100\%$, α |
| | 264 | | | 0+ | 106.2s | | |
| 105 Db | 105 | Db | 255 | | 100.0s | 1.6 s +6-4 | $\alpha \approx 80\%$, SF $\approx 20\%$ |
| | 256 | | | | 100.7s | 1.9 s +5-3 | $\alpha \leq 90\%$, SF $\leq 40\%$, $\epsilon \approx 35\%$ |
| | 257 | | | | 100.5s | 0.76 s +15-11 | $\alpha \geq 94\%$, SF $\leq 6\%$ |
| | 257m | | | | 100.5s | 1.50 s +19-15 | $\alpha \geq 81\%$, SF 19% |
| | 258 | | | | 101.9s | 4.4 s +9-6 | $\alpha 67\%$, $\epsilon 33\%$, SF $< 1\%$ |
| | 258m | | | | 101.9s | 20 s 10 | ϵ |
| | 259 | | | | 102.2s | | |
| | 260 | | | | 103.8s | 1.52 s 13 | $\alpha \geq 90.4\%$, SF $\leq 9.6\%$, $\epsilon < 2.5\%$ |
| | 261 | | | | 104.4s | 1.8 s 4 | $\alpha \geq 82\%$, SF $\leq 18\%$ |
| | 262 | | | | 106.3s | 34 s 4 | $\alpha 64\%$, SF 33%, $\epsilon \approx 3\%$ |
| | 263 | | | | 107.2s | 27 s +10-7 | SF 57%, $\alpha 43\%$ |
| | 264 | | | | 109.4s | | |
| | 265 | | | | 110.5s | | |
| 106 Sg | 106 | Sg | 258 | 0+ | 105.4s | 2.9 ms +13-7 | SF $\approx 100\%$, α |
| | 259 | | (1/2+) | | 106.8s | 0.48 s +28-13 | $\alpha 90\%$, SF $< 20\%$ |
| | 260 | | 0+ | | 106.60 | 3.6 ms 9 | $\alpha 50\%$, SF 50% |
| | 261 | | | | 108.2s | 0.23 s 6 | $\alpha \approx 100\%$, SF $< 1\%$ |
| | 262 | | 0+ | | 108.5s | | |
| | 263 | | | | 110.2s | 1.0 s 2 | $\alpha > 70\%$, SF $< 30\%$ |
| | 263m | | | | 110.2s | 0.12 s | α , IT |
| | 264 | | 0+ | | 110.8s | | |
| | 265 | | (9/2+) | | 112.8s | 8 s 3 | SF $\leq 57\%$, $\alpha \geq 43\%$ |
| | 266 | | 0+ | | 113.6s | 21 s +20-12 | $\alpha 50\%$, SF |
| | 269 | | | | | ? | α |
| 107 Bh | 107 | Bh | 260 | | 113.5s | | $\alpha \leq 100\%$ |
| | 261 | | | | 113.5s | 12 ms +5-3 | $\alpha 95\%$, SF $< 10\%$ |
| | 262 | | | | 114.6s | 102 ms 26 | $\alpha \geq 89\%$, SF $\leq 11\%$ |
| | 262m | | | | 114.9s | 8.0 ms 21 | $\alpha \geq 89\%$, SF $\leq 11\%$ |
| | 263 | | | | 114.7s | | |
| | 264 | | | | 116.2s | 0.44 s +60-16 | $\alpha \leq 100\%$ |
| | 265 | | | | 116.6s | | |
| | 266 | | | | 118.3s | | |
| 108 Hs | 108 | Hs | 263 | | 119.9s | | $\alpha \leq 100\%$ |
| | 264 | | 0+ | | 119.61 | ≈ 0.8 ms | $\alpha \approx 50\%$, SF $\approx 50\%$ |
| | 265 | | | | 121.1s | 2.0 ms +3-2 | $\alpha \approx 100\%$, SF $\leq 1\%$ |
| | 266 | | 0+ | | 121.1s | | |
| | 267 | | (9/2+) | | 122.7s | 26 ms +20-10 | α , SF ? |
| | 269 | | (3/2+) | | 124.9s | 9 s 4 | α |
| | 273 | | | | | 1.2 s +17-6 | α |

Nuclear Wallet Cards

| Isotope | Z | El | A | Jπ | Δ (MeV) | T½, Γ, or Abundance | Decay Mode |
|----------------|-----------|------------|----------|-----------|--------------------|--------------------------------|-------------------|
| 108 | Hs | 277 | | | | 16.5 m | SF |
| 109 | Mt | 266 | | | 128.5s | 0.8 ms 2 | α, SF? |
| | | 266m | | | 128.9s | 3.8 ms 8 | α |
| | | 267 | | | 128.1s | | |
| | | 268 | (5+,6+) | | 129.3s | 0.07 s +10-3 | α |
| 110 | | 267 | (11/2-) | | 134.1s | 3 μs +6-2 | α |
| | | 269 | (1/2+) | | 135.2s | 0.17 ms +17-6 | α |
| | | 271 | (3/2+) | | 136.1s | 0.06 s +27-3 | α |
| | | 271m | (9/2+) | | 136.1s | 1.1 ms +6-3 | α |
| | | 272 | 0+ | | 136.3s | ≈8.6 ms | SF |
| | | 273 | (3/2+) | | 139.0s | ≈0.18 ms | α |
| | | 273m | (13/2-) | | 139.2s | ≈120 ms | α |
| | | 277 | | | | 3.0 ms +47-15 | α |
| | | 281 | | | | 1.6 m | α |
| 111 | | 272 | (5+,6+) | | 143.0s | 1.5 ms +20-5 | α |
| 112 | | 277 | (3/2+) | | | 0.24 ms +43-9 | α |
| | | 281 | | | | 0.89 ms +130-45 | α |
| | | 283 | | | | 81 s +147-32 | SF |
| | | 285 | | | | 15.4 m | α |
| 114 | | 285 | | | | 0.58 ms +87-29 | α |
| | | 287 | | | | 5.5 s +10-2 | α |
| | | 289 | | | | 30.4 s | α |
| 116 | | 289 | | | | 0.60 ms +86-30 | α |
| 118 | | 293 | | | | 0.12 ms +18-6 | α |

Appendix-I Table of Elemental Properties

| Z | El | Atomic Weight ^a | Density (g/cc) ^b | Melting Pt. (°C) ^b | Boiling Pt. (°C) ^b | Oxidation States ^b |
|----|----|----------------------------|-----------------------------|-------------------------------|-------------------------------|-------------------------------|
| 1 | H | 1.00794 | 7×10^{-5} d | -259.34 | -252.87 | +1,-1 |
| 2 | He | 4.002602 | 1.785×10^{-4} f | | -268.93 | 0 |
| | | | | (26 atm) | | |
| 3 | Li | 6.941 | 2 | 0.534c | 180.5 | +1 |
| 4 | Be | 9.012182 | 3 | 1.848c | 1287 | +2 (5 mm) |
| 5 | B | 10.811 | 5 | 2.34h | 2075 | +3 (subl.) |
| 6 | C | 12.011 | | 1.8 to 2.1i | ≈3550 | +2,+4,-4 |
| 7 | N | 14.0067 | 2 | 0.0012506j | -210.00 | +1,+2,+3,+4, +5,-1,-2,-3 |
| 8 | O | 15.9994 | 3 | 0.001429k | -218.79 | -182.95 |
| 9 | F | 18.9984032 | 5 | 0.001696 | -219.62g | -188.12g |
| 10 | Ne | 20.1797 | 6 | 8.9990×10^{-4} | -248.59 | -246.088g |
| 11 | Na | 22.989770 | 2 | 0.971c | 97.72 | 883 |
| 12 | Mg | 24.3050 | 6 | 1.738c | 650 | 1090 |
| 13 | Al | 26.981539 | 5 | 2.6989c | 660.32 | 2519 |
| 14 | Si | 28.0855 | 3 | 2.33e | 1414 | 3265 |
| 15 | P | 30.973761 | 2 | 1.82l | 44.15l | 277l |
| 16 | S | 32.065 | 5 | 2.07cm | 115.21m | 444.60 |
| 17 | Cl | 35.453 | 2 | 0.003214 | -101.5 | -34.04 |
| 18 | Ar | 39.948 | | 0.0017837 | -189.35 | -185.85 |
| 19 | K | 39.0983 | | 0.862c | 63.38 | 759 |
| 20 | Ca | 40.078 | 4 | 1.55c | 842 | 1484 |
| 21 | Sc | 44.955910 | 8 | 2.989e | 1541 | 2830 |
| 22 | Ti | 47.867 | | 4.54 | 1668 | 3287 |
| 23 | V | 50.9415 | | 6.11 | 1910 | +2,+3,+4,+5 (18.7 °C) |
| 24 | Cr | 51.9961 | 6 | 7.18 to 7.20c | 1907 | 2671 |
| 25 | Mn | 54.938049 | 9 | 7.21 to 7.44n | 1246 | 2061 |
| 26 | Fe | 55.845 | 2 | 7.874c | 1538 | 2861 |
| 27 | Co | 58.933200 | 9 | 8.9c | 1495 | 2927 |
| 28 | Ni | 58.6934 | 2 | 8.902e | 1455 | 2913 |
| 29 | Cu | 63.546 | 3 | 8.96c | 1084.62 | 2562 |
| 30 | Zn | 65.39 | 2 | 7.133e | 419.53 | 907 |
| 31 | Ga | 69.723 | | 5.904 | 29.76 | 2204 |
| | | | | (29.6 °C) | | |
| 32 | Ge | 72.64 | 1 | 5.323e | 938.25 | 2833 |
| 33 | As | 74.92160 | 2 | 5.73o | 817o | 614o |
| | | | | (28 atm) | (subl.) | +3,+5,-3 |
| 34 | Se | 78.96 | 3 | 4.79p | 221p | 685p |
| 35 | Br | 79.904 | | 3.12u | -7.2 | 58.78 |
| 36 | Kr | 83.80 | | 0.003733 | -157.36 | -153.22 |
| 37 | Rb | 85.4678 | 3 | 1.532c | 39.31 | 688 |
| 38 | Sr | 87.62 | | 2.54 | 777 | 1382 |
| 39 | Y | 88.90585 | 2 | 4.469e | 1526 | 3336 |
| 40 | Zr | 91.224 | 2 | 6.506c | 1855 | 4409 |
| 41 | Nb | 92.90638 | 2 | 8.57c | 2477 | 4744 |
| 42 | Mo | 95.94 | | 10.22c | 2623 | 4639 |
| 43 | Tc | (98) | | 11.50t | 2157 | 4265 |
| 44 | Ru | 101.07 | 2 | 12.41c | 2334 | 4150 |

Appendix-I Table of Elemental Properties

| Z | El | Atomic Weight ^a | Density (g/cc) ^b | Melting Pt. (°C) ^b | Boiling Pt. (°C) ^b | Oxidation States ^b |
|----|----|----------------------------|-----------------------------|--|-------------------------------|-------------------------------|
| 45 | Rh | 102.90550 | 2 | 12.41 ^c | 1964 | 3695 |
| 46 | Pd | 106.42 | | 12.02 ^c | 1554.9 | 2963 |
| 47 | Ag | 107.8682 | 2 | 10.50 ^c | 961.78 | 2162 |
| 48 | Cd | 112.411 | 8 | 8.65 ^c | 321.07 | 767 |
| 49 | In | 114.818 | 3 | 7.31 ^c | 156.60 | 2072 |
| 50 | Sn | 118.710 | 7 | 5.75 ^q | 231.93 | 2602 |
| 51 | Sb | 121.760 | | 6.691 ^c | 630.63 | 1587 |
| 52 | Te | 127.60 | 3 | 6.24 ^c | 449.51 | 988 |
| 53 | I | 126.90447 | 3 | 4.93 ^v | 113.7 | 184.4 |
| 54 | Xe | 131.293 | 6 | 0.005887 | -111.75 | -108.04 |
| 55 | Cs | 132.90545 | 2 | 1.873 ^c | 28.44 | 671 |
| 56 | Ba | 137.327 | 7 | 3.5 ^c | 727 | 1897 |
| 57 | La | 138.9055 | 2 | 6.145 ^e | 920 | 3455 |
| 58 | Ce | 140.115 | 4 | 6.770 ^e | 799 | 3424 |
| 59 | Pr | 140.90765 | 2 | 6.773 ^r 6.64 ^s | 931 | 3510 |
| 60 | Nd | 144.24 | 3 | 7.008 | 1016 | 3066 |
| 61 | Pm | (145) | | 7.264 ^e | 1042 | 3000 |
| 62 | Sm | 150.36 | 3 | 7.520 ^r 7.40 ^s | 1072 | 1790 |
| 63 | Eu | 151.965 | 9 | 5.244 ^e | 822 | 1596 |
| 64 | Gd | 157.25 | 3 | 7.901 ^e | 1314 | 3264 |
| 65 | Tb | 158.92534 | 2 | 8.230 | 1359 | 3221 |
| 66 | Dy | 162.50 | 3 | 8.551 ^e | 1411 | 2561 |
| 67 | Ho | 164.93032 | 2 | 8.795 ^e | 1472 | 2694 |
| 68 | Er | 167.259 | 3 | 9.066 ^e | 1529 | 2862 |
| 69 | Tm | 168.93421 | 2 | 9.321 ^e | 1545 | 1946 |
| 70 | Yb | 173.04 | 3 | 6.903 ^r 6.966 ^s | 824 | 1194 |
| 71 | Lu | 174.967 | | 9.841 ^e | 1663 | 3393 |
| 72 | Hf | 178.49 | 2 | 13.31 ^c | 2233 | 4603 |
| 73 | Ta | 180.9479 | | 16.654 | 3017 | 5458 |
| 74 | W | 183.84 | | 19.3 ^c | 3422 | 5555 |
| 75 | Re | 186.207 | | 21.02 ^c | 3186 | 5596 |
| | | | | | | (+4, +6, +7 (est.)) |
| 76 | Os | 190.23 | 3 | 22.57 | 3033 | 5012 |
| 77 | Ir | 192.217 | 3 | 22.42 (17 °C) | 2446 | 4428 |
| 78 | Pt | 195.08 | 3 | 21.45 ^c | 1768.4 | 3825 |
| 79 | Au | 196.96655 | 2 | ≈19.3 ^c | 1064.18 | 2856 |
| 80 | Hg | 200.59 | 2 | 13.546 ^c | -38.83 | 356.73 |
| 81 | Tl | 204.3833 | 2 | 11.85 ^c | 304 | 1473 |
| 82 | Pb | 207.2 | | 11.35 ^c | 327.46 | 1749 |
| 83 | Bi | 208.98038 | 2 | 9.747 ^c | 271.40 | 1564 |
| 84 | Po | (209) | | 9.32 ^r | 254 | +3, +5 |
| 85 | At | (210) | | | 302 | +2, +4 |
| 86 | Rn | (222) | | 0.00973 | -71 | -61.7 |
| 87 | Fr | (223) | | | 27 | +1 |
| 88 | Ra | (226) | | 5? | 700 | +2 |
| 89 | Ac | (227) | | 10.07 ^t | 1051 | 3198 |
| 90 | Th | 232.03805 | 2 | 11.72 | 1750 | 4788 |

Appendix-I Table of Elemental Properties

| Z | El | Atomic Weight ^a | Density (g/cc) ^b | Melting Pt. (°C) ^b | Boiling Pt. (°C) ^b | Oxidation States ^b |
|-----|----|----------------------------|-----------------------------|-------------------------------|-------------------------------|-------------------------------|
| 91 | Pa | (231) | 15.37 ^t | 1572 | | +4,+5 |
| 92 | U | 238.028913 | ≈18.95 | 1135 | 4131 | +3,+4,+5,+6 |
| 93 | Np | (237) | 20.25 ^c | 644 | 3902 | +3,+4,+5,+6 (est.) |
| 94 | Pu | (244) | 19.84 ^e | 640 | 3228 | +3,+4,+5,+6 |
| 95 | Am | (243) | 13.67 ^c | 1176 | | +3,+4,+5,+6 |
| 96 | Cm | (247) | 13.51 ^t | 1345 | | +3 |
| 97 | Bk | (247) | 14 (est.) | 1050 | | +3,+4 |
| 98 | Cf | (251) | | 900 | | +3 |
| 99 | Es | (252) | | 860 | | +3 |
| 100 | Fm | (257) | | 1527 | | +3 |
| 101 | Md | (258) | | 827 | | +2,+3 |
| 102 | No | (259) | | 827 | | +2,+3 |
| 103 | Lr | (261) | | 1627 | | +3 |

Footnotes and References

a) Atomic weights of many elements are not invariant and depend on the origin and treatment of the material. The values given here apply to elements as they exist naturally on earth and are from N. E. Holden, priv. comm. (12/1999), to be published in *Handbook of Chemistry and Physics* (2000). Uncertainty is 1 in last significant figure, unless expressly given.

Masses are scaled to 12 for ^{12}C .

Parenthetical whole numbers represent the mass numbers (A) of the longest lived isotopes for radioactive elements.

Isotopic masses (and more precise atomic weights for some mono-isotopic elements) may be calculated as $A + (\Delta/931.494)$, where A is the mass number and Δ is the mass excess as given in the *Nuclear Wallet Cards*.

b) C.R. Hammond, in *CRC Handbook of Chemistry and Physics, 75th edition, 1994*, 4-1, 4-122. Where specified, exact temperature and pressure conditions are given; the conditions for all gases have been inferred to be 0 °C and 1 atm. The densities for the following gaseous elements are for diatomic molecules: H, N, O, F, Cl. In general, densities for gases (in g/cc) may be approximated by the formula: density=MP/82.05T, where M is the molecular weight in g, P the pressure in atm, and T the temperature in °K. The reported oxidation states do not include some uncommon states, or those states predicted by periodicity, but not confirmed chemically.

c) At 20 °C.

d) For gas; density (liquid)=0.0708 g/cc at b.p.; density (solid)=0.0706 g/cc at -262 °C.

f) For gas; density (liquid)=0.1221 g/cc at b.p.

e) At 25 °C.

Appendix-I Table of Elemental Properties

- f) For gas; density (liquid)=1.221 g/cc at b.p.
- g) At 1 atm.
- h) For crystal form; density (amorphous)=2.37 g/cc.
- i) For amorphous carbon; density (graphite)=1.9 to 2.3 g/cc; density (gem diamond)=3.513 g/cc at 25 °C; density (other diamond)=3.15 to 3.53 g/cc.
- j) For gas; density (liquid)=0.808 g/cc at b.p.; density (solid)=1.026 g/cc at -252 °C.
- k) For gas; density (liquid)=1.14 g/cc at b.p.
- l) For white phosphorus; density (red)=2.20 g/cc; density (black)=2.25 to 2.69 g/cc.
- m) For rhombic sulfur; melting point (monoclinic)=119.0 °C; density (monoclinic)=1.957 g/cc at 20 °C.
- n) Depending on allotropic form.
- o) For gray arsenic; density (yellow)=1.97 g/cc.
- p) For gray selenium; density (vitreous)=4.28 g/cc.
- q) For gray tin; density (white)=7.13 g/cc.
- r) For α modification.
- s) For β modification.
- t) Calculated.
- u) For liquid at 20 °C; 0.00759 g/cc for gas.
- v) For solid at 20 °C; 0.01127 g/cc for gas.

Appendix-II Frequently-Used Constants

The frequently used constants are given below in familiar units. Only approximate values are given, see App-III for values to current known precision.

| Symbol | Constant | Value |
|--|--|-----------------------------------|
| $1/\alpha = \hbar c/e^2$ | Fine structure constant | 137.0 |
| c | Speed of light in vacuum | 2.998×10^{10} cm/s |
| h | Planck constant | 6.626×10^{-27} erg s |
| $\hbar = h/2\pi$ | | 6.582×10^{-22} MeV s |
| $\hbar c$ | | 197.3 MeV fm |
| $k = R/N_A$ | Boltzmann constant | 8.617×10^{-11} MeV/K |
| $r_e = e^2/m_e c^2$ | Classical e^- radius | 2.818 fm |
| $\lambda_{C,e} = \hbar/m_e c$ | Compton wavelength of e^- | 386.2 fm |
| $\lambda_{C,p} = \hbar/m_p c$ | Compton wavelength of p | 0.210 fm |
| $\lambda_{C,\pi} = \hbar/m_\pi c$ | Compton wavelength of π | 1.414 fm |
| u | Atomic mass unit | 931.5 MeV/c ² |
| m_e | Electron mass | 0.511 MeV/c ² |
| m_n | Neutron mass | 939.6 MeV/c ² |
| m_p | Proton mass | 938.3 MeV/c ² |
| m_d | Deuteron mass | 1875.6 MeV/c ² |
| m_π^\pm | π^\pm mass | 139.6 MeV/c ² |
| m_{π^0} | π^0 mass | 135.0 MeV/c ² |
| m_W | W^\pm boson mass | 80.2 GeV/c ² |
| m_Z | Z^0 boson mass | 91.2 GeV/c ² |
| $\mu_N = \hbar e/2m_p c$ | Nuclear magneton | 3.152×10^{-18} MeV/Gauss |
| μ_p | Proton magnetic moment | 2.793 μ_N |
| μ_n | Neutron magnetic moment | 1.913 μ_N |
| <hr/> | | |
| $1 \text{ fm} = 10^{-13} \text{ cm}$ | $1 \text{ \AA} = 10^{-8} \text{ cm}$ | $\pi = 3.1416$ |
| $1 \text{ barn} = 10^{-24} \text{ cm}^2$ | $1 \text{ eV}/c^2 = 1.783 \times 10^{-33} \text{ g}$ | |
| $1 \text{ joule} = 10^7 \text{ erg}$ | $1 \text{ coulomb} = 2.998 \times 10^9 \text{ esu}$ | |
| $1 \text{ newton} = 10^5 \text{ dyne}$ | $1 \text{ tesla} = 10^4 \text{ gauss}$ | |

Appendix-III Fundamental Constants

Unless otherwise noted, the information presented in this table is from *CODATA Values of Fundamental Physical Constants: 1998*.^a The constants are arranged alphabetically according to the symbols by which they are denoted. The numbers in *italics* are the one-standard-deviation uncertainty in the last digits of the values given. The unified atomic mass scale ($^{12}\text{C}\equiv 12$) has been used throughout. Values are given for both SI and cgs units. In cgs units "permittivity of vacuum" μ_0 and "permeability of vacuum" ϵ_0 are dimensionless unit quantities; in SI units they have the values^f

$$\mu_0 = 4\pi \times 10^{-7} \text{ m} \cdot \text{kg} \cdot \text{s}^{-2} \cdot \text{A}^{-2} = 4\pi \times 10^{-7} \text{ N} \cdot \text{A}^{-2} = 4\pi \times 10^{-7} \text{ T} \cdot \text{A}^{-1}$$
$$\epsilon_0 = 1/\mu_0 c^2$$

The factor in square brackets given in the definition of a quantity is to be omitted to obtain the expression in cgs units^f.

The following abbreviations are used:

- A = ampere
- C = coulomb
- cm = centimeter
- emu = electromagnetic unit
- esu = electrostatic unit
- G = gauss
- g = gram
- Hz = hertz = cycles/sec
- J = joule
- K = degree Kelvin
- kg = kilogram
- m = meter
- mol = mole
- N = newton
- s = second
- T = tesla
- u = atomic mass unit (unified scale)
- V = volt
- W = watt
- Wb = Weber

Appendix-III Fundamental Constants

| Symbol | Constant | Value | Units (SI) ^b | Units (cgs) ^b |
|---|--|--------------------------------------|--|--|
| $a_0 = r_e/\alpha^2$ | Bohr radius | 5.291772083 19 | 10^{-10} m | 10^{-9} cm |
| $\alpha = e^2/\hbar c [4\pi\epsilon_0]$ $1/\alpha$ | Fine structure constant | 0.007297352533 27 137.03599976 50 | | |
| c | Speed of light in vacuum | 2.99792458 ^(e) | 10^8 m s ⁻¹ | 10^{10} cm s ⁻¹ |
| $c_1 = 2\pi\hbar c^2$ | First radiation constant | 3.74177107 29 | 10^{-16} W m ² | 10^{-5} erg cm ² s ⁻¹ |
| $c_2 = hc/k$ | Second radiation constant | 1.4387752 25 | 10^{-2} m K | cm K |
| e | Elementary charge | 4.80320420 19 1.602176462 63 | 10^{-10} esu 10^{-19} C | 10^{-20} emu |
| $2e/h$ | Josephson frequency-voltage ratio | 4.83597898 19 | 10^{14} Hz V ⁻¹ | |
| $-e/m_e$ | Electron specific charge | -1.758820174 71 | 10^{11} C kg ⁻¹ | 10^7 emu g ⁻¹ |
| $F = N_A e$ | Faraday constant | 9.64853415 39 | 10^4 C mol ⁻¹ | 10^3 emu mol ⁻¹ |
| γ_p | Gyromagnetic ratio of proton | 2.67522212 11 | 10^8 s ⁻¹ T ⁻¹ | 10^4 s ⁻¹ G ⁻¹ |
| γ_p' | Gyromagnetic ratio of proton (uncorrected for diamagnetism of H ₂ O) | 2.67515341 11 | 10^8 s ⁻¹ T ⁻¹ | 10^4 s ⁻¹ G ⁻¹ |
| G | Gravitational constant | 6.673 10 | 10^{-11} m ³ kg ⁻¹ s ⁻² | 10^{-8} cm ⁻³ g ⁻¹ s ⁻² |

Appendix-III Fundamental Constants

| Symbol | Constant | Value | Units (SI) ^b | Units (cgs) ^b |
|-------------------------|--------------------------------|------------------------------|------------------------------|--------------------------------|
| h | Planck constant | 6.62606876 52 | 10^{-34} J s | 10^{-27} erg s |
| $\hbar=h/2\pi$ | | 1.054571596 82 | 10^{-34} J s | 10^{-27} erg s |
| $hc/(2e[c])$ | Quantum of magnetic flux | 2.067833636 81 | 10^{-15} Wb | 10^{-7} G cm ² |
| $k=R/N_A$ | Boltzmann constant | 1.3806503 24 | 10^{-23} J K ⁻¹ | 10^{-16} erg K ⁻¹ |
| $\lambda_{C,e}=h/m_e c$ | Compton wavelength of electron | 2.426310215 18 | 10^{-12} m | 10^{-10} cm |
| $\lambda_{C,p}=h/m_p c$ | Compton wavelength of proton | 1.321409847 10 | 10^{-15} m | 10^{-13} cm |
| $\lambda_{C,n}=h/m_n c$ | Compton wavelength of neutron | 1.319590898 10 | 10^{-15} m | 10^{-13} cm |
| m_e | Electron mass | 5.485799110 12 | 10^{-4} u | 10^{-4} u |
| m_H | Mass of hydrogen atom | 1.007825032 1 ^(c) | u | u |
| m_μ | Muon mass | 0.1134289168 34 | u | u |
| m_n | Neutron mass | 1.00866491578 55 | u | u |
| m_p | Proton mass | 1.00727646688 13 | u | u |
| m_{π^\pm} | π^\pm mass | 0.1498348 4 ^(d) | u | u |
| m_{π^0} | π^0 mass | 0.1449033 6 ^(d) | u | u |

Appendix-III Fundamental Constants

| Symbol | Constant | Value | Units (SI) ^b | Units (cgs) ^b |
|--------------------------------------|--|--------------------------------|---|--|
| $\mu_B = [c]e\hbar/2m_e c$ | Bohr magneton | 9.27400899 37 | $10^{-24} \text{ J T}^{-1}$ | $10^{-21} \text{ erg G}^{-1}$ |
| μ_e/μ_B | Magnetic moment of electron in units of μ_B | -1.0011596521869 41 | | |
| μ_μ | Muon magnetic moment | -4.49044813 22 | $10^{-26} \text{ J T}^{-1}$ | $10^{-23} \text{ erg Gs}^{-1}$ |
| $\mu_N = [c]e\hbar/2m_p c$ | Nuclear magneton | 5.05078317 20 | $10^{-27} \text{ J T}^{-1}$ | $10^{-24} \text{ erg G}^{-1}$ |
| N_A | Avogadro constant | 6.02214199 47 | 10^{23} mol^{-1} | 10^{23} mol^{-1} |
| R | Molar gas constant | 8.314472 15 | $\text{J mol}^{-1} \text{ K}^{-1}$ | $10^7 \text{ erg mol}^{-1} \text{ K}^{-1}$ |
| $R_\infty = m_e c \alpha^2 / 2h$ | Rydberg constant for infinite mass | 1.0973731568549 83 | 10^7 m^{-1} | 10^5 cm^{-1} |
| $r_e = \hbar \alpha / m_e c$ | Classical e ⁻ radius | 2.817940285 31 | 10^{-15} m | 10^{-13} cm |
| $\sigma = (\pi^2/60)k^4/\hbar^3 c^2$ | Stefan-Boltzmann constant | 5.670400 40 | $10^{-8} \text{ W m}^{-2} \text{ K}^{-4}$ $\text{erg cm}^{-2} \text{ s}^{-1} \text{ K}^{-4}$ | 10^{-5} |
| $u = 1/N_A$ | Atomic mass unit | 1.66053873 13 931.494013 37 | 10^{-27} kg MeV | 10^{-24} g |

1 year (sidereal) = 365.25636 days = 3.1558150×10^7 s, 1 year (tropical) = 3.15569×10^7 s

Appendix-III Fundamental Constants

- a) P. J. Mohr and B. N. Taylor, *Jl. of Phys. and Chem. Ref. Data* 28, 1713 (1999); *Rev. Mod. Phys.* 72, 351 (2000). Data taken from *Physics Today* 54, BG6 (2001). See also <http://physics.nist.gov/constants>
- b) Quantities are given in the International System of Units (SI) except for the atomic mass unit; this unit is not part of the SI.
- c) The 1995 update to the atomic mass evaluation, G. Audi and A. H. Wapstra, computerized list of recommended values based on authors' publication *Nuclear Physics* A595, 409 (1995)
- d) D. E. Groom *et al.* Review of Particle Physics, *Eur. Physical Jl.* C15, 1 (2000); <http://pdg.lbl.gov/>
- e) Speed of light in vacuum is an exact constant as a result of redefinition of meter [P. Giacomo, *Metrologia* 20, 25 (1984)].
- f) General Section by H. L. Anderson and E. R. Cohen in *A Physicist's Desk Reference*, H. L. Anderson, Editor-in-Chief, AIP, New York (1989)

Appendix-IV Energy-Equivalent Factors†

| units | erg | eV | s ⁻¹ | cm ⁻¹ |
|------------------|--------------------------------|----------------------------------|----------------------------------|---------------------------------|
| erg | 1.0 | 1.602176462 63×10^{-12} | 6.6260876 52×10^{-27} | 1.98644544 16×10^{-16} |
| eV | 6.24150974 24×10^{11} | 1.0 | 4.13566727 16×10^{-15} | 1.239841857 49×10^{-4} |
| s ⁻¹ | 1.50919050 12×10^{26} | 2.417989491 95×10^{14} | 1.0 | 2.99792458 $\times 10^{10}$ |
| cm ⁻¹ | 5.03411762 39×10^{15} | 8.06554477 32×10^3 | 3.335640952 $\times 10^{-11}$ | 1.0 |
| K | 7.242964 13×10^{15} | 1.1604506 20×10^4 | 4.7992374 84×10^{-11} | 1.4387752 25 |
| g | 1.112650056 $\times 10^{-21}$ | 1.782661731 70×10^{-33} | 7.37249578 58×10^{-48} | 2.21021863 17×10^{-37} |
| u | 6.70053662 53×10^2 | 1.073544206 43×10^{-9} | 4.439821637 34×10^{-24} | 1.331025042 10×10 |

(1 cal = 4.1840 J, 1 J = 10^7 erg)

Appendix-IV

Note: In the above table all entries in the same column are equivalent. The various units of energy are connected as follows:

$$1 \text{ erg} = 1/c^2 \text{ g} = 1/(mc^2) \text{ u} = 1/(hc) \text{ cm}^{-1} = 1/h \text{ s}^{-1} = 1/k \text{ }^0\text{K} = 1/e \text{ eV}$$

Examples: 1 eV = $1.602.. \times 10^{-12}$ erg = $1.073.. \times 10^{-9}$ u = $3.829.. \times 10^{-20}$ cal

$$e/h = 2.417.. \times 10^{14} \text{ s}^{-1}, e/(hc) = 8.0654.. \times 10^3 \text{ cm}^{-1}$$

$$e/c^2 = 1.782.. \times 10^{-33} \text{ g}, e/mc^2 = 1.073.. \times 10^{-9} \text{ u}$$

$$e/k = 1.160.. \times 10^4 \text{ K}$$

Appendix-IV Energy-Equivalent Factors†

| units | deg K | g | u |
|------------------|--------------------------------|--------------------------------|---------------------------------|
| erg | 1.3806503 24×10^{-16} | 8.987551787 $\times 10^{20}$ | 1.49241778 12×10^{-3} |
| eV | 8.617342 15×10^{-5} | 5.60958921 22×10^{32} | 9.31494013 37×10^8 |
| s ⁻¹ | 2.0836644 36×10^{10} | 1.35639277 11×10^{47} | 2.252342733 17×10^{23} |
| cm ⁻¹ | 6.950356 12×10^{-1} | 4.52443929 35×10^{36} | 7.513006658 57×10^{12} |
| K | 1.0 | 6.509651 11×10^{36} | 1.0809528 19×10^{13} |
| g | 1.5361807 27×10^{-37} | 1.0 | 1.66053873 13×10^{-24} |
| u | 9.251098 16×10^{-14} | 6.02214199 47×10^{23} | 1.0 |

App-IV-ii

Note: In the above table all entries in the same column are equivalent.

Example: 1u $\equiv 1.492.. \times 10^{-3}$ erg $= 9.314.. \times 10^8$ eV $= 3.567.. \times 10^{-11}$ cal, etc.

† From CODATA Values of Fundamental Physical Constants:1998, P. J. Mohr and B.N. Taylor,
Jour. of Phys. and Chem. Ref. Data 28, 1713 (1999), *Rev. Mod. Phys.* 72, 351 (2000),
Physics Today 54, BG6 (2001); <http://physics.nist.gov/constants>.

Appendix-V Observed Λ Hypernuclides†

| E1 | A | J(g.s.) | B_Λ(g.s.)[*] | Excited (bound) states (MeV) |
|-----------|----------|----------------|--|---|
| H | 3 | 1/2 | 0.13 5 | |
| | 4 | 0 | 2.04 4 | E=1.05 4 |
| He | 4 | 0 | 2.39 3 | E=1.15 4 |
| | 5 | 1/2 | 3.12 2 | |
| | 6 | (1) | 4.18 10 | |
| | 8 | | 7.16 70 | |
| Li | 6 | | 4.50 | E=8.3,18.3 |
| | 7 | 1/2+ | 5.58 3 | E=0.692 4 3/2+ ^a ,2.050 2 5/2+ ^a ,8.3,20.2 |
| | 8 | 1 | 6.80 3 | E=0.442? ^b ,1.22 4 |
| | 9 | | 8.50 12 | |
| Be | 7 | 1/2 | 5.16 8 | |
| | 8 | | 6.84 5 | |
| | 9 | 1/2 | 6.71 4 | E ^b =3.079 4 [#] ,5.98 84,10.59 72, 16.55 69,22.93 71,27.90 72 |
| | 10 | | 9.11 22 | |
| B | 9 | | 8.29 18 | |
| | 10 | | 8.89 12 | E ^c =2.5 2,6.2 2,9.5 3 |
| | 11 | 5/2 | 10.24 5 | |
| | 12 | 1 | 11.37 6 ^d | |
| C | 12 | 1 | 10.80 18 ^d | E ^e =2.71 13 1-,6.05 18 1-,8.10 38, 10.97 5 2+,12.0 3 ^b ,16.2 2 ^b |
| | 13 | 1/2+ | 11.69 12 | E ^e =4.9 1 3/2+,9.6 3 3/2-,11.6 2 1/2+, 15.4 1 [#] |
| | 14 | | 12.17 33 | |
| N | 14 | | 12.17 | E=10.5,19,22 |
| | 15 | | 13.59 15 | |
| O | 16 | 1-e | 12.5 | E ^e =6.3 1 1-,10.6 1 2+,0-,16.7 1 2+,0+, 20.0 4 ^b ,23.3 5 ^b |
| | 18 | | | E=13,20,24,30 |
| Al | 27 | | | E=7,18 ^b |
| Si | 28 | | 16.6 ^c | E ^c =4.7 4,9.6 3,12.3 3,17.6 8,23.2 5 ^b |
| S | 32 | | 17.5 5 | E=11.5,22.5 |
| Ca | 40 | | 20.0 5 | E ^b =2.9 13,6.1 13,8.3 11,13.9 11, 16.7 11,19.8 11,22.9 13 |
| V | 51 | | 19.5 ^f | E ^b =3.5 16,5.7 10,8.4 10,12.1 11, 15.0 10,18.3 11,21.8 10,26.0 10 |
| Fe | 56 | | 21 | |
| Y | 89 | | 23 2 | E ^{b,c} =6.9 16,13.4 16,19.8 16,27.2 16 |
| La | 139 | | 23.8 10 ^c | E ^c =3.8 11 |
| Pb | 208 | | 26.5 5 ^c | E ^c =5.2 9 |
| Bi | 209 | | | E=32,40 |

Appendix-V Observed Λ Hypernuclides†

Footnotes and References

† This table has been prepared by R. Chrien (BNL). The data are mostly from D. Davis and J. Pniewski, *Contemp. Phys.* 27, 91 (1986), and H. Bando, T. Motoba, and J. Zofka, *Int. J. Mod. Phys.* A5, 4021 (1990), except where indicated otherwise.

Almost all recent data have come from (π^+, K^+) reactions using magnetic spectrometers and Ge detectors at BNL and KFK. The early work is emulsion data while the later work is derived from magnetic spectrometers using (K^\pm, π^\pm) data.

The only confirmed example of a bound Σ hypernuclide is the $T=1/2$ isospin state in ${}^4\text{He}$ reported by Nagae et al., *Phys. Rev. Lett.* 80, 1605 (1998).

* Λ binding energy.

Possibly complex.

a K. Tanida et al. Proc. of APCTP workshop (1999), to be published.

b R. Chrien, BNL, priv. comm. and results of BNL-AGS 798.

c T. Hasegawa et al., *Phys. Rev.* C53, 1210 (1996).

d P. Dluzewski et al., *Nucl. Phys.* A484 520 (1988).

e O. Hashimoto, Proc. of APCTP workshop (1999), to be published.

f Calculated.

Appendix-VIa Periodic Table of Elements

| IA | IIA | IIIB | IVB | VB | VIB | VIIB | --- | VIII--- | IB | IIB | IIIA | IVA | VA | VIA | VIIA | VIIIA |
|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|-----------|-----------|-----------|-------------|
| H 1 | | | | | | | | | He 2 | | | | | | | |
| Li 3 | Be 4 | | | | | | | | | B 5 | C 6 | N 7 | O 8 | F 9 | Ne 10 | |
| Na 11 | Mg 12 | | | | | | | | | Al 13 | Si 14 | P 15 | S 16 | Cl 17 | Ar 18 | |
| K 19 | Ca 20 | Sc 21 | Ti 22 | V 23 | Cr 24 | Mn 25 | Fe 26 | Co 27 | Ni 28 | Cu 29 | Zn 30 | Ga 31 | Ge 32 | As 33 | Se 34 | Br 35 |
| Rb 37 | Sr 38 | Y 39 | Zr 40 | Nb 41 | Mo 42 | Tc 43 | Ru 44 | Rh 45 | Pd 46 | Ag 47 | Cd 48 | In 49 | Sn 50 | Sb 51 | Te 52 | I 53 |
| Cs 55 | Ba 56 | * | Hf 57- | Ta 72 | W 73 | Re 74 | Os 75 | Ir 76 | Pt 77 | Au 78 | Hg 79 | Tl 80 | Pb 81 | Bi 82 | Po 83 | At 84 |
| Fr 87 | Ra 88 | ** | Rf 89- | Db 104 | Sg 105 | Bh 106 | Hs 107 | Mt 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 |
| * | La 57 | Ce 58 | Pr 59 | Nd 60 | Pm 61 | Sm 62 | Eu 63 | Gd 64 | Tb 65 | Dy 66 | Ho 67 | Er 68 | Tm 69 | Yb 70 | Lu 71 | Lanthanides |
| ** | Ac 89 | Th 90 | Pa 91 | U 92 | Np 93 | Pu 94 | Am 95 | Cm 96 | Bk 97 | Cf 98 | Es 99 | Fm 100 | Md 101 | No 102 | Lr 103 | Actinides |

Appendix-VIb List of Elements - Alphabetical

| Name | Sym | Z | Name | Sym | Z |
|-------------|-----|-----|---------------|-----|-----|
| Actinium | Ac | 89 | Mendelevium | 101 | |
| Aluminum | Al | 13 | Mercury | Hg | 80 |
| Americium | Am | 95 | Molybdenum | Mo | 42 |
| Antimony | Sb | 51 | Neodymium | Nd | 60 |
| Argon | Ar | 18 | Neon | Ne | 10 |
| Arsenic | As | 33 | Neptunium | Np | 93 |
| Astatine | At | 85 | Nickel | Ni | 28 |
| Barium | Ba | 56 | Niobium | Nb | 41 |
| Berkelium | Bk | 97 | Nitrogen | N | 7 |
| Beryllium | Be | 4 | Nobelium | No | 102 |
| Bismuth | Bi | 83 | Osmium | Os | 76 |
| Bohrium | Bh | 107 | Oxygen | O | 8 |
| Boron | B | 5 | Palladium | Pd | 46 |
| Bromine | Br | 35 | Phosphorus | P | 15 |
| Cadmium | Cd | 48 | Platinum | Pt | 78 |
| Calcium | Ca | 20 | Plutonium | Pu | 94 |
| Californium | Cf | 98 | Polonium | Po | 84 |
| Carbon | C | 6 | Potassium | K | 19 |
| Cerium | Ce | 58 | Praseodymium | Pr | 59 |
| Cesium | Cs | 55 | Promethium | Pm | 61 |
| Chlorine | Cl | 17 | Protactinium | Pa | 91 |
| Chromium | Cr | 24 | Radium | Ra | 88 |
| Cobalt | Co | 27 | Radon | Rn | 86 |
| Copper | Cu | 29 | Rhenium | Re | 75 |
| Curium | Cm | 96 | Rhodium | Rh | 45 |
| Dubnium | Db | 105 | Rubidium | Rb | 37 |
| Dysprosium | Dy | 66 | Ruthenium | Ru | 44 |
| Einsteinium | Es | 99 | Rutherfordium | Rf | 104 |
| Erbium | Er | 68 | Samarium | Sm | 62 |
| Europium | Eu | 63 | Scandium | Sc | 21 |
| Fermium | Fm | 100 | Selenium | Se | 34 |
| Fluorine | F | 9 | Seaborgium | Sg | 106 |
| Francium | Fr | 87 | Silicon | Si | 14 |
| Gadolinium | Gd | 64 | Silver | Ag | 47 |
| Gallium | Ga | 31 | Sodium | Na | 11 |
| Germanium | Ge | 32 | Strontium | Sr | 38 |
| Gold | Au | 79 | Sulfur | S | 16 |
| Hafnium | Hf | 72 | Tantalum | Ta | 73 |
| Hassium | Hs | 108 | Technetium | Tc | 43 |
| Helium | He | 2 | Tellurium | Te | 52 |
| Holmium | Ho | 67 | Terbium | Tb | 65 |
| Hydrogen | H | 1 | Thallium | Tl | 81 |
| Indium | In | 49 | Thorium | Th | 90 |
| Iodine | I | 53 | Thulium | Tm | 69 |
| Iridium | Ir | 77 | Tin | Sn | 50 |
| Iron | Fe | 26 | Titanium | Ti | 22 |
| Krypton | Kr | 36 | Tungsten | W | 74 |
| Lanthanum | La | 57 | Uranium | U | 92 |
| Lawrencium | Lr | 103 | Vanadium | V | 23 |
| Lead | Pb | 82 | Xenon | Xe | 54 |
| Lithium | Li | 3 | Ytterbium | Yb | 70 |
| Lutetium | Lu | 71 | Yttrium | Y | 39 |
| Magnesium | Mg | 12 | Zinc | Zn | 30 |
| Manganese | Mn | 25 | Zirconium | Zr | 40 |
| Meitnerium | Mt | 109 | | | |

| Appendix-VIc List of Elements - by Z | | | | | |
|--------------------------------------|-----|------------|-----|-----|---------------|
| Z | Sym | Name | Z | Sym | Name |
| 1 | H | Hydrogen | 56 | Ba | Barium |
| 2 | He | Helium | 57 | La | Lanthanum |
| 3 | Li | Lithium | 58 | Ce | Cerium |
| 4 | Be | Beryllium | 59 | Pr | Praseodymium |
| 5 | B | Boron | 60 | Nd | Neodymium |
| 6 | C | Carbon | 61 | Pm | Promethium |
| 7 | N | Nitrogen | 62 | Sm | Samarium |
| 8 | O | Oxygen | 63 | Eu | Europium |
| 9 | F | Fluorine | 64 | Gd | Gadolinium |
| 10 | Ne | Neon | 65 | Tb | Terbium |
| 11 | Na | Sodium | 66 | Dy | Dysprosium |
| 12 | Mg | Magnesium | 67 | Ho | Holmium |
| 13 | Al | Aluminum | 68 | Er | Erbium |
| 14 | Si | Silicon | 69 | Tm | Thulium |
| 15 | P | Phosphorus | 70 | Yb | Ytterbium |
| 16 | S | Sulfur | 71 | Lu | Lutetium |
| 17 | Cl | Chlorine | 72 | Hf | Hafnium |
| 18 | Ar | Argon | 73 | Ta | Tantalum |
| 19 | K | Potassium | 74 | W | Tungsten |
| 20 | Ca | Calcium | 75 | Re | Rhenium |
| 21 | Sc | Scandium | 76 | Os | Osmium |
| 22 | Ti | Titanium | 77 | Ir | Iridium |
| 23 | V | Vanadium | 78 | Pt | Platinum |
| 24 | Cr | Chromium | 79 | Au | Gold |
| 25 | Mn | Manganese | 80 | Hg | Mercury |
| 26 | Fe | Iron | 81 | Tl | Thallium |
| 27 | Co | Cobalt | 82 | Pb | Lead |
| 28 | Ni | Nickel | 83 | Bi | Bismuth |
| 29 | Cu | Copper | 84 | Po | Polonium |
| 30 | Zn | Zinc | 85 | At | Astatine |
| 31 | Ga | Gallium | 86 | Rn | Radon |
| 32 | Ge | Germanium | 87 | Fr | Francium |
| 33 | As | Arsenic | 88 | Ra | Radium |
| 34 | Se | Selenium | 89 | Ac | Actinium |
| 35 | Br | Bromine | 90 | Th | Thorium |
| 36 | Kr | Krypton | 91 | Pa | Protactinium |
| 37 | Rb | Rubidium | 92 | U | Uranium |
| 38 | Sr | Strontium | 93 | Np | Neptunium |
| 39 | Y | Yttrium | 94 | Pu | Plutonium |
| 40 | Zr | Zirconium | 95 | Am | Americium |
| 41 | Nb | Niobium | 96 | Cm | Curium |
| 42 | Mo | Molybdenum | 97 | Bk | Berkelium |
| 43 | Tc | Technetium | 98 | Cf | Californium |
| 44 | Ru | Ruthenium | 99 | Es | Einsteinium |
| 45 | Rh | Rhodium | 100 | Fm | Fermium |
| 46 | Pd | Palladium | 101 | Md | Mendelevium |
| 47 | Ag | Silver | 102 | No | Nobelium |
| 48 | Cd | Cadmium | 103 | Lr | Lawrencium |
| 49 | In | Indium | 104 | Rf | Rutherfordium |
| 50 | Sn | Tin | 105 | Db | Dubnium |
| 51 | Sb | Antimony | 106 | Sg | Seaborgium |
| 52 | Te | Tellurium | 107 | Bh | Bohrium |
| 53 | I | Iodine | 108 | Hs | Hassium |
| 54 | Xe | Xenon | 109 | Mt | Meitnerium |
| 55 | Cs | Cesium | | | |

Appendix-VII **International Nuclear Structure and** **Decay Data Network**

| | |
|--|--|
| International At. Energy Agency- Nuclear Data Section Wagramerstr. 5, P.O. Box 100 A-1400 Vienna, Austria Contact: D. W. Muir | Centre d'Etudes Nucleaires DRF-SPH Cedex No. 85 F-38041 Grenoble Cedex, France Contact: J. Blachot |
| National Nuclear Data Center Brookhaven National Laboratory Upton, NY 11973, USA Contact: C. L. Dunford | Nuclear Data Center Tokai Research Establishment JAERI Tokai-Mura, Naka-Gun Ibaraki-Ken 319-11, Japan Contact: A. Hasegawa |
| Nuclear Data Project Oak Ridge National Laboratory Oak Ridge, TN 37831, USA Contact: Y. A. Akovali | Nuclear Data Project Kuwait Institute for Scientific Research P.O. Box 24885 Kuwait, Kuwait Contact: A. Farhan |
| Isotopes Project Lawrence Berkeley National Laboratory Berkeley, CA 94720, USA Contact: E. B. Norman | Laboratorium voor Kernfysica Proeftuinstraat 86 B-9000 Gent, Belgium Contact: D. De Frenne |
| Idaho National Engineering Laboratory E. G. and G. Idaho, Inc. P.O. Box 1625 Idaho Falls, ID 83415, USA Contact: R. G. Helmer | Tandem Accelerator Laboratory McMaster University Hamilton, Ontario L8S 4K1 Canada Contact: J. C. Waddington |
| TUNL Nuclear Data Evaluation Project, Triangle Universities Nuclear Laboratory P.O. Box 90308, Durham, NC 27708-0308 Contact: H. R. Weller | Institute of Atomic Energy P.O. Box 275 (41), Beijing People's Republic of China Contact: Zhuang, Youxiang |
| Center for Nuclear Information Technology, Dept. of Chemistry San Jose State University San Jose, CA 95192-0101 Contact: C. A. Stone | Department of Physics Jilin University, Changchun People's Republic of China Contact: Huo, Junde |
| Center for Nuclear Structure and Reaction Data Kurchatov Inst. of At. En. 46 Ulitsa Kurchatov 123 182 Moscow, Russia Contact: F. E. Chukreev | |
| Nuclear Data Centre St. Petersburg Nucl. Phys. Inst. Gatchina, Leningrad Region 188 350, Russia Contact: V. Martynov | |

Appendix-VIII Nuclear Data Centers Network

National Nuclear Data Center
Brookhaven National Laboratory
Bldg. 197D
P.O. Box 5000
Upton, NY 11973-5000, USA
Contact: C. L. Dunford

OECD Nuclear Energy Agency-
Data Bank
Le Seine Saint-Germain
12 Boulevard des Iles
92130 Issy-les-Moulineaux
France
Contact: C. Nordborg

International Atomic
Energy Agency-
Nuclear Data Section
Wagramerstr. 5, P.O. Box 100
A-1400 Vienna, Austria
Contact: D. W. Muir

Federal Research Center IPPE
Centr Jadernykh Dannykh
Ploshchad Bondarenko
249 020 Odninsk, Kaluga Region
Russia
Contact: V. N. Manokhin

Kurchatov Institute
Russia Nuclear Center
46 Ulitsa Kurchatova
123182 Moscow, Russia
Contact: F. E. Chukreev

Institute of Nuclear Physics
Moscow State University
Vorob'evy Gory
119899 Moscow, Russia
Contact: V. V. Varlamov

China Nuclear Data Center
China Institute of Atomic Energy
P.O. Box 275 (41)
Beijing 102413,
People's Republic of China
Contact: Zhuang, Youxiang

Japan Atomic Energy
Research Institute-
Nuclear Data Center
2-4 Shirakata Shirane
Tokai-mura, Naka-gun
Ibaraki-ken 319-11, Japan
Contact: A. Hasegawa

RIKEN Nuclear Data Group
RIKEN
Hirosawa 2-1
Wako-shi
Saitama 351-01, Japan
Contact: Y. Tendow

Japan Charged-Particle Nuclear
Reaction Data Group
Department of Physics
Hokkaido University
Kita-10 Nishi-8, Kita-ku
Sapporo 060, Japan
Contact: K. Kato

ATOMKI Charged-Particle Nuclear
Reaction Data Group
ATOMKI, Inst of Nuclear Research of
the Hungarian Academy of Sciences
Bem ter 18/c, P.O. Box 51
H-4001 Debrecen, Hungary
Contact: F. T. Tarkanyi

Institut Yadernykh Issledovanig
Prospekt Nauky, 47
252650 kiev 22, Ukraine
Contact: S. A. Dunayeva

Nuclear Data Evaluation Lab.
Korea Atomic Energy Research Inst.
P.O. Box 105 Yusung
Taejon, 305-600, Rep. of Korea
Contact: J. Chang



Electronic Nuclear Data Access

Introduction

The National Nuclear Data Center (NNDC) and other members of the IAEA-sponsored International Nuclear Structure and Decay Data (NSDD) and Nuclear Reaction Data (NRDC) Networks and the U.S. Nuclear Data Program (USNDP) provide electronic access to many of the bibliographic and numeric databases maintained by members of these groups. Access is available by anonymous FTP, TELNET, and the World Wide Web (W^3). Some databases or programs also are available on CD-ROM from individual Centers.

The contents of these various services are changing and growing continually, as are the methods of accessing them. Most of the W^3 home pages listed below contain current links. If you have problems or questions, please contact the NNDC at services@bnlnd2.dne.bnl.gov.

The NNDC, the International Atomic Energy Agency Nuclear Data Section (NDS), the OECD Nuclear Energy Agency Data Bank (NEADB) and the Russian Nuclear Data Center (RNDC) maintain databases and provide services covering a wide range of nuclear science. The databases and services available from these centers are listed first followed by the methods of electronic access to these centers. Next, other members of the NSDD, NRDC, and USNDP providing electronic access to nuclear data are listed in alphabetical order.

Other data centers and Web sites of interest may be accessed through the NNDC W^3 site or the other Web sites listed below. The USNDP home page (<http://www.nndc.bnl.gov/usndp/>) also contains this information organized by subject or discipline and from the viewpoints of various user communities.

Members of the USNDP receive some or all of their funding from the Division of Nuclear Physics, Office of High Energy and Nuclear Physics, US Department of Energy (see page *viii*). <http://www.pixe.lth.se/glossary/index.asp?gloss=ndgloss> contains a useful glossary of Internet and nuclear data terminology.

Databases and Services at the NNDC, NDS, NEADB, and RNDC

The NNDC, NDS, NEADB, and RNDC mirror the information available at these four core centers although there are some differences in the contents and version dates of the databases. Current major systems common to the four systems are listed below. The centers providing access to

this information in various formats are shown in the square brackets following the definitions.

CINDA (*Computer Index of Neutron Data*)—Bibliographic references to data on neutron reactions. [NDS, NEADB, NNDC, RNDC]

Codes—Includes ENDF pre-processing and utility codes and ENSDF analysis and checking codes. [NDS, NNDC]

CSISRS (*Cross Section Information Storage and Retrieval System*)—Experimental data on nuclear reactions, along with descriptions. This also is known as **EXFOR** (*Exchange Format*). [NDS, NEADB, NNDC, RNDC]

Documentation—Includes the NNDC (NDS) On-line Data Service Manual [NDS, NNDC], the **Evaluated Nuclear Data File**, **Evaluated Nuclear Structure Data File**, and **Nuclear Science References** manuals, and the ENDF/B-VI Summary Documentation [NDS, NEADB, NNDC, RNDC].

ENDF (*Evaluated Nuclear Data File*) —Evaluated data on nuclear reactions and decays. [NDS, NEADB (EVA, JEF), NNDC, RNDC]

ENSDF (*Evaluated Nuclear Structure Data File*)—Evaluated data on adopted levels and their properties, decay schemes, and nuclear structure from reactions for all known nuclides. [IP (Isotopes Project), NDS, NNDC, RNDC]

Libraries—Includes the 1995 Update to the Atomic Mass Evaluation [AMDC (Atomic Mass Data Center), NDS, NEADB, NNDC], and the International Reactor Dosimetry File—1990 (Version 2) [NDS, NNDC]

MIRD—Information on radionuclide decay in the format of the **Medical Internal Radiation Dose Committee**. [NDS, NNDC, RNDC]

NSR (*Nuclear Science References*) —Bibliographic information on nuclear structure, nuclear reactions, and radioactive decay. Some papers on atomic physics are included that are relevant to the physics of nuclear structure. [IP, NDS, NNDC, RNDC]

NuDat (*Nuclear Data File*)—Evaluated nuclear data, including nuclear levels and γ 's and their properties, nuclear masses, nuclear isomeric properties, radioactive decay radiations, and thermal cross sections and resonance integrals. [NDS, NEADB, NNDC, RNDC]

PCNuDat—An MS-DOS clone of NuDat. [NDS, NNDC]

XRAY (*Photon Attenuation and Scattering*)—Attenuation coefficients and total x-ray cross-sections, and scattering cross-sections for polarized photons. [NDS, NNDC, RNDC]

XUNDL (*Experimental Unevaluated Nuclear Data List*)—Experimental nuclear structure and decay data compiled in the ENSDF format. [IP, NNDC]

Other information available at the NNDC and NDS includes: the NNDC (NDS) address list and Newsletter; **UTILITIES** to run nuclear physics analyses and Q-value calculation codes, and **FILES** to view and electronically transfer data files.

National Nuclear Data Center (NNDC), Brookhaven National Laboratory, USA

Anonymous FTP

- [ftp.nndc.bnl.gov](ftp://ftp.nndc.bnl.gov)
- Contents: Codes, documentation, and libraries as described above. Additional contents include MS-DOS versions of the ENSDF analysis and checking codes (including executables), ENSDAT (*Evaluated Nuclear Structure Drawings and Tables*), PCNuDat, and the 5th edition of the Nuclear Wallet Cards.

Terminal Access

- [telnet.nndc.bnl.gov](telnet://telnet.nndc.bnl.gov). User name: NNDC (no password). At the prompt for assigned authorization code, enter the assigned code or GUEST.
- Contents: See above. Also includes a test database of experimental relativistic heavy-ion reaction data.

World Wide Web

- <http://www.nndc.bnl.gov>
- Contents: General information. Nuclear decay data in the MIRD format. Codes, documentation, and libraries as described above. Mirror site for the Korean Atomic Energy Research Institute's *Table of the Nuclides*. 5th edition of the Nuclear Wallet Cards. Experimental relativistic heavy-ion reaction data. Thermal neutron capture γ 's. CINDA, CSISRS, ENDF, ENSDF, NSR, NuDat, and XUNDL. Interactive calculation of log ft 's and internal conversion coefficients.

Nuclear Data Section (NDS), IAEA, Austria

Anonymous FTP

- [iaeand.iaea.or.at](ftp://iaeand.iaea.or.at). User name: anonymous. Password: Your e-mail address.
- Contents: Codes, documentation, and libraries as described above. Additional contents include MS-DOS versions of the ENSDF analysis and checking codes (including executables), ENSDAT (*Evaluated Nuclear Structure Drawings and Tables*), PCNuDat, the

1995 Atomic Mass Evaluation, and the 5th edition of the Nuclear Wallet Cards.

CD-ROM Distribution

- EXFOR
- Evaluated nuclear reaction data in the ENDF format and associated preprocessing and utility codes
- Multigroup cross section libraries

Terminal Access

- iaeand.iaea.or.at. User name: IAEANDS (No password). At the prompt for assigned authorization code, enter the assigned code or GUEST.
- Contents: See above.

World Wide Web

- http://www-nds.iaea.or.at
- Contents: General information, Nuclear decay data in the MIRD format. Codes, documentation, and libraries as described above and the FENDL-2 library (*Fusion Evaluated Nuclear Data Library*. 5th edition of the Nuclear Wallet Cards. Thermal neutron capture γ 's. CINDA, CSISRS, ENDF, ENSDF, EXFOR, NGATLAS (Atlas of neutron capture cross sections), Reference Input Parameter Library (RIPL), NMF-90 (Neutron Metrology File), and NuDat.

Nuclear Energy Agency Data Bank (NEADB), OECD, France

CD-ROM distribution

- JENDL-3.2 Plots on CD-ROM
- JEF-PC. Software for Graphical Display of Nuclear Data

World Wide Web

- http://www.nea.fr/html/databank/
- Contents: General Information. Evaluated nuclear reaction data (EVA, JEF). CINDA, EXFOR. Format manuals. Preprocessed reaction data. Atomic masses. Computer codes.

Russian Nuclear Data Center (RNDC), Russia

Terminal Access

- rndc.ippe.obninsk.ru. User name: CJD (no password). At the prompt for assigned authorization code, enter the assigned code or GUEST.
- Contents: See above.

World Wide Web

- <http://rndc.ippe.obninsk.ru/>
- Contents: General Information. BROND-2, RRDF-98 (Russian Radiation Dosimetry File), ADL-3 (Activation Data Library), MENDL (Medium Energy Neutron Data Library).

Astrophysics Program, Oak Ridge National Laboratory, USA

World Wide Web

- <http://www.phy.ornl.gov/astrophysics/astro.html>
- Contents: Nuclear reaction rates and nuclear astrophysics bibliography.

Atomic Mass Data Center (AMDC), Centre de Spectrométrie Nucléaire et de Spectrométrie de Masse, France

Anonymous FTP

- csnftp.in2p3.fr. Change directory to pub/AMDC.
- Contents: General information. The NUBASE database. PC-NUCLEUS program. ENSDF. JvNubase.

World Wide Web

- <http://www-csnsm.in2p3.fr/amdc/>
- Contents: General information. The 1995 Update to the Atomic Mass Evaluation and the 1993 Atomic Mass Evaluation. NUBASE and jvNubase.

Center for Nuclear Information Technology (CNIT), San Jose State University, USA

World Wide Web

- <http://www.best.com/~sdv/MacNuclide2/MacNukeb.html>
- Contents: MacNuclide 1.0 (MacOS/Windows), MacNuclide 2.x (MacOS), and cross-platform Java MacNuclide (β release).

Center for Photonuclear Experiments Data (CDFE), Moscow State University, Russia

World Wide Web

- <http://depni.npi.msu.su/cdfe/>
- Contents: General information. Photonuclear reaction cross-sections, parameters of the Giant Dipole Resonance and photonuclear reaction thresholds. Photonuclear data index.

γ -ray Spectrometry Center, Idaho Falls National Engineering and Environmental Laboratory, USA

World Wide Web

- <http://id.inel.gov/gamma/>
- Contents: General information. NaI (Tl) and Ge(Li)-Si(Li) Gamma Spectrum Catalogues.

Isotopes Project (IP), Ernest Orlando Lawrence Berkeley National Laboratory, USA

World Wide Web

- <http://ie.lbl.gov/>
- Contents: General information. Isotope Explorer and VuENSDF. NSR, ENSDF, and XUNDL. Table of Super-Deformed Bands and Fission Isomers. Atomic masses and Q-value calculator. Nuclear Astrophysics Data Reference List and Reaction Rates. Thermal neutron capture γ data. Table of Radioactive Isotopes. GAMQUEST.

**Nuclear Data Center,
Japan Atomic Research Institute, Japan**

CD-ROM distribution

- CD-ROM Storing JENDL-3.2 Plots and Data

World Wide Web

- <http://wwwndc.tokai.jaeri.go.jp/index.html>
- Contents: General information. JENDL-3.2. Documentation. Graphs of evaluated cross section data. Tables of Nuclear Data. Chart of the Nuclides. JNDC Nuclear Data Library (fission product decay data).

**Nuclear Data Evaluation Project,
Triangle Universities Nuclear Laboratory, USA**

World Wide Web

- <http://www.tunl.duke.edu/NuclData>
- Contents: General information. Revised post-publication manuscripts for A=3, 4, and 16-20 and preprints for A=5 and 6 (PDF). Modified versions of A=5-10, 11, 13, and 14 (PDF). Energy level diagrams for A=4-20 (GIF, PDF, EPS). Extract of the Table of Isotopes for A=1-20 (PDF, PS). Reference update lists for A=6-10.

**T-2 Nuclear Information Service,
Los Alamos National Laboratory, USA**

Anonymous FTP

- t2.lanl.gov.
- Contents: Similar to the Web site.

World Wide Web

- <http://t2.lanl.gov>
- Contents: General information. Neutron kerma data. High-energy data for accelerator applications. Reaction Q-value and threshold energy calculator. Nuclear reaction rates and astrophysical S-factors. Nuclear Data Viewer. ENDF. Codes (TRANSX 2.15, NJOY, etc.).

**Division of Nuclear Physics,
Office of High Energy and Nuclear Physics,
US Department of Energy**

The Division of Nuclear Physics supports a broad program of basic research in nuclear physics. The Division's World Wide Web site (<http://www.er.doe.gov/production/henp/nucphys.html>) provides an overview of its research program, programmatic activities, and links to research facilities at universities and national laboratories, to some major experiments, and to research publications. One of the Division's sub-programs, Low Energy Nuclear Physics, supports information services on critical nuclear data, and the compilation and dissemination of accurate and complete nuclear data information that is readily accessible and user oriented.

**Additional Copies Of These Wallet
Cards May Be Obtained From**

**Brookhaven National Laboratory
National Nuclear Data Center
P.O. Box 5000
Upton, New York 11973-5000
U.S.A.**

**E-mail: nndc@bnl.gov
Tel: (631) 344-2902
FAX: (631) 344-2806**